## OPERATOR'S MANUAL

# INLINE BALE WRAPPER

## | LW1166





## **Safety**

**Take note!** This safety alert symbol is found throughout this manual to call your attention to instructions involving yourself and others working around the machine.

. Failure to follow these instructions can result in injury or death!



### This symbol means

- Attention!
- Become Alert!
- Your Safety is involved!

Signal Words are used in this book.

**Caution:** Indicates a potentially hazardous situation that may result in injury.

**Warning:** Indicates a potentially hazardous situation that could result in serious injury or death.

**Danger:** Indicates a hazardous situation that needs to be avoided. It is you the operator that needs to be aware of these dangers.

If you have any questions not answered in this manual, please contact your dealer or Frontier.



## Safety- It's in your interest.



### Safety Guidelines

Safety of the operator is one of our main concerns, however we do hear of some accidents that could have been avoided if some precautions had been taken. To avoid personal injury study the following precautions and insist those working with you or for you, follow them.

In most cases the pictures will have the shielding in place, in some they may be removed, only to show a view behind the shield.

Keep all the shields, safety doors in place. If they become faulty and fail to work replace them. They are for your safety, do not operate the equipment with them removed.

Replace any decals that may be missing or that are not readable. Location of the decals is indicated in this manual.

Do not operate this machine while under the influence of drugs or alcohol.

Review the safety instructions with all users annually.

This equipment should not be operated by children, or with those unfamiliar with the operation of the machine. Do not allow persons to operate this machine until they have read this manual and/or were instructed by a qualified person.

Do not paint over, remove or deface any safety signs or warning decals on your equipment. Observe all safety signs and practice the instructions on them.


If the bale seems to be larger then the hoop do not try to force the material through as the film spools may touch the bale and break the plastic. If is stalls halfway through you can't back up, you will have to pull the bale apart by hand.





### Lighting and marking

This machine is equipped with lights and reflectors as required by the most stringent government and ASAE specifications. They should work with the tractor 7-pin connector.

**Safety Decal Location** 









## **Safety Decal Location**













#### ITEM - A **PART # - 5TBDE23846**



ITEM - B PART # - 5TBDE23939

### PORTAN

Before opening safety door turn control off.

Turn on/off switch before boosting or charging battery.

ITEM - C PART # - 5TBDE23839

## **A** CAUTION

#### To avoid serious injury:

- Read Operator's Manual before operating, servicing or repairing equipment.
   Follow allsafety rules and instructions. (Manuals are available from your selling dealer.)

- Never allow riders.

  Keep bystanders away from equipment during operation.

  Operate from tractor seat only.

  Keep all shelids in place and good condition.

  Lower equipment to ground, stop engine, remove key and set brake before dismounting tractor.
- Never allow children or untrained persons to operate equipment.

#DE23839

ITEM - D PART # - 5TBDE23988



### To prevent serious injury or death

Always turn machine to manual mode before starting engine.

#DE23988

ITEM - E **PART # - 5TBDE23942** 



## **WARNING**

Do not exceed this implement's maximum transport speed of 32km/h (20mph)

Exceeding this speed may result in loss of control during transport or braking and serious injury or death.

Transport only with a properly ballasted tractor and a properly attached safety tow chain. Do not transport with a motor vehicle. Reduce speed and use additional caution when on inclines, towing under adverse surface conditions, and turning.

#### ITEM – F PART # - 5TBDE23845



ITEM – G PART # - 5TBDE23971

For Wrapping and Storage

Be sure **Vent Cap** on tank is **Loose** 

#DE23971

ITEM – H PART # - 5TBDE23847



## **WARNING**

High-Pressure hydraulic oil leaks can penetrate skin resulting in serious injury, gangrene, or death.

- · Check for leaks with cardboard; never use hand.
- Before loosening fittings: lower load, release pressure, and be sure oil is cool.
- Consult a physician immediately if skin penetration occurs.



- . Keep safety signs clean and legible at all times
- . Replace safety signs that are missing or illegible
- . Decals are available through your John Deere Dealer

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com