





010 COMPLETE ENGINE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 0004 115 0	ENGINE		1	2)
1	77 0004 115 0	ENGINE		1	3)
2	77 0004 325 1	ENGINE		1	4)
2	77 0004 325 1	ENGINE		1	5)
2	77 0005 036 1	ENGINE		1	6)
-		<i>Please order additionally!</i>			
	77 0004 772 2	SPRING		1,000	
	77 0004 772 3	SUPPORT		1,000	
	77 0005 101 1	ROPE		1,000	
	77 0005 268 9	STOP		1,000	
2	77 0005 036 1	ENGINE		1	7)
-		<i>Please order additionally!</i>			
	77 0004 772 2	SPRING		1,000	
	77 0004 772 3	SUPPORT		1,000	
	77 0005 101 1	ROPE		1,000	
	77 0005 268 9	STOP		1,000	
3	77 0005 036 4	ENGINE		1	8)
-		<i>Please order additionally!</i>			
	77 0004 772 2	SPRING		1,000	
	77 0004 772 3	SUPPORT		1,000	
	77 0005 101 1	ROPE		1,000	
	77 0005 268 9	STOP		1,000	
3	77 0005 036 4	ENGINE		1	9)
-		<i>Please order additionally!</i>			
	77 0004 772 2	SPRING		1,000	
	77 0004 772 3	SUPPORT		1,000	
	77 0005 101 1	ROPE		1,000	
	77 0005 268 9	STOP		1,000	

1)	Equipment	080031	MECHANICAL REV.
2)	Homologationtype		+ 3411 ->PL.10.1.03.A
3)	Homologationtype		+ 3412 ->PL.10.1.03.A
4)	Homologationtype		+ 3421 ->PL.10.1.03.B
5)	Homologationtype		+ 3422 ->PL.10.1.03.B
6)	Homologationtype		+ 3441 ->PL.10.1.03.C
7)	Homologationtype		+ 3442 ->PL.10.1.03.C
8)	Homologationtype		+ 3471 ->PL.10.1.03.B
9)	Homologationtype		+ 3472 ->PL.10.1.03.B




010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 0005 374 0	ENGINE		1	2)
1	77 0005 374 0	ENGINE		1	3)
2	77 0005 374 2	ENGINE		1	4)
2	77 0005 374 2	ENGINE		1	5)
1)	Equipment	080033	REVERSHIFT		
2)	Homologationtype		+ 3441 ->PL.10.1.03.C		
3)	Homologationtype		+ 3442 ->PL.10.1.03.C		
4)	Homologationtype		+ 3471 ->PL.10.1.03.B		
5)	Homologationtype		+ 3472 ->PL.10.1.03.B		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGNES	Consignes - CS		1	
-	60 0502 910 7	<i>Please order!</i> <i>SHORT BLOCK</i>		1,000	
2	60 0501 318 9	SCREW		3	
3	60 0501 319 1	GREASE NIPPLE		1	
4	60 0501 317 4	CENTRING PIN		2	
5	60 0501 319 3	STUD BOLT		1	
6	60 0501 319 5	SCREW		2	2)
7	60 0501 319 6	CENTRING PIN		2	
8	60 0501 294 1	BEARING		1	
9	60 0501 319 8	BLANKING COVER		1	
10	60 0501 319 9	BUSHING		1	
11	60 0501 402 9	VALVE		1	
12	60 0501 320 2	LOCK		1	
13	60 0501 320 3	O-RING		1	
14	60 0501 320 4	COVER		3	
15	60 0501 320 5	WASHER		6	
16	60 0501 320 6	SCREW		6	
17	60 0501 365 6	PLATE		1	
18	60 0501 308 2	SCREW		2	3)
19	60 0501 308 3	WASHER		2	4)
1)	Homologationtype	+ 3411 + 3412			
2)	Remarks	3/8" x 2-1/4"			
3)	Remarks	5/16" x 3/4"			
4)	Remarks	11/32"5/8"1/16"			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 317 4	CENTRING PIN		4	
2	60 0501 320 7	VALVE		1	2)
3	60 0501 320 8	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0502 144 0	LOCK		4	
6	60 0501 321 0	PLUG		1	
7	60 0501 321 1	LOCK		1	
8	60 0501 319 8	BLANKING COVER		1	
9	60 0501 321 2	COVER		1	
10	60 0501 320 5	WASHER		2	
11	60 0501 320 6	SCREW		2	
1)	Homologationtype		+ 3411 + 3412		
2)	Remarks		[SR]		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype		+ 3411 + 3412		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGN ES	Consignes - CS		1	2)
-	60 0502 910 8	Please order! SHORT BLOCK		1,000	
1	FA-CONSIGN ES	Consignes - CS		1	3)
-	60 0502 911 0	Please order! SHORT BLOCK		1,000	
2	60 0501 317 4	CENTRING PIN		4	
3	60 0501 319 5	SCREW		2	4)
4	60 0501 294 1	BEARING		1	
5	60 0501 321 4	NUT		1	
6	60 0501 319 3	STUD BOLT		1	
7	60 0501 319 6	CENTRING PIN		2	
8	60 0501 287 2	BEARING		6	
9	60 0501 319 8	BLANKING COVER		1	
10	60 0501 319 9	BUSHING		1	
11	60 0501 402 9	VALVE		1	
12	60 0501 320 4	COVER		4	
13	60 0501 320 5	WASHER		8	
14	60 0501 320 6	SCREW		8	
15	60 0501 320 3	O-RING		1	
16	60 0501 320 2	LOCK		1	
17	60 0501 319 1	GREASE NIPPLE		1	
18	60 0501 318 9	SCREW		4	
19	60 0501 365 6	PLATE		1	
20	60 0501 308 2	SCREW		2	5)
21	60 0501 308 3	WASHER		2	6)
1)	Homologationtype	+ 3421 + 3422 + 3471 + 3472			
2)	Homologationtype	- 3471 - 3472			
3)	Homologationtype	- 3421 - 3422			
4)	Remarks	3/8" x 2-1/4"			
5)	Remarks	5/16" x 3/4"			
6)	Remarks	11/32"5/8"1/16"			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 339 4	O-RING		1	
2	60 0502 339 5	LOCK		1	
3	60 0501 320 8	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0501 320 7	VALVE		1	2)
6	60 0502 144 0	LOCK		5	
7	60 0501 321 9	LOCK		2	
8	60 0501 321 1	LOCK		1	
9	60 0501 321 7	GREASE NIPPLE		1	
10	60 0501 321 8	LOCK		1	
11	60 0501 317 4	CENTRING PIN		4	
12	60 0501 320 5	WASHER		2	
13	60 0501 320 6	SCREW		2	
14	60 0501 287 2	BEARING		6	
15	60 0501 321 2	COVER		1	
1)	Homologationtype	+ 3421 + 3422 + 3471 + 3472			
2)	Remarks	[SR]			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype				
		+ 3421			
		+ 3422			
		+ 3471			
		+ 3472			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGNES	Consignes - CS		1	
-		<i>Please order!</i> 60 0502 910 9 SHORT BLOCK		1,000	
2	60 0501 317 4	CENTRING PIN		4	
3	60 0501 318 9	SCREW		4	
4	60 0501 321 9	LOCK		1	
5	60 0501 319 3	STUD BOLT		1	
6	60 0501 319 5	SCREW		2	2)
7	60 0501 319 8	BLANKING COVER		1	
8	60 0501 319 6	CENTRING PIN		2	
9	60 0501 319 9	BUSHING		1	
10	60 0501 402 9	VALVE		1	
11	60 0501 320 6	SCREW		8	
12	60 0501 320 5	WASHER		8	
13	60 0501 320 4	COVER		4	
14	60 0501 320 3	O-RING		1	
15	60 0501 320 2	LOCK		1	
16	60 0501 308 2	SCREW		2	3)
17	60 0501 365 6	PLATE		1	
18	60 0501 308 3	WASHER		2	4)
1)	Homologationtype	+ 3441 + 3442			
2)	Remarks	3/8" x 2-1/4"			
3)	Remarks	5/16" x 3/4"			
4)	Remarks	11/32"5/8"1/16"			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 317 4	CENTRING PIN		4	
2	60 0502 339 4	O-RING		1	
3	60 0502 339 5	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0502 144 0	LOCK		5	
6	60 0501 321 1	LOCK		1	
7	60 0501 319 8	BLANKING COVER		2	
8	60 0501 287 2	BEARING		6	
9	60 0501 320 5	WASHER		2	
10	60 0501 320 6	SCREW		2	
11	60 0501 320 4	COVER		1	
1)	Homologationtype		+ 3441 + 3442		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype		+ 3441 + 3442		




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 276 3	PLATE		1	
2	60 0501 276 4	GASKET		1	
3	60 0501 276 5	SCREW		5	
4	60 0501 276 6	WASHER		5	
5	60 0501 276 7	STUD		3	1)
6	60 0501 276 8	NUT		3	2)
1)	Remarks	5/16"24NS/18UNC			
2)	Remarks	5/16"-18UNC			




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1146 749 0	CASING		1	
2	60 0501 277 0	GASKET		1	
3	60 0501 277 1	SCREW		1	
4	60 0501 277 2	WASHER		1	
5	60 0501 277 3	ADJUSTING DISC		1	
6	60 0501 277 4	SPRING		1	
7	60 0501 277 5	VALVE		1	
8	60 0501 277 6	LOCK		1	
9	60 0501 277 7	O-RING		1	
10	60 0501 278 1	SCREW		5	1)
11	60 0502 668 7	SCREW		6	2)
12	60 0501 278 0	SCREW		1	3)
13	60 0502 713 9	SCREW	3/8" X 1 3/4"	1	4)
14	60 0501 278 2	WASHER		16	
15	60 0501 278 3	SHAFT SEAL		1	
16	60 0502 895 5	SCREW PLUG	F-M20X1,5	1	
17	77 0002 464 6	O-RING	17X2-N ERS.D. 0238209.0	1	
18	60 0501 843 8	PLATE		1	
19	60 0501 843 9	GASKET		1	
20	60 0501 308 3	WASHER		2	
21	60 0501 331 3	SCREW		1	5)
22	60 0501 607 3	SCREW		1	6)
23	60 0502 233 3	STUD BOLT		1	7)
24	60 0501 277 8	SCREW		2	8)
1)	Remarks	3/8" x 1-7/8"			
2)	Remarks	3/8" x 2-1/2"			
3)	Remarks	3/8" x 2-3/8"			
4)	Remarks	3/8"x1-3/4"			
5)	Remarks	3/8" x 7/8"			
6)	Remarks	3/8"x3-1/4"			
7)	Remarks	3/8"x2-1/8"			
8)	Remarks	3/8" x 2"			




140 FLYWHEEL HOUSING

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 278 4	HOUSING		1	
2	60 0501 278 5	GASKET		1	
3	60 0501 278 6	BLANKING COVER		1	
4	60 0501 480 7	SCREW		6	1)
5	60 0501 480 8	SCREW		8	2)
6	60 0501 279 0	SHAFT SEAL	118X146X15	1	
1)	Remarks	5/8"			
2)	Remarks	3/8"			



160 OIL PAN 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 455 3	HOUSING		1	
2	60 0501 279 2	GASKET		1	
3	60 0501 279 3	LOCK		1	
4	60 0501 211 0	GASKET		1	
5	60 0501 279 4	TUBE		1	
6	60 0501 279 5	GAUGE		1	
7	60 0501 279 6	SEALING RING		1	
8	60 0502 604 3	SCREW		6	2)
9	60 0501 297 8	SCREW		10	3)
10	60 0501 279 9	SCREW		4	4)
11	60 0501 277 9	SCREW		2	5)
12	60 0501 280 3	STUD		2	
13	60 0501 280 0	WASHER		22	6)
1)	Homologationtype	+ 3411 + 3412			
2)	Remarks	3/8" x 1-1/8"			
3)	Remarks	3/8" x 1-1/4"			
4)	Remarks	3/8" x 4"			
5)	Remarks	3/8" x 2-1/2"			
6)	Remarks	3/8"			



160 OIL PAN 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 455 4	HOUSING		1	
2	60 0501 280 2	GASKET		1	
3	60 0501 279 3	LOCK		1	
4	60 0501 211 0	GASKET		1	
5	60 0501 279 4	TUBE		1	
6	60 0501 361 0	GAUGE		1	2)
6	60 0501 361 0	GAUGE		1	3)
6	60 0501 360 9	GAUGE		1	4)
7	60 0501 279 6	SEALING RING		1	
8	60 0502 604 3	SCREW		6	5)
9	60 0501 280 3	STUD		2	6)
10	60 0501 297 8	SCREW		16	7)
11	60 0501 279 9	SCREW		2	8)
12	60 0501 277 9	SCREW		2	9)
13	60 0501 280 0	WASHER		28	10)
1)	Homologationtype	- 3411 - 3412			
2)	Homologationtype	+ 3471			
3)	Homologationtype	+ 3472			
4)	Homologationtype	- 3471 - 3472			
5)	Remarks	3/8" x 1-1/8"			
6)	Remarks	3/8" x M8			
7)	Remarks	3/8" x 1-1/4"			
8)	Remarks	3/8" x 4"			
9)	Remarks	3/8" x 2-1/2"			
10)	Remarks	3/8"			

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.
You can download the most
perfect and complete manual in
the world immediately.

Our support email:
ebooklibonline@outlook.com