




010 COMPLETE ENGINE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 0004 115 0	ENGINE		1	1)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0004 054 1	AXLE SUPPORT CHASSIS		1,000	
1	77 0004 115 0	ENGINE		1	2)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0003 905 2	AXLE SUPPORT CHASSIS		1,000	
2	77 0004 325 1	ENGINE		1	3)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0004 054 1	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0003 270 2	PTO CLUTCH DISC		1,000	
	77 0004 301 0	CLUTCH		1,000	
2	77 0004 325 1	ENGINE		1	4)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0003 905 2	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0003 270 2	PTO CLUTCH DISC		1,000	
	77 0004 301 0	CLUTCH		1,000	
2	77 0004 325 2	ENGINE		1	5)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0004 054 1	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0002 262 4	PTO CLUTCH DISC		1,000	
	77 0004 301 1	CLUTCH		1,000	
2	77 0004 325 2	ENGINE		1	6)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0003 905 2	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0002 262 4	PTO CLUTCH DISC		1,000	
	77 0004 301 1	CLUTCH		1,000	
3	77 0004 950 1	ENGINE		1	7)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0004 054 1	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0003 980 6	HEX.HEAD BOLT		12,000	
	77 0004 075 9	PTO CLUTCH DISC		1,000	
	77 0005 865 4	COMPLETE CLUTCH		1,000	

1)	Homologationtype	+ 3411
-----------	-------------------------	--------

2)	Homologationtype	+ 3412
-----------	-------------------------	--------


3)	Homologationtype	+ 3421
-----------	-------------------------	--------

4)	Homologationtype	+ 3422
-----------	-------------------------	--------

5)	Homologationtype	+ 3441
-----------	-------------------------	--------


010 COMPLETE ENGINE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
3	77 0004 950 1	ENGINE		1	8)
-		<i>Please order additionally!</i>			
	77 0003 890 9	SCREW		2,000	
	77 0003 905 2	AXLE SUPPORT CHASSIS		1,000	
		<i>Please order additionally!</i>			
	77 0003 980 6	HEX.HEAD BOLT		12,000	
	77 0004 075 9	PTO CLUTCH DISC		1,000	
	77 0005 865 4	COMPLETE CLUTCH		1,000	
6)	Homologationtype		+ 3442		
7)	Homologationtype		+ 3471		
8)	Homologationtype		+ 3472		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGNES	Consignes - CS		1	
-	60 0502 910 7	Please order! SHORT BLOCK		1,000	
2	60 0501 318 9	SCREW		3	
3	60 0501 319 1	GREASE NIPPLE		1	
4	60 0501 317 4	CENTRING PIN		2	
5	60 0501 319 3	STUD BOLT		1	
6	60 0501 319 5	SCREW		2	2)
7	60 0501 319 6	CENTRING PIN		2	
8	60 0501 294 1	BEARING		1	
9	60 0501 319 8	BLANKING COVER		1	
10	60 0501 319 9	BUSHING		1	
11	60 0501 402 9	VALVE		1	
12	60 0501 320 2	LOCK		1	
13	60 0501 320 3	O-RING		1	
14	60 0501 320 4	COVER		3	
15	60 0501 320 5	WASHER		6	
16	60 0501 320 6	SCREW		6	
17	60 0501 365 6	PLATE		1	
18	60 0501 308 2	SCREW		2	3)
19	60 0501 308 3	WASHER		2	4)
1)	Homologationtype	+ 3411 + 3412			
2)	Remarks	3/8" x 2-1/4"			
3)	Remarks	5/16" x 3/4"			
4)	Remarks	11/32"5/8"1/16"			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 317 4	CENTRING PIN		4	
2	60 0501 320 7	VALVE		1	2)
3	60 0501 320 8	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0502 144 0	LOCK		4	
6	60 0501 321 0	PLUG		1	
7	60 0501 321 1	LOCK		1	
8	60 0501 319 8	BLANKING COVER		1	
9	60 0501 321 2	COVER		1	
10	60 0501 320 5	WASHER		2	
11	60 0501 320 6	SCREW		2	
1)	Homologationtype		+ 3411 + 3412		
2)	Remarks		[SR]		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype		+ 3411 + 3412		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 321 3	CRANKCASE		1	
2	60 0501 317 4	CENTRING PIN		4	
3	60 0501 319 5	SCREW		2	2)
4	60 0501 294 1	BEARING		1	
5	60 0501 321 4	NUT		1	
6	60 0501 319 3	STUD BOLT		1	
7	60 0501 319 6	CENTRING PIN		2	
8	60 0501 287 2	BEARING		6	
9	60 0501 319 8	BLANKING COVER		1	
10	60 0501 319 9	BUSHING		1	
11	60 0501 402 9	VALVE		1	
12	60 0501 320 4	COVER		4	
13	60 0501 320 5	WASHER		8	
14	60 0501 320 6	SCREW		8	
15	60 0501 320 3	O-RING		1	
16	60 0501 320 2	LOCK		1	
17	60 0501 319 1	GREASE NIPPLE		1	
18	60 0501 318 9	SCREW		4	
19	60 0501 365 6	PLATE		1	
20	60 0501 308 2	SCREW		2	3)
21	60 0501 308 3	WASHER		2	4)
1)	Homologationtype	+ 3421 + 3422 + 3471 + 3472			
2)	Remarks	3/8" x 2-1/4"			
3)	Remarks	5/16" x 3/4"			
4)	Remarks	11/32"5/8"1/16"			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 339 4	O-RING		1	
2	60 0502 339 5	LOCK		1	
3	60 0501 320 8	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0501 320 7	VALVE		1	2)
6	60 0502 144 0	LOCK		5	
7	60 0501 321 9	LOCK		2	
8	60 0501 321 1	LOCK		1	
9	60 0501 321 7	GREASE NIPPLE		1	
10	60 0501 321 8	LOCK		1	
11	60 0501 317 4	CENTRING PIN		4	
12	60 0501 320 5	WASHER		2	
13	60 0501 320 6	SCREW		2	
14	60 0501 287 2	BEARING		6	
15	60 0501 321 2	COVER		1	
1)	Homologationtype	+ 3421 + 3422 + 3471 + 3472			
2)	Remarks	[SR]			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype				
		+ 3421			
		+ 3422			
		+ 3471			
		+ 3472			




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 449 5	CRANKCASE		1	
2	60 0501 317 4	CENTRING PIN		4	
3	60 0501 318 9	SCREW		4	
4	60 0501 321 9	LOCK		1	
5	60 0501 319 3	STUD BOLT		1	
6	60 0501 319 5	SCREW		2	2)
7	60 0501 319 8	BLANKING COVER		1	
8	60 0501 319 6	CENTRING PIN		2	
9	60 0501 319 9	BUSHING		1	
10	60 0501 402 9	VALVE		1	
11	60 0501 320 6	SCREW		8	
12	60 0501 320 5	WASHER		8	
13	60 0501 320 4	COVER		4	
14	60 0501 320 3	O-RING		1	
15	60 0501 320 2	LOCK		1	
16	60 0501 308 2	SCREW		2	3)
17	60 0501 365 6	PLATE		1	
18	60 0501 308 3	WASHER		2	4)
1)	Homologation	type	+ 3441 + 3442		
2)	Remarks		3/8" x 2-1/4"		
3)	Remarks		5/16" x 3/4"		
4)	Remarks		11/32"5/8"1/16"		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 317 4	CENTRING PIN		4	
2	60 0502 339 4	O-RING		1	
3	60 0502 339 5	LOCK		1	
4	60 0501 320 9	LOCK		1	
5	60 0502 144 0	LOCK		5	
6	60 0501 321 1	LOCK		1	
7	60 0501 319 8	BLANKING COVER		2	
8	60 0501 287 2	BEARING		6	
9	60 0501 320 5	WASHER		2	
10	60 0501 320 6	SCREW		2	
11	60 0501 320 4	COVER		1	
1)	Homologationtype		+ 3441 + 3442		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 342 7	TRANSMITTER		1	
1)	Homologationtype		+ 3441 + 3442		




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 276 3	PLATE		1	
2	60 0501 276 4	GASKET		1	
3	60 0502 714 3	SCREW		5	
4	60 0501 276 6	WASHER		5	
5	60 0501 276 7	STUD		3	1)
6	60 0501 276 8	NUT		3	2)
1)	Remarks	5/16"24NS/18UNC			
2)	Remarks	5/16"-18UNC			




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 276 9	HOUSING		1	
2	60 0501 277 0	GASKET		1	
3	60 0501 277 1	SCREW		1	
4	60 0501 277 2	WASHER		1	
5	60 0501 277 3	ADJUSTING DISC		1	
6	60 0501 277 4	SPRING		1	
7	60 0501 277 5	VALVE		1	
8	60 0501 277 6	LOCK		1	
9	60 0501 277 7	O-RING		1	
10	60 0501 278 1	SCREW		5	1)
11	60 0501 277 9	SCREW		6	2)
12	60 0501 278 0	SCREW		1	3)
13	60 0502 713 9	SCREW	3/8" X 1 3/4"	1	4)
14	60 0501 278 2	WASHER		16	
15	60 0501 278 3	SHAFT SEAL		1	
16	60 0502 895 5	SCREW PLUG	F-M20X1,5	1	
17	77 0002 464 6	O-RING	17X2-N ERS.D. 0238209.0	1	
18	60 0501 843 8	PLATE		1	
19	60 0501 843 9	GASKET		1	
20	60 0501 308 3	WASHER		2	
21	60 0501 331 3	SCREW		1	5)
22	60 0501 607 3	SCREW		1	6)
23	60 0502 233 3	STUD BOLT		1	7)
24	60 0501 277 8	SCREW		2	8)
1)	Remarks	3/8" x 1-7/8"			
2)	Remarks	3/8" x 2-1/2"			
3)	Remarks	3/8" x 2-3/8"			
4)	Remarks	3/8"x1-3/4"			
5)	Remarks	3/8" x 7/8"			
6)	Remarks	3/8"x3-1/4"			
7)	Remarks	3/8"x2-1/8"			
8)	Remarks	3/8" x 2"			



140 FLYWHEEL HOUSING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGNES	Consignes - CS		1	
-		<i>Please order!</i>			
	60 0501 278 4	HOUSING		1,000	
	60 0501 480 7	SCREW		6,000	
	60 0501 480 8	SCREW		8,000	
2	60 0501 278 5	GASKET		1	
3	60 0501 278 6	BLANKING COVER		1	
4	60 0501 278 8	SCREW		6	2)
5	60 0501 278 9	SCREW		8	3)
6	60 0501 279 0	SHAFT SEAL	118X146X15	1	
1)	Motor	4029DRT35	up to CD4029D244461		
		4039DRT35	up to CD4039D244461		
		4039TRT35	up to CD4039T244461		
		4045DRT35	up to CD4045D244461		
2)	Remarks		5/8" x 2-1/2"		
3)	Remarks		3/8" x 1-3/8"		




140 FLYWHEEL HOUSING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0501 278 4	HOUSING		1	
2	60 0501 278 5	GASKET		1	
3	60 0501 278 6	BLANKING COVER		1	
4	60 0501 480 7	SCREW		6	2)
5	60 0501 480 8	SCREW		8	3)
6	60 0501 279 0	SHAFT SEAL	118X146X15	1	


1)	Motor	3029DRT65	from CD3029D244462
		4039DRT35	from CD4039D244462
		4039TRT35	from CD4039T244462
		4045DRT35	from CD4045D244462

2)	Remarks	5/8"
3)	Remarks	3/8"



160 OIL PAN 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	FA-CONSIGN ES	Consignes - CS		1	2)
-		<i>Please order!</i> 77 0145 690 9 AXLE SUPPORT CHASSIS		1,000	
1	FA-CONSIGN ES	Consignes - CS		1	3)
-		<i>Please order!</i> 77 0145 691 0 AXLE SUPPORT CHASSIS		1,000	
2	60 0501 455 3	HOUSING		1	
3	60 0501 279 2	GASKET		1	
4	60 0501 279 3	LOCK		1	
5	60 0501 211 0	GASKET		1	
6	60 0501 279 4	TUBE		1	
7	60 0501 279 5	GAUGE		1	
8	60 0501 279 6	SEALING RING		1	
9	60 0502 604 3	SCREW		6	4)
10	60 0501 297 8	SCREW		10	5)
11	60 0501 279 9	SCREW		4	6)
12	60 0501 277 9	SCREW		2	7)
13	60 0501 280 0	WASHER		22	8)
14	60 0501 280 3	STUD		2	
1)	Homologationtype	+ 3411 + 3412			
2)	Homologationtype	+ 3411			
3)	Homologationtype	+ 3412			
4)	Remarks	3/8" x 1-1/8"			
5)	Remarks	3/8" x 1-1/4"			
6)	Remarks	3/8" x 4"			
7)	Remarks	3/8" x 2-1/2"			
8)	Remarks	3/8"			



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com