



E0166 0102A010A 1



010 COMPLETE ENGINE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2599 962 0	ENGINE	2206D 358KW TIER 3 XERIO	1	1)
1	00 2599 961 0	ENGINE	2206D 330KW TIER 3 XERIO	1	2)
1	00 2599 960 0	ENGINE	2206D 295KW TIER 3 XERIO	1	3)
1	00 2599 963 0	ENGINE	2206D 295KW TIER 3 XERIO	1	4)
1	00 2599 964 0	ENGINE	2206D 330KW TIER 3 XERIO	1	5)
1	00 2599 965 0	ENGINE	2206D 358KW TIER 3 XERIO	1	6)
1)	Equipment				
	machine no.	XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor + from 78200011 up to 78200353 + from E5409011 up to E5409161		
2)	Equipment				
	machine no.	XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor + from 78200011 up to 78200353 + from E5409011 up to E5409161		
3)	Equipment				
	machine no.	XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor + from 78200011 up to 78200353 + from E5409011 up to E5409161		
4)	Equipment				
	machine no.	XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor + from 78200354 up to 78299999 + from E5409162 up to E5499999		
5)	Equipment				
	machine no.	XE_P02_1201 XE_P02_1202	Perkins 2206D ECE R120 330 KW with air compressor Perkins 2206D ECE R120 330 kW with air compressor 78200354 E5409162		
6)	Equipment				
	machine no.	XE_P02_1211 XE_P02_1212	Perkins 2206D ECE R120 358 K with air compressor Perkins 2206D ECE R120 358 kW with air compressor 78200354 E5409162		

E0166 0105A100A 1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 888 0	HEXAGON HEAD BOLT	M16X130	2	2)
1	00 0239 391 0	CONTACT WASHER	A16	4	2)
1	00 0238 047 0	LOCK NUT	M16	2	2)
2	00 0720 372 0	WASHER	17X50X6	2	2)
3	00 0734 728 0	WASHER	D90X5	6	2)
4	00 0598 842 0	RUBBER BEARING	D89 H73	4	2)
5	00 0242 395 1	HEXAGON HEAD BOLT	M16X120	2	2)
5	00 0239 391 0	CONTACT WASHER	A16	2	2)
5	00 0238 047 0	LOCK NUT	M16	2	2)
6	00 0233 671 0	CONICAL SPRING WASHER	16 -17X39X4	2	2)
7	00 0214 077 0	HEXAGON HEAD BOLT	3/4-10X2	8	2)
8	00 0212 191 0	CONTACT WASHER	A20	8	2)
9	00 0500 202 1	BEARING SUPP. RH		1	2)
10	00 0582 425 2	BEARING BLOCK L.H		1	2)


1) Equipment

XE_P02_0200	CAT C13 SAE 330 KW with air compressor
XE_P02_0210	CAT C13 SAE 358 KW with air compressor
XE_P02_1190	CAT C13 SAE 295 KW with air compressor
XE_P02_1200	CAT C13 SAE 330 KW with air compressor
XE_P02_1210	CAT C13 SAE 358 KW with air compressor
XE_P02_2200	CAT C13 SAE 330 KW with air compressor
XE_P02_2210	CAT C13 SAE 358 KW with air compressor

2) machine no.

+ from 78200011 up to 78200230
+ from E5409011 up to E5409030

E0166 0105A100A 2



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 888 0	HEXAGON HEAD BOLT	M16X130	2	2)
2	00 0239 391 0	CONTACT WASHER	A16	4	2)
3	00 0720 372 0	WASHER	17X50X6	2	2)
4	00 0734 728 0	WASHER	D90X5	4	2)
5	00 0598 842 1	RUBBER BEARING	D89X73	4	2)
6	00 0238 047 0	LOCK NUT	M16	2	2)
7	00 0211 021 0	HEXAGON HEAD BOLT	M16X120	2	2)
8	00 0233 671 0	CONICAL SPRING WASHER	16 -17X39X4	2	2)
9	00 0734 728 0	WASHER	D90X5	2	2)
10	00 0502 561 0	BEARING FLANGE	TYP 782 MOTOR	1	3)
10	00 2502 525 1	FLANGE	TYP 782 MOTOR	1	4)
11	00 0233 671 0	CONICAL SPRING WASHER	16 -17X39X4	2	2)
12	00 0362 438 0	WASHER	11 - 11,5X21X2,5	11	2)
13	00 0215 778 0	HEXAGON HEAD BOLT	7/16-14X1 3/8	12	2)


1)	Equipment	XE_P02_0200	CAT C13 SAE 330 KW with air compressor
		XE_P02_0210	CAT C13 SAE 358 KW with air compressor
		XE_P02_1190	CAT C13 SAE 295 KW with air compressor
		XE_P02_1200	CAT C13 SAE 330 KW with air compressor
		XE_P02_1210	CAT C13 SAE 358 KW with air compressor
		XE_P02_2200	CAT C13 SAE 330 KW with air compressor
		XE_P02_2210	CAT C13 SAE 358 KW with air compressor

2)	machine no.	+ from 78200231 up to 78299999
		+ from E5409031 up to E5409999

3)	machine no.	+ from 78200231 up to 78200353
		+ from E5409031 up to E5409999

4)	machine no.	+ from 78200354 up to 78299999
		+ from E5409162 up to E5499999


PK2197440



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 179 0	STUD		2	
2	00 1999 246 0	WASHER		2	
1) Equipment					
		XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor		
		XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor		
		XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor		

PK1153004




100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 580 0	SUSPENSION		1	
2	00 1999 239 0	SCREW		8	
3	00 1999 248 0	WASHER		8	

1)	Equipment				
		XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor		
		XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor		
		XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor		

PK2554647



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 111 0	SUSPENSION		1	
2	00 1999 175 0	SCREW		4	
3	00 1999 248 0	WASHER		4	
4	00 1999 111 0	SUSPENSION		1	
5	00 1999 185 0	SCREW		4	
6	00 1999 248 0	WASHER		4	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor

PK2276764



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 696 0	SUPPORT		1	
2	00 1999 107 0	SCREW		4	
3	00 1999 188 0	WASHER	11X21X2,3	4	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor

PK2407271A




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 578 0	CYLINDER BLOCK		1	2)
3	00 1999 191 0	PLUG		5	
4	00 1987 361 0	BUSH		6	3)
4	00 1999 109 0	BUSH		6	4)
5	00 1999 648 0	GASKET		6	
6	00 1999 207 0	BEARING		7	
8	00 1999 096 0	SCREW		14	
9	00 1999 095 0	WASHER		14	

1)	Equipment		
		XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor
		XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor
		XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor
2)	Remarks		with Item 2 - 9
3)	machine no.		+ from 78200350
4)	machine no.		+ up to 78200349

PK2407271B



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 254 0	PLUG		3	
2	00 1999 194 0	CYLINDRICAL PIN		2	
3	00 1999 193 0	CYLINDRICAL PIN		6	
4	00 1998 966 0	PLUG		3	
5	00 1998 798 0	O-RING		3	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor


PK1170165



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 254 0	PLUG		1	
1)	Equipment				
		XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor		
		XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor		
		XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor		

PK2279545



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 217 0	PLUG		1	
2	00 1999 186 0	O-RING		1	
3	00 1999 217 0	PLUG		1	
4	00 1999 186 0	O-RING		1	
5	00 1999 216 0	PLUG		1	
6	00 1998 804 0	O-RING		1	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor


PK2233875



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 218 0	PLUG		1	
2	00 1998 798 0	O-RING		1	
1)	Equipment				
		XE_P02_1191	Perkins 2206D ECE R120 295 KW with air compressor		
		XE_P02_1201	Perkins 2206D ECE R120 330 KW with air compressor		
		XE_P02_1211	Perkins 2206D ECE R120 358 K with air compressor		

PK3533485



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 237 0	COVERING		1	
2	00 1999 184 0	O-RING		1	
3	00 1999 220 0	WASHER	8,8X16X2	2	
4	00 1999 357 0	SCREW		2	
5	00 1999 237 0	COVERING		1	
6	00 1999 184 0	O-RING		1	
7	00 1999 220 0	WASHER	8,8X16X2	2	
8	00 1999 357 0	SCREW		2	
9	00 1999 237 0	COVERING		1	
10	00 1999 184 0	O-RING		1	
11	00 1999 220 0	WASHER	8,8X16X2	2	
12	00 1999 192 0	HEXAGON HEAD BOLT	M8X25	2	
13	00 1999 237 0	COVERING		1	
14	00 1999 184 0	O-RING		1	
15	00 1999 220 0	WASHER	8,8X16X2	2	
16	00 1999 192 0	HEXAGON HEAD BOLT	M8X25	2	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor

PK1161091



140 FLYWHEEL HOUSING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 181 0	COVERING		1	
2	00 1999 236 0	SEALING WASHER		1	
3	00 1998 951 0	COVER SEALING		1	
4	00 1999 180 0	SCREW		7	
5	00 1999 249 0	WASHER		7	
6	00 1999 225 0	SCREW		6	
7	00 1999 249 0	WASHER		6	
8	00 1999 634 0	O-RING		1	

1) Equipment

XE_P02_1191

XE_P02_1201


XE_P02_1211

Perkins 2206D ECE R120 295 KW with air compressor

Perkins 2206D ECE R120 330 KW with air compressor

Perkins 2206D ECE R120 358 K with air compressor


PK2223090



140 FLYWHEEL HOUSING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1999 146 0	FLYWHEEL HOUSING	8,8X16X2	1	
2	00 1999 237 0	COVERING		1	
3	00 1999 184 0	O-RING		1	
4	00 1999 149 0	SCREW		2	
5	00 1999 220 0	WASHER		2	
6	00 1998 971 0	PLUG		1	
7	00 1998 797 0	O-RING		1	
8	00 1999 171 0	SCREW		12	
9	00 1998 947 0	PLUG		3	
10	00 1999 215 0	PLUG		1	
11	00 1998 958 0	O-RING		1	
12	00 1999 122 0	SPACER PIECE		1	
13	00 1999 122 0	SPACER PIECE		1	
1)	Equipment				
		XE_P02_1191			Perkins 2206D ECE R120 295 KW with air compressor
		XE_P02_1201			Perkins 2206D ECE R120 330 KW with air compressor
		XE_P02_1211			Perkins 2206D ECE R120 358 K with air compressor

PK2412944



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com