

Fig. 011 CYLINDER BLOCK




Fig. 011 CYLINDER BLOCK

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.01101-6085B	CYLINDER BLOCK ASS'Y	1					
2	65.01101-0054B	CYLINDER BLOCK	1	D				
3	65.01105-6005B	BEARING CAP ASS'Y(No:3)	1	D				
4	65.01105-1051B	CAP:BEARING	1	D				
5	65.91710-0001	RING:STOPPER	2					
6	65.01105-6006B	BEARING CAP ASS'Y	6	D				
7	65.01105-1052B	CAP:BEARING	1	D				
8	65.91710-0001	RING:STOPPER	2					
9	65.90020-0066A	BOLT:BRG CAP	14					
10	65.04410-0021A	BUSH:CAMSHAFT	6	B				
11	65.04410-0022	BUSH:CAMSHAFT	1	B				
12	65.90302-0009	PLUG:CORE	2					
13	65.90302-0042	PLUG:CORE	8					
14	65.90302-0034	PLUG:CORE	5					
15	65.90302-0041	PLUG:CORE	1					
16	65.91606-0041	PLUG:CORE	2					
17	06.31641-0618	BALL:STEEL	1					
20	65.01601-5020	OIL SPRAY NOZZLE ASS'Y	6					
21	65.05401-5031	RELIEF VALVE ASS'Y	6					
22	65.90320-0022	PLUG SCREW PT1/8	7					
23	65.05401-5002F	RELIEF VALVE ASS'Y	1					
24	06.56021-0102	O-RING	1					
25	65.91605-0002	COVER:CORE HOLE	1					
26	65.90310-0134	SCREW:PLUG	1					
28	65.90310-0135	PLUG:SCREW	1					
29	06.56190-0705	RING:SEAL	1					
30	65.01201-0075A	CYLINDER LINER-GRADE	6	D				
31	65.01201-0076	LINER:CYLINDER-1A	6					
32	65.01201-0077	LINER:CYLINDER-1B	6					
33	65.01201-0078	LINER:CYLINDER-2A	6					
34	65.01201-0079	LINER:CYLINDER-2B	6					

Fig. 012 TIMING GEAR CASE




Fig. 012 TIMING GEAR CASE

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.01304-0029	CASE;TIMING GEAR	1					
2	65.91710-0016	RING;STOPPER	2					
3	65.01903-0034	GASKET	1					
4	65.90020-0063B	BOLT;HEX M10X25	3					
5	65.90020-0080	BOLT;COLLARED HEX.	1					
6	65.98130-0241	ADAPTER	1					
7	65.05401-5032	RELIEF VALVE ASS'Y	1		~091116	I	410127-00040	1
7	410127-00040	RELIEF VALVE ASS'Y	1		091117~			
8	65.96501-0074	O-RING	1					
9	65.91601-0011	COVER	1					
10	65.38901-0018A	GASKET;PTO	1					
11	06.01943-3318	BOLT ASS'Y M12X1.5X35	2					

Fig. 013 FLYWHEEL HOUSING




Fig. 013 FLYWHEEL HOUSING

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.01401-0253B	HOUSING;FLYWHEEL	1					
2	65.01510-0040	SEAL;OIL	1					
3	65.01904-0032	GASKET	1					
4	65.90020-0100	BOLT, 103mm	9					
5	65.90020-0101	BOLT, 57mm	4					
6	65.90020-0105	BOLT, 67mm	4					
7	65.91710-0009	RING;STOPPER	2					
8	65.01414-0004A	COVER	1					
9	06.01923-3111	BOLT, M8X16	2					

Fig. 014 OIL SEAL




Fig. 014 OIL SEAL

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.01501-5003A	COVER;SEALING	1					
2	65.01510-0157	SEAL;OIL	1					
3	65.01905-0009	GASKET	1					
4	06.01923-3116	BOLT ASS'Y M8X28	8					
5	06.22022-1063	PIN	2					

Fig. 015 BREATHER




Fig. 015 BREATHER

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.01801-5100	HOUSING;BREATHER	1					
2	65.01840-0017	BRACKET;BREATHER PIPE	1					
3	06.01923-3114	BOLT ASS'Y M8X22	3					
4	06.01924-3217	BOLT ASS'Y M10X30	2					
5	65.96301-0478	HOSE;RUBBER	1					
6	06.67020-0105	CLAMP;HOSE	2					
7	65.96301-0456A	HOSE;RUBBER	1					
8	65.97440-0005	CLAMP;HOSE	2					
9	65.96301-0464A	HOSE;RUBBER	1					
10	06.67020-0105	CLAMP;HOSE	1					
11	65.90201-0122	BOLT;STUD	1					
12	65.97401-5024	CLIP;PIPE	2					
13	65.97401-5019	CLIP;PIPE	1					
14	06.15010-2311	WASHER	1					
15	06.16731-2107	WASHER	1					
16	06.11063-8214	NUT	1					
17	65.98131-0119	NIPPLE	1					
18	06.56190-0719	RING;SEAL	1					
20	65.01801-5043A	HOUSING;BREATHER	1					
21	65.96501-0033B	O-RING	1					
22	06.01923-3111	BOLT, M8X16	3					

Fig. 016 DRIVING SYSTEM




Fig. 016 DRIVING SYSTEM

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
1	65.02101-0069A	CRANK SHAFT	1					
2	06.22022-1018	PIN;DOWEL	1					
3	65.02115-0016	GEAR;CRANKSHAFT	1					
4	65.01110-6140	METAL;MAIN	7					
5	65.01150-6008	WASHER;THRUST	2					
10	65.02201-0002	DAMPER;VIBRATION	1					
11	65.90020-0062B	BOLT;HEX M10X20	6					
15	65.02301-5148A	FLYWHEEL ASS'Y	1					
16	65.02301-0291A	FLYWHEEL	1					
17	65.02310-0006	GEAR;RING	1					
18	65.02130-0004	BUSH;DRIVING	1					
19	65.90020-0123	BOLT;COLLARED HEX.	8					
20	65.02401-6032B	CONNECTING ROD ASS'Y	6					
21	65.02411-0009	BOLT;CONNECTING ROD	2					
22	65.02410-0040	METAL;CON-ROD(STD)	6					
22	65.02410-0041	METAL;CON-ROD(0.25)	6	US				
22	65.02410-0042	METAL;CON-ROD(0.50)	6	US				
23	65.02410-0050	METAL;CON-ROD(STD)	6					
23	65.02410-0051	METAL;CON-ROD(0.25)	6	US				
23	65.02410-0052	METAL;CON-ROD(0.50)	6	US				
30	65.02501-0476	PISTON - GRADE	6	D				
31	65.02501-0477	PISTON;A GRADE	6					
32	65.02501-0478	PISTON;B GRADE	6					
33	65.02503-8047	PISTON RING KIT	1					
33A	-	RING;PISTON	6	K				
33B	-	RING;PISTON	6	K				
33C	-	RING;PISTON	6	K				
36	65.02502-0017A	PIN;PISTON	6					
37	06.29020-0125	RING;LOCK	12					
40	65.02601-0225B	PULLEY;V-BELT	1					
41	65.90701-0099	WASHER	1					
42	06.02106-0723	BOLT;SOCKET	8					

Fig. 017 CYLINDER HEAD





Fig. 017 CYLINDER HEAD

Key No	Part No	Description	Qty	S.C	Serial No	ICA	Replacable	Qty
A	150113-00244	CYL. HEAD SUB ASSY	1					
1	65.03101-6090F	CYLINDER HEAD ASS`Y	1					
1A	65.03101-1068C	CYLINDER HEAD	1	D				
1B	65.03203-1062	SEAT;VALVE IN.	12	B				
1C	65.03203-1063	SEAT;VALVE EX.	12	B				
1D	65.03201-1016B	GUIDE;VALVE	24	B				
1E	65.90302-0048	CORE;PLUG	10					
1F	65.90302-0029	PLUG;CORE	21					
1G	65.03205-0006A	BUSH;INJECTION NOZZLE	6					
1H	65.96501-0088	O-RING	12					
2	65.04101-0065B	VALVE;INTAKE	12					
3	65.04101-0066B	VALVE;EXHAUST	12					
4	65.04102-0024	SPRING;VALVE	24					
5	65.04103-0018	PLATE;VALVE SPRING	24					
6	65.90701-0098	WASHER	24					
7	65.04104-0009	COTTER;VALVE	48					
8	65.04902-0016	SEAL;VALVE STEM	24					
10	65.91030-0005	PIN	2					
11	65.90021-0009	BOLT;HEAD	26					
12	65.90201-0134	BOLT;STUD	24					
13	65.03901-0071	GASKET;CYLINDER HEAD	1					

Fig. 018 CYLINDER HEAD COVER



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com