

Fig. 001 CYLINDER BLOCK




Fig. 001 CYLINDER BLOCK

| Key No | Part No        | Description             | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-------------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.01101-6108A | BLOCK:CYLINDER          | 1   |     | ~060824   | Y   | 65.01101-6108B | 1   |
| 10     | 65.01101-6108B | BLOCK:CYLINDER          | 1   |     | ~070507   | Y   | 65.01101-6108C | 1   |
| 10     | 65.01101-6108C | BLOCK:CYLINDER          | 1   |     | ~090403   | Y   | 150102-00002   | 1   |
| 10     | 150102-00002   | BLOCK:CYLINDER          | 1   |     | ~100322   | I   | 150102-00289   | 1   |
| 10     | 150102-00289   | BLOCK ASSY,CYLINDER     | 1   |     | ~110525   | I   | 150102-00289A  | 1   |
| 10     | 150102-00289A  | BLOCK ASSY,CYLINDER     | 1   |     | 110526~   |     |                |     |
| 10A    | 65.01101-0108A | BLOCK:CYLINDER          | 1   | D   | ~060824   |     |                |     |
| 10A    | 65.01101-0108B | BLOCK:CYLINDER          | 1   | D   | ~070507   |     |                |     |
| 10A    | 65.01101-0108C | BLOCK:CYLINDER          | 1   | D   | ~100322   |     |                |     |
| 10A    | 150102-00290   | BLOCK,CYLINDER          | 1   | D   | ~110525   |     |                |     |
| 10A    | 150102-00290A  | BLOCK,CYLINDER          | 1   | D   | 110526~   |     |                |     |
| 10B    | 65.90302-0042  | PLUG:CORE               | 9   |     |           |     |                |     |
| 10C    | 65.90302-0042  | PLUG:CORE               | 1   |     |           |     |                |     |
| 10D    | 65.91606-0041  | PLUG:CORE               | 1   |     |           |     |                |     |
| 10E    | 65.90302-0059  | PLUG:CORE               | 1   |     |           |     |                |     |
| 10F    | 65.90302-0026  | PLUG:CORE               | 1   |     |           |     |                |     |
| 10G    | 65.04410-0017  | BUSH:CAM SHAFT          | 5   | B   |           |     |                |     |
| 10H    | 65.04410-0019  | BUSH:CAM SHAFT          | 1   | B   |           |     |                |     |
| 10I    | 65.04410-0020  | BUSH:CAM SHAFT          | 1   | B   |           |     |                |     |
| 10J    | 65.01105-1049  | CAP:BEARING             | 6   | D   | ~100322   |     |                |     |
| 10J    | 140202-00023   | CAP,BEARING:ALTERNATIVE | 6   | D   | 100323~   |     |                |     |
| 10K    | 65.01105-1050  | CAP:BEARING             | 1   | D   | ~100322   |     |                |     |
| 10K    | 140202-00024   | CAP,BEARING:ALTERNATIVE | 1   | D   | 100323~   |     |                |     |
| 10L    | 65.91710-0035B | RING:LOCATING           | 14  |     |           |     |                |     |
| 10M    | 65.90020-0096  | BOLT:COLLARED HEX.      | 14  |     |           |     |                |     |
| 10N    | 65.90310-0148  | SCREW:PLUG              | 2   |     |           |     |                |     |
| 10O    | 65.91001-0002  | PLUG                    | 3   |     | ~060824   | I   | 65.91001-0013  | 3   |
| 10O    | 65.91001-0013  | AVSEAL                  | 3   |     | ~090403   | Y   | 65.91001-0013A | 3   |
| 10O    | 65.91001-0013A | PIN:CORE                | 3   |     | 090404~   |     |                |     |
| 10P    | 06.31641-0618  | BALL:STEEL              | 2   |     |           |     |                |     |
| 280    | 65.90310-0091  | SCREW:PLUG M12X1.5X20   | 1   |     |           |     |                |     |
| 290    | 06.56190-0704  | RING:SEAL               | 1   |     |           |     |                |     |
| 300    | 65.91605-0002  | COVER:CORE HOLE         | 1   |     |           |     |                |     |
| 310    | 65.90310-0135  | PLUG:SCREW              | 1   |     |           |     |                |     |
| 320    | 06.56190-0706  | SEAL RING A14X20        | 1   |     |           |     |                |     |
| 360    | 65.05710-0001  | FLANGE:CONNECTION       | 1   |     |           |     |                |     |

| Key No | Part No        | Description            | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|------------------------|-----|-----|-----------|-----|----------------|-----|
| 370    | 06.02090-0307  | BOLT;SOCKET HEAD M6X14 | 1   |     |           |     |                |     |
| 380    | 06.16731-2106  | WASHER                 | 1   |     |           |     |                |     |
| 390    | 06.22022-1063  | PIN                    | 2   |     |           |     |                |     |
| 410    | 65.01201-0074  | LINER;CYLINDER         | 6   |     | ~111210   |     |                |     |
| 410    | 150117-00029   | LINER,CYLINDER         | 6   |     | ~130123   | Y   | 150117-00050   | 6   |
| 410    | 150117-00050   | LINER,CYLINDER         | 6   |     | 130124~   |     |                |     |
| 510    | 65.01601-5018A | NOZZLE;OIL SPRAY       | 6   |     | ~071101   | Y   | 65.01601-5018B | 6   |
| 510    | 65.01601-5018B | NOZZLE;OIL SPRAY       | 6   |     | 071102~   |     |                |     |
| 520    | 65.05405-6001  | RELIEF VALVE ASS`Y     | 6   |     | ~071101   |     |                |     |
| 520    | 65.98150-0089  | SCREW;HOLLOW           | 6   |     | ~080228   | Y   | 65.98150-0089A | 6   |
| 520    | 65.98150-0089A | SCREW;HOLLOW           | 6   |     | 080229~   |     |                |     |

Fig. 002 TIMING GEAR CASE




Fig. 002 TIMING GEAR CASE

| Key No | Part No        | Description        | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|--------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.01304-0028A | CASE;TIMING GEAR   | 1   |     | ~060826   | I   | 65.01304-0032  | 1   |
| 10     | 65.01304-0032  | CASE;TIMING GEAR   | 1   |     | ~061220   |     |                |     |
| 10     | 65.01304-0035  | CASE;TIMING GEAR   | 1   |     | ~070627   | I   | 65.01304-0037  | 1   |
| 10     | 65.01304-0037  | CASE;TIMING GEAR   | 1   |     | ~070824   | Y   | 65.01304-0037A | 1   |
| 10     | 65.01304-0037A | CASE;TIMING GEAR   | 1   |     | 070825~   |     |                |     |
| 30     | 65.91710-0016  | RING;STOPPER       | 2   |     |           |     |                |     |
| 40     | 65.98130-0145  | ADAPTER            | 1   |     |           |     |                |     |
| 50     | 65.01903-0012  | GASKET             | 1   |     |           |     |                |     |
| 60     | 65.90020-0087  | BOLT;COLLARED HEX. | 2   |     | ~080130   | I   | 65.90020-0145  | 2   |
| 60     | 65.90020-0145  | BOLT;COLLARED HEX. | 2   |     | 080131~   |     |                |     |
| 70     | 65.90020-0084  | BOLT;COLLARED HEX. | 2   |     |           |     |                |     |
| 80     | 06.01923-2918  | BOLT ASS`Y M6X35   | 1   |     |           |     |                |     |
| 90     | 65.90320-0022  | PLUG SCREW PT1/8   | 1   |     |           |     |                |     |
| 200    | 65.98130-0224  | ADAPTER            | 1   |     | ~061220   |     |                |     |
| 210    | 65.96601-0045A | GASKET             | 1   |     | ~061220   |     |                |     |
| 220    | 06.01913-3115  | BOLT ASS'Y M8X25   | 2   |     | ~061220   |     |                |     |

Fig. 003 FLYWHEEL HOUSING





Fig. 003 FLYWHEEL HOUSING

| Key No | Part No        | Description       | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.01401-0256  | HOUSING;FLYWHEEL  | 1   |     | ~080418   | I   | 65.01401-0256A | 1   |
| 10     | 65.01401-0256A | HOUSING;FLYWHEEL  | 1   |     | ~1201710  | I   | 150114-00077A  | 1   |
| 10     | 150114-00077A  | HOUSING,FLYWHEEL  | 1   |     | 120711~   |     |                |     |
| 30     | 65.01904-0027A | GASKET            | 1   |     |           |     |                |     |
| 40     | 65.90020-0099  | BOLT, 108mm       | 2   |     |           |     |                |     |
| 50     | 65.90020-0100  | BOLT, 103mm       | 8   |     |           |     |                |     |
| 60     | 65.90020-0101  | BOLT, 57mm        | 2   |     |           |     |                |     |
| 70     | 65.90020-0102  | BOLT, 125mm       | 2   |     |           |     |                |     |
| 72     | 65.90201-0123  | BOLT;STUD         | 2   |     |           |     |                |     |
| 74     | 06.15010-2313  | WASHER;PLAIN      | 2   |     |           |     |                |     |
| 76     | 06.16731-2109  | WASHER;SPRING A12 | 2   |     |           |     |                |     |
| 80     | 65.90020-0103  | BOLT, 79mm        | 5   |     |           |     |                |     |
| 90     | 65.90020-0104  | BOLT, 138mm       | 2   |     |           |     |                |     |
| 95     | 65.90020-0105  | BOLT, 67mm        | 2   |     |           |     |                |     |
| 100    | 65.91710-0009  | RING;STOPPER      | 2   |     |           |     |                |     |
| 110    | 65.01510-0141  | OIL SEAL;RR       | 1   |     |           |     |                |     |
| 120    | 65.01414-0004A | COVER             | 1   |     |           |     |                |     |
| 140    | 06.01913-3110  | BOLT ASS'Y M8X12  | 2   |     |           |     |                |     |
| 150    | 65.01802-6001  | PIPE;BREATHER     | 1   |     |           |     |                |     |
| 150-1  | 65.01816-5002  | VALVE;CHECK       | 1   |     |           |     |                |     |
| 210    | 06.78144-2204  | SCREW;HOLLOW      | 1   |     |           |     |                |     |
| 220    | 06.56190-0706  | SEAL RING A14X20  | 2   |     |           |     |                |     |
| 230    | 06.01913-3110  | BOLT ASS'Y M8X12  | 2   |     |           |     |                |     |

Fig. 004 OIL SEAL



## Fig. 004 OIL SEAL

| Key No | Part No        | Description      | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.01501-5002A | COVER;SEALING    | 1   |     | ~070817   | Y   | 65.01501-5002B | 1   |
| 10     | 65.01501-5002B | COVER;OIL SEAL   | 1   |     | 070818~   |     |                |     |
| 40     | 65.01510-0153A | SEAL;OIL         | 1   |     | ~070817   |     |                |     |
| 40     | 65.01510-0041  | SEAL;OIL         | 1   |     | 070818~   |     |                |     |
| 50     | 65.01905-0008  | GASKET           | 1   |     |           |     |                |     |
| 60     | 06.01923-3116  | BOLT ASS'Y M8X28 | 8   |     |           |     |                |     |
| 70     | 65.98130-0242  | ADAPTER          | 1   |     | ~070407   |     |                |     |
| 80     | 65.98150-0086  | SCREW;HOLLOW     | 1   |     | ~070407   |     |                |     |
| 90     | 06.56190-0718  | RING;SEAL        | 2   |     | ~070407   |     |                |     |

Fig. 005 BREATHER PIPE





Fig. 005 BREATHER PIPE

| Key No | Part No        | Description           | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-----------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.01801-5100  | HOUSING;BREATHER      | 1   |     |           |     |                |     |
| 20     | 06.01923-3114  | BOLT ASS'Y M8X22      | 4   |     |           |     |                |     |
| 30     | 65.96301-0459  | HOSE;RUBBER           | 1   |     |           |     |                |     |
| 40     | 06.67020-0101  | CLAMP;HOSE            | 2   |     |           |     |                |     |
| 50     | 65.98131-0097  | ADAPTER               | 1   |     |           |     |                |     |
| 60     | 06.56190-0706  | SEAL RING A14X20      | 1   |     |           |     |                |     |
| 70     | 65.01840-5003A | BRACKET;BREATHER PIPE | 1   |     |           |     |                |     |
| 80     | 06.01913-3117  | BOLT ASS'Y M8X30      | 4   |     |           |     |                |     |
| 90     | 65.01802-5034  | PIPE;BREATHER         | 1   |     | ~070901   | Y   | 65.01802-5034A | 1   |
| 90     | 65.01802-5034A | PIPE;BREATHER         | 1   |     | 070902~   |     |                |     |
| 100    | 06.16731-2108  | WASHER;SPRING         | 2   |     |           |     |                |     |
| 110    | 06.11063-8215  | NUT;HEX. M10          | 2   |     |           |     |                |     |
| 120    | 65.96301-0460  | HOSE;RUBBER           | 1   |     |           |     |                |     |
| 130    | 06.67020-0105  | CLAMP;HOSE            | 2   |     |           |     |                |     |
| 140    | 65.96301-0461  | HOSE;RUBBER           | 1   |     |           |     |                |     |
| 150    | 06.67020-0105  | CLAMP;HOSE            | 1   |     |           |     |                |     |
| 160    | 65.97460-0002  | CABLE TIA             | 1   |     |           |     |                |     |
| 170    | 65.96301-0438  | HOSE;RUBBER           | 1   |     | ~070901   | Y   | 65.96301-0438A | 1   |
| 170    | 65.96301-0438A | HOSE;RUBBER           | 1   |     | 070902~   |     |                |     |
| 180    | 06.67020-0105  | CLAMP;HOSE            | 1   |     |           |     |                |     |
| 190    | 65.90201-0122  | BOLT;STUD             | 1   |     |           |     |                |     |
| 200    | 65.97401-5019  | CLIP;PIPE             | 1   |     |           |     |                |     |
| 210    | 06.16731-2107  | WASHER                | 1   |     |           |     |                |     |
| 220    | 06.11063-8214  | NUT                   | 1   |     |           |     |                |     |

Fig. 006 DRIVING SYSTEM



## Fig. 006 DRIVING SYSTEM

| Key No | Part No        | Description          | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|----------------------|-----|-----|-----------|-----|----------------|-----|
| 10     | 65.02101-0064  | SHAFT;CRANK          | 1   |     | ~071001   | Y   | 65.02101-0064B | 1   |
| 10     | 65.02101-0064B | SHAFT;CRANK          | 1   |     | 071002~   |     |                |     |
| 30     | 65.02130-0001  | RING;WEAR(FRONT)     | 1   |     | ~070818   |     |                |     |
| 40     | 06.22022-1018  | PIN;DOWEL            | 1   |     |           |     |                |     |
| 50     | 65.02115-0014B | GEAR;CRANK SHAFT     | 1   |     |           |     |                |     |
| 70     | 65.01505-0007  | RING;OIL THROWER.    | 1   |     | ~070818   |     |                |     |
| 100    | 65.01110-6120  | METAL;MAIN           | 7   |     | ~110601   | I   | 140103-00075   | 7   |
| 100    | 140103-00075   | METAL,MAIN           | 7   |     | 110602~   |     |                |     |
| 110    | 65.01110-6121  | METAL;MAIN 0.25      | 7   | US  | ~110601   | I   | 140103-00076   | 7   |
| 110    | 140103-00076   | METAL,MAIN(0.25)     | 7   | US  | 110602~   |     |                |     |
| 111    | 65.01110-6122  | METAL;MAIN 0.50      | 7   | US  | ~110601   | I   | 140103-00077   | 7   |
| 111    | 140103-00077   | METAL,MAIN(0.50)     | 7   | US  | 110602~   |     |                |     |
| 200    | 65.01150-0015  | WASHER;THRUST(UPPER) | 2   |     | ~110601   | I   | 120816-00083   | 2   |
| 200    | 120816-00083   | WASHER,THRUST(UPPER) | 2   |     | 110602~   |     |                |     |
| 210    | 65.01150-0019  | WASHER;THRUST(0.25)  | 2   | OS  |           |     |                |     |
| 220    | 65.01150-0020  | WASHER;THRUST(0.50)  | 2   | OS  |           |     |                |     |
| 250    | 65.01150-0016A | WASHER;THRUST(LOWER) | 2   |     | ~110601   | I   | 120816-00084   | 2   |
| 250    | 120816-00084   | WASHER,THRUST(LOWER) | 2   |     | 110602~   |     |                |     |
| 260    | 65.01150-0023A | WASHER;THRUST(0.25)  | 2   | OS  |           |     |                |     |
| 270    | 65.01150-0024A | WASHER;THRUST(0.50)  | 2   | OS  |           |     |                |     |
| 310    | 65.02201-7032  | DAMPER;VIBRATION     | 1   |     |           |     |                |     |
| 340    | 65.90020-0062B | BOLT;HEX M10X20      | 6   |     |           |     |                |     |
| 410    | 65.02301-5135  | FLY WHEEL ASS'Y      | 1   |     | ~130320   |     |                |     |
| 410    | 150111-00151   | FLY WHEEL ASS'Y      | 1   |     | 130321~   |     |                |     |
| 410A   | 65.02301-0280  | FLYWHEEL             | 1   |     |           |     |                |     |
| 410B   | 65.02310-0073D | GEAR;STARTER RING    | 1   |     | ~130320   |     |                |     |
| 410B   | 65.02310-0015  | GEAR,RING            | 1   |     | 130321~   |     |                |     |
| 450    | 65.02130-0003  | RING,WEAR            | 1   |     | ~130523   | I   | 401007-00037   | 1   |
| 450    | 401007-00037   | RING,WEAR            | 1   |     | 130524~   |     |                |     |
| 460    | 65.90701-0096  | WASHER               | 1   |     | ~070605   | Y   | 65.90701-0096A | 1   |
| 460    | 65.90701-0096A | WASHER               | 1   |     | 070606~   |     |                |     |
| 470    | 65.90020-0108  | BOLT;COLLARED HEX.   | 8   |     |           |     |                |     |
| 510    | 65.02401-6025  | ROD;CONNECTING       | 6   |     | ~060602   | Y   | 65.02401-6025A | 6   |
| 510    | 65.02401-6025A | ROD;CONNECTING       | 6   |     | ~081124   | Y   | 65.02401-6025B | 6   |
| 510    | 65.02401-6025B | ROD;CONNECTING       | 6   |     | 081125~   |     |                |     |
| 510A   | 65.02401-0013  | ROD;CONNECTING       | 1   | D   | ~060602   |     |                |     |

| Key No | Part No        | Description                 | Qty | S.C | Serial No | ICA | Replacable    | Qty |
|--------|----------------|-----------------------------|-----|-----|-----------|-----|---------------|-----|
| 510A   | 65.02401-0013A | ROD;CONNECTING              | 1   | D   | ~081124   |     |               |     |
| 510A   | 65.02401-0013B | ROD,CONNECTING              | 1   | D   | 081125~   |     |               |     |
| 510B   | 65.90020-0009D | BOLT;CONNECTING ROD         | 2   |     |           |     |               |     |
| 510D   | 65.91301-0010  | PIN;DOWEL                   | 2   |     |           |     |               |     |
| 570    | 65.02410-6130  | METAL;CONNECTING ROD        | 6   |     | ~111230   |     |               |     |
| 570    | 140112-00011   | METAL,ROD CON.(STD-Upper)   | 6   |     | 111231~   |     |               |     |
| 571    | 140112-00012   | METAL,ROD CON.(STD-Low)     | 6   |     | 111231~   |     |               |     |
| 580    | 65.02410-6131  | METAL;CONNECTING ROD (0.25) | 6   | US  | ~111230   |     |               |     |
| 580    | 140112-00015   | METAL,ROD CON.(upper-0.25)  | 6   | US  | 111231~   |     |               |     |
| 581    | 140112-00019   | METAL,ROD CON.(low-0.25)    | 6   | US  | 111231~   |     |               |     |
| 590    | 65.02410-6132  | METAL;CONNECTING ROD (0.50) | 6   | US  | ~111230   |     |               |     |
| 590    | 140112-00016   | METAL,ROD CON.(upper-0.50)  | 6   | US  | 111231~   |     |               |     |
| 591    | 140112-00020   | METAL,ROD CON.(low-0.50)    | 6   | US  | 111231~   |     |               |     |
| 610    | 65.02501-0501  | PISTON                      | 6   |     | ~071030   | I   | 65.02501-0505 | 6   |
| 610    | 65.02501-0505  | PISTON                      | 6   |     | ~111210   |     |               |     |
| 610    | 130602-00794   | PISTON                      | 6   |     | 111211~   |     |               |     |
| 630    | 65.02503-8038  | PISTON RING KIT             | 1   |     | ~111210   |     |               |     |
| 630    | 401004-00102   | RING KIT,PISTON             | 1   |     | 111211~   |     |               |     |
| 630A   | -              | RING;TOP                    | 6   | K   |           |     |               |     |
| 630B   | -              | RING;SECOND                 | 6   | K   |           |     |               |     |
| 630C   | -              | RING,OIL                    | 6   | K   |           |     |               |     |
| 660    | 65.02502-0015  | PIN;PISTON                  | 6   |     |           |     |               |     |
| 670    | 65.90815-0024A | RING;LOCK                   | 12  |     |           |     |               |     |
| 710    | 65.02601-0219  | PULLEY;V-BELT               | 1   |     |           |     |               |     |
| 720    | 06.02106-0824  | BOLT                        | 8   |     |           |     |               |     |

Fig. 007 CYLINDER HEAD




Fig. 007 CYLINDER HEAD

| Key No | Part No        | Description          | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|----------------------|-----|-----|-----------|-----|----------------|-----|
| A      | 150113-00216   | CYL. HEAD SUB ASSY   | 1   |     |           |     |                |     |
| 10     | 65.03101-6075C | HEAD:CYLINDER        | 1   |     | ~061129   | Y   | 65.03101-6075E | 1   |
| 10     | 65.03101-6075E | HEAD:CYLINDER        | 1   |     | ~070902   | Y   | 65.03101-6075G | 1   |
| 10     | 65.03101-6075G | HEAD:CYLINDER        | 1   |     | ~101118   | I   | 150113-00120   | 1   |
| 10     | 150113-00120   | CYLINDER HEAD ASS'Y  | 1   |     | 101119~   |     |                |     |
| 10A    | 65.03101-1056A | HEAD:CYLINDER        | 1   | D   | ~070902   |     |                |     |
| 10A    | 65.03101-1056B | HEAD:CYLINDER        | 1   | D   | ~101118   |     |                |     |
| 10A    | 150113-00118   | HEAD:CYLINDER        | 1   | D   | 101119~   |     |                |     |
| 10B    | 65.90302-0045  | PLUG:CORE            | 17  |     |           |     |                |     |
| 10C    | 65.90302-0027  | PLUG:CORE            | 1   |     |           |     |                |     |
| 10D    | 65.90302-0042  | PLUG:CORE            | 6   |     |           |     |                |     |
| 10E    | 65.90302-0048  | CORE:PLUG            | 6   |     |           |     |                |     |
| 10F    | 65.03205-0006B | BUSH:INJ. NOZZLE     | 6   |     |           |     |                |     |
| 10G    | 65.96501-0088  | O-RING               | 12  |     |           |     |                |     |
| 10H    | 65.03201-1012A | VALVE:GUIDE          | 24  | B   | ~061129   | I   | 65.03201-1052A | 24  |
| 10H    | 65.03201-1052A | VALVE:GUIDE          | 24  | B   | ~070902   | I   | 65.03201-1052B | 24  |
| 10H    | 65.03201-1052B | VALVE:GUIDE          | 24  | B   | 070903~   |     |                |     |
| 10I    | 65.03203-1055B | SEAT:INTAKE VALVE    | 12  | B   |           |     |                |     |
| 10J    | 65.03203-1056B | SEAT:EXHAUST VALVE   | 12  | B   |           |     |                |     |
| 20     | 65.04101-0059C | VALVE                | 12  |     |           |     |                |     |
| 30     | 65.04101-0060B | VALVE                | 12  |     |           |     |                |     |
| 40     | 65.04102-6011B | SPRING:VALVE         | 24  |     |           |     |                |     |
| 40A    | 65.04102-0020B | SPRING:VALVE         | 1   | D   |           |     |                |     |
| 40B    | 65.04102-0021A | SPRING:VALVE         | 1   | D   |           |     |                |     |
| 50     | 65.04103-0016  | PLATE:VALVE SPRING   | 24  |     |           |     |                |     |
| 60     | 65.90701-0097B | WASHER               | 24  |     |           |     |                |     |
| 70     | 65.04104-0008  | COTTER:VALVE         | 48  |     |           |     |                |     |
| 80     | 65.04902-0014  | SEAL:VALVE STEAM     | 24  |     | ~070902   |     |                |     |
| 80     | 65.04902-0020  | SEAL:VALVE STEAM     | 24  |     | 070903~   |     |                |     |
| 150    | 65.91030-0005  | PIN                  | 2   |     |           |     |                |     |
| 160    | 65.03901-0068  | GASKET:CYLINDER HEAD | 1   |     | ~070808   | I   | 65.03901-0074  | 1   |
| 160    | 65.03901-0074  | GASKET:CYLINDER HEAD | 1   |     | 070809~   |     |                |     |
| 170    | 65.90021-0005  | BOLT:COLLARED HEX.   | 26  |     |           |     |                |     |
| 180    | 65.90201-0113  | BOLT:STUD            | 24  |     |           |     |                |     |

Fig. 008 CYLINDER HEAD COVER





Fig. 008 CYLINDER HEAD COVER

| Key No | Part No        | Description               | Qty | S.C | Serial No     | ICA | Replacable     | Qty |
|--------|----------------|---------------------------|-----|-----|---------------|-----|----------------|-----|
| 10     | 65.03401-5008  | CYLINDER HEAD COVER ASS'Y | 1   |     | ~061030       | Y   | 65.03401-5008A | 1   |
| 10     | 65.03401-5008A | CYLINDER HEAD COVER ASS'Y | 1   |     | ~070705       | Y   | 65.03401-5008B | 1   |
| 10     | 65.03401-5008B | CYLINDER HEAD COVER ASS'Y | 1   |     | 070706~       |     |                |     |
| 10A    | 65.03401-0085  | COVER:CYLINDER HEAD       | 1   |     | ~061030       | Y   | 65.03401-0085A | 1   |
| 10A    | 65.03401-0085A | COVER:CYLINDER HEAD       | 1   |     | ~070705       | Y   | 65.03401-0085B | 1   |
| 10A    | 65.03401-0085B | COVER:CYLINDER HEAD       | 1   |     | 070706~       |     |                |     |
| 10B    | 65.01810-5009  | ADAPTER                   | 1   |     |               |     |                |     |
| 10C    | 65.03440-0015  | PLATE:BAFFLE              | 1   |     |               |     |                |     |
| 10D    | 06.01280-6807  | BOLT:HEX                  | 2   |     |               |     |                |     |
| 30     | 65.03905-0032  | GASKET:COVER              | 1   |     |               |     |                |     |
| 40     | 65.03905-5002  | PACKING:HEAD COVER        | 8   |     |               |     |                |     |
| 70     | 65.90020-0109  | BOLT:COLLARED HEX.        | 8   |     |               |     |                |     |
| 80     | 65.03402-0007A | COVER:INTERMEDIATE        | 1   |     | ~070326       | Y   | 65.03402-0007B |     |
| 80     | 65.03402-0007B | COVER:INTERMEDIATE        | 1   |     | ~090219       | I   | 110518-00005   | 1   |
| 80     | 110518-00005   | COVER:INTERMEDIATE        | 1   |     | 090220~110714 | I   | 110518-00043   | 1   |
| 80     | 110518-00043   | COVER,INTERMEDIATE        | 1   |     | 110715~       |     |                |     |
| 100    | 65.03905-0028  | GASKET:CYLINDER HEAD      | 1   |     | ~070530       | I   | 65.03905-0045  | 1   |
| 100    | 65.03905-0045  | GASKET:CYLINDER HEAD      | 1   |     | ~101114       | I   | 400603-00048   | 1   |
| 100    | 400603-00048   | GASKET:INTERMEDIATE COVER | 1   |     | 101115~       |     |                |     |
| 110    | 65.90020-0110A | BOLT:COLLARED HEX.        | 16  |     |               |     |                |     |
| 210    | 65.01810-5011  | CAP:OIL FILLER            | 1   |     |               |     |                |     |

Fig. 009 TIMING SYSTEM



Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.  
You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:  
[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)