

Fig. 001 CYLINDER BLOCK




Fig. 001 CYLINDER BLOCK

| Key No | Part No        | Description            | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|------------------------|-----|-----|-----------|-----|----------------|-----|
| 1      | 65.01101-6051F | CYLINDER BLOCK ASS'Y   | 1   |     | ~990518   | Y   | 65.01101-6051H | 1   |
| 1      | 65.01101-6051H | CYLINDER BLOCK ASS'Y   | 1   |     | ~060726   | Y   | 65.01101-6051L | 1   |
| 1      | 65.01101-6051L | CYLINDER BLOCK ASS'Y   | 1   |     | 060727~   |     |                |     |
| 1A     | 65.01101-0030E | BLOCK:CYLINDER         | 1   | D   |           |     |                |     |
| 1A     | 65.01101-0030F | BLOCK:CYLINDER         | 1   | D   | ~060726   |     |                |     |
| 1A     | 65.01101-0030I | BLOCK:CYLINDER         | 1   | D   | 060727~   |     |                |     |
| 1B     | 65.01105-1044  | CAP:BEARING(F.M.R)     | 6   | D   | ~060726   |     |                |     |
| 1B     | 65.01105-1044A | CAP:BEARING(F.M.R)     | 6   | D   | 060727~   |     |                |     |
| 1C     | 65.01105-1043  | CAP:BEARING(NO.4)      | 1   | D   | ~060726   |     |                |     |
| 1C     | 65.01105-1043A | CAP:BEARING(NO.4)      | 1   | D   | 060727~   |     |                |     |
| 1D     | 65.91710-0001  | RING:STOPPER           | 2   |     |           |     |                |     |
| 1E     | 65.90020-0066A | BOLT:BRG CAP           | 14  |     |           |     |                |     |
| 1F     | 65.04410-0007A | BUSH:CAM SHAFT         | 1   | B   | ~030510   | Y   | 65.04410-0007B | 1   |
| 1F     | 65.04410-0007B | BUSH:CAM SHAFT         | 1   | B   | ~041215   | Y   | 65.04410-0007D | 1   |
| 1F     | 65.04410-0007D | BUSH:CAM SHAFT         | 1   | B   | 041216~   |     |                |     |
| 1G     | 65.04410-0006A | BUSH:CAM SHAFT         | 5   | B   | ~030510   | Y   | 65.04410-0006B | 5   |
| 1G     | 65.04410-0006B | BUSH:CAM SHAFT         | 5   | B   | ~041215   | Y   | 65.04410-0006C | 5   |
| 1G     | 65.04410-0006C | BUSH:CAM SHAFT         | 5   | B   | 041216~   |     |                |     |
| 1H     | 65.90302-0009  | PLUG:CORE              | 2   |     |           |     |                |     |
| 1I     | 06.15091-0319  | PLUG:CORE              | 2   |     | ~030510   | Y   | 65.90302-00041 | 2   |
| 1I     | 65.90302-0041  | PLUG:CORE              | 2   |     | 030511~   |     |                |     |
| 1J     | 06.15091-0322  | PLUG:CORE              | 3   |     | ~030510   | Y   | 65.90302-00042 | 3   |
| 1J     | 65.90302-0042  | PLUG:CORE              | 3   |     | 030511~   |     |                |     |
| 10     | 65.01201-0067  | LINER:CYLINDER (ALTV.) | 6   | D   |           |     |                |     |
| 10     | 65.01201-0068  | LINER:CYLINDER(1A)     | 6   |     |           |     |                |     |
| 10     | 65.01201-0069  | LINER:CYLINDER(1B)     | 6   |     |           |     |                |     |
| 10     | 65.01201-0070  | LINER:CYLINDER(2A)     | 6   |     |           |     |                |     |
| 10     | 65.01201-0071  | LINER:CYLINDER(2B)     | 6   |     |           |     |                |     |
| 11     | 65.01110-6090A | METAL:CRANK STD        | 7   |     | ~000322   | Y   | 65.01110-6090B | 7   |
| 11     | 65.01110-6090B | METAL:CRANK STD        | 7   |     | 000323~   |     |                |     |
| 11     | 65.01110-6091B | METAL:CRANK 0.25       | 7   | US  |           |     |                |     |
| 11     | 65.01110-6092B | METAL:CRANK 0.50       | 7   | US  |           |     |                |     |
| 12     | 65.01150-6010  | WASHER:THRUST STD      | 2   |     | ~000501   | Y   | 65.01150-6010A | 2   |
| 12     | 65.01150-6010A | WASHER:THRUST STD      | 2   |     | 000502~   |     |                |     |
| 12     | 65.01150-6011  | WASHER:THRUST 0.25     | 2   | OS  | ~000501   |     |                |     |
| 12     | 65.01150-6034A | WASHER:THRUST 0.25     | 2   | OS  | 000502~   |     |                |     |

| Key No | Part No        | Description              | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|--------------------------|-----|-----|-----------|-----|----------------|-----|
| 12     | 65.01150-6012  | WASHER;THRUST 0.50       | 2   | OS  | ~000501   |     |                |     |
| 12     | 65.01150-6035A | WASHER;THRUST 0.50       | 2   | OS  | 000502~   |     |                |     |
| 13     | 65.01601-5010A | OIL JET PIPE             | 6   |     |           |     |                |     |
| 14     | 65.05401-5015  | RELIEF VALVE ASS'Y       | 6   |     | ~971027   |     |                |     |
| 14     | 65.05401-5023  | RELIEF VALVE ASS'Y       | 6   |     | 971028~   |     |                |     |
| 15     | 06.15091-0313  | PLUG;CORE                | 2   |     |           |     |                |     |
| 16     | 65.90201-0058  | BOLT;STUD M14X12.5X45    | 1   |     |           |     |                |     |
| 17     | 65.01112-0021  | COVER;PUSH ROD CHAMBER   | 2   |     | ~990130   | Y   | 65.01112-0021A | 2   |
| 17     | 65.01112-0021A | COVER;PUSH ROD CHAMBER   | 2   |     | 990131~   |     |                |     |
| 18     | 65.01112-5018  | COVER;PUSH ROD CHAMBER   | 1   |     | ~090313   | Y   | 110508-00358   | 1   |
| 18     | 110508-00358   | COVER;PUSH ROD CHAMBER   | 1   |     | 090314~   |     |                |     |
| 19     | 65.01901-0004  | GASKET;CHAMBER COVER     | 3   |     | ~990130   | Y   | 65.01901-0020  | 3   |
| 19     | 65.01901-0020  | GASKET;PUSH ROD CHAMBER  | 3   |     | 990131~   |     |                |     |
| 20     | 65.96507-0007  | PACKING;PUSH ROD CHAMBER | 6   |     |           |     |                |     |
| 21     | 65.90020-0049  | BOLT;HEX.                | 6   |     |           |     |                |     |
| 22     | 65.91615-0011  | COVER;BLIND              | 1   |     |           |     |                |     |
| 23     | 65.05903-0013  | GASKET                   | 1   |     | ~030109   | Y   | 65.05903A0013  | 1   |
| 23     | 65.05903A0013  | GASKET;FLANGE            | 1   |     | 030110~   |     |                |     |
| 24     | 06.01913-3113  | BOLT ASS'Y M8X20         | 2   |     |           |     |                |     |
| 25     | 65.90320-0022  | PLUG SCREW PT1/8         | 10  |     |           |     |                |     |
| 26     | 65.91605-0001C | COVER                    | 1   |     | ~990130   | Y   | 65.91605-0001E | 1   |
| 26     | 65.91605-0001E | COVER                    | 1   |     | 990131~   |     |                |     |
| 27     | 06.56021-0106  | O-RING;O/P DRIVE FLANGE  | 1   |     |           |     |                |     |
| 28     | 06.01913-3113  | BOLT ASS'Y M8X20         | 2   |     |           |     |                |     |
| 29     | 65.90310-0135  | PLUG;SCREW               | 1   |     |           |     |                |     |
| 30     | 06.56190-0706  | SEAL RING A14X20         | 1   |     |           |     |                |     |
| 40     | 65.05401-5002  | RELIEF VALVE ASS'Y       | 1   |     | ~990527   | Y   | 65.05401-5002F | 1   |
| 40     | 65.05401-5002F | RELIEF VALVE ASS'Y       | 1   |     | ~080424   |     |                |     |
| 40     | 65.05401-5002G | RELIEF VALVE             | 1   |     | 080425~   |     |                |     |
| 41     | 06.56021-0102  | O-RING                   | 1   |     |           |     |                |     |
| 42     | 65.90310-0030  | SCREW;PLUG M12X1.25      | 1   |     |           |     |                |     |
| 43     | 06.56190-0704  | RING;SEAL                | 1   |     |           |     |                |     |
| 44     | 65.27441-7006  | SWITCH;OIL PRESS.        | 1   |     |           |     |                |     |
| 45     | 65.90201-0182  | BOLT;STUD                | 1   |     |           |     |                |     |
| 46     | 65.90320-0019  | PLUG SCREW PT3/8         | 1   |     |           |     |                |     |
| 50     | 65.98130-0040  | ADAPTER                  | 1   |     | ~000410   | Y   | 65.98130-0040A | 1   |
| 50     | 65.98130-0040A | ADAPTER                  | 1   |     | ~060424   |     |                |     |
| 51     | 65.06310-6003  | PLUG;DRAIN               | 1   |     | ~021010   | Y   | 65.06310-6003A | 1   |

| Key No | Part No        | Description      | Qty | S.C | Serial No | ICA | Replacable | Qty |
|--------|----------------|------------------|-----|-----|-----------|-----|------------|-----|
| 51     | 65.06310-6003A | PLUG;DRAIN       | 1   |     | ~060424   |     |            |     |
| 51     | 65.90310-0122  | PLUG;DRAIN       | 1   |     | 060425~   |     |            |     |
| 52     | 04.50010-0811  | HOSE;VINYL       | 1   |     |           |     |            |     |
| 53     | 06.56190-0713  | RING;SEAL A18X24 | 2   |     |           |     |            |     |
| 54     | 65.97401-0050  | CLIP;PIPE        | 1   |     | 000822~   |     |            |     |

Fig. 002 TIMING GEAR CASE




Fig. 002 TIMING GEAR CASE

| Key No | Part No        | Description             | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-------------------------|-----|-----|-----------|-----|----------------|-----|
| 1      | 65.01304-0003C | CASE;TIMING GEAR        | 1   |     |           |     |                |     |
| 2      | 65.01903B0004  | GASKET;TIMING GEAR      | 1   |     |           |     |                |     |
| 3      | 06.22022-3119  | PIN                     | 1   |     |           |     |                |     |
| 4      | 06.01913-3113  | BOLT ASS'Y M8X20        | 4   |     |           |     |                |     |
| 5      | 06.01913-3120  | BOLT ASS'Y M8X45        | 2   |     |           |     |                |     |
| 6      | 65.01305-5074  | COVER;TIMING GEAR CASE  | 1   |     | ~050628   | Y   | 65.01305-5074A | 1   |
| 6      | 65.01305-5074A | COVER;TIMING GEAR CASE  | 1   |     | 050629~   |     |                |     |
| 7      | 06.22022-3111  | PIN                     | 1   |     |           |     |                |     |
| 8      | 65.01903B0003  | GASKET;TIMING GEAR CASE | 1   |     |           |     |                |     |
| 9      | 06.01913-3115  | BOLT ASS'Y M8X25        | 7   |     |           |     |                |     |
| 10     | 06.01913-3122  | BOLT ASS'Y M8X55        | 5   |     |           |     |                |     |
| 11     | 65.01307-0002  | COVER;TIMING CHECK HOLE | 2   |     | ~990325   | Y   | 65.01307-0002B | 2   |
| 11     | 65.01307-0002B | COVER;TIMING CHECK HOLE | 2   |     | ~081204   | I   | 65.01307-0014  | 2   |
| 11     | 65.01307-0014  | COVER;FOR CHECK HOLE    | 2   |     | 081205~   |     |                |     |
| 12     | 65.01903B0002  | GASKET(T.G.C)           | 2   |     | ~990325   | Y   | 65.01903-0002C | 2   |
| 12     | 65.01903-0002C | GASKET                  | 2   |     | 990326~   |     |                |     |
| 13     | 06.01283-6911  | BOLT;HEX. M6X16         | 4   |     | ~990325   | Y   | 06.01913-2911  | 4   |
| 13     | 06.01913-2911  | BOLT ASS'Y M6X16        | 4   |     | ~081204   | I   | 06.01923-2911  | 4   |
| 13     | 06.01923-2911  | BOLT ASS'Y M6X16        | 4   |     | 081205~   |     |                |     |
| 14     | 65.01510-0001  | SEAL;OIL(FRONT)         | 1   |     |           |     |                |     |

Fig. 003 FLYWHEEL HOUSING




Fig. 003 FLYWHEEL HOUSING

| Key No | Part No        | Description             | Qty | S.C | Serial No | ICA | Replacable    | Qty |
|--------|----------------|-------------------------|-----|-----|-----------|-----|---------------|-----|
| 1      | 65.01401-0224A | HOUSING;FLYWHEEL        | 1   |     | ~010730   | I   | 65.01401-0119 | 1   |
| 1      | 65.01401-0119  | HOUSING;FLYWHEEL        | 1   |     | 010731~   |     |               |     |
| 2      | 65.01510-0101  | SEAL;OIL(REAR)          | 1   |     |           |     |               |     |
| 3      | 65.01904-0021  | GASKET;FLYWHEEL HOUSING | 1   |     |           |     |               |     |
| 4      | 06.01494-4409  | BOLT;HEX. M14X1.5X50    | 6   |     |           |     |               |     |
| 5      | 06.01494-4407  | BOLT;HEX. M14X1.5X40    | 1   |     |           |     |               |     |
| 6      | 06.16731-2110  | WASHER;SPRING           | 8   |     |           |     |               |     |
| 7      | 06.11063-9217  | NUT                     | 1   |     |           |     |               |     |
| 8      | 06.22022-3111  | PIN                     | 2   |     |           |     |               |     |
| 9      | 65.96401-0007  | CAP;RUBBER              | 1   |     |           |     |               |     |

Fig. 004 CRANK SHAFT





Fig. 004 CRANK SHAFT

| Key No | Part No        | Description           | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-----------------------|-----|-----|-----------|-----|----------------|-----|
| 1      | 65.02101-0045A | SHAFT;CRANK           | 1   |     |           |     |                |     |
| 2      | 06.22022-3210  | PIN;PARALLEL          | 1   |     | ~000715   |     |                |     |
| 2      | 06.22022-3212  | PIN;PARALLEL          | 1   |     | 000716~   |     |                |     |
| 3      | 65.02115-0013  | GEAR;CRANK SHAFT      | 1   |     | ~021010   | Y   | 65.02115-0009  | 1   |
| 3      | 65.02115-0009  | GEAR;CRANK SHAFT      | 1   |     | 021011~   |     |                |     |
| 4      | 65.91501-0006  | KEY;SLIDING           | 1   |     |           |     |                |     |
| 5      | 65.02120-0002  | RING;OIL THROWER      | 1   |     |           |     |                |     |
| 6      | 65.90501-0006  | NUT                   | 1   |     |           |     |                |     |
| 7      | 65.93020-0015  | BUSH;TAPER            | 1   |     |           |     |                |     |
| 10     | 65.02301-5099A | FLYWHEEL ASS'Y        | 1   |     |           |     |                |     |
| 10A    | 65.02301-0245A | FLY WHEEL             | 1   |     |           |     |                |     |
| 10B    | 65.02310-0006  | GEAR;RING             | 1   |     |           |     |                |     |
| 11     | 06.01494-4506  | BOLT M16X1.5X35       | 6   |     |           |     |                |     |
| 12     | 06.16731-2111  | WASHER;SPRING         | 6   |     |           |     |                |     |
| 20     | 65.02401-6161  | CONNECTING ROD ASS'Y  | 6   |     | ~970909   | T   | 65.02401-6205D | 1   |
| 20     |                |                       | -   |     |           |     | 65.02501-0561  | 1   |
| 20     |                |                       | -   |     |           |     | 65.02502-0082A | 1   |
| 20     |                |                       | -   |     |           |     | 65.90815-0007  | 2   |
| 20     | 65.02401-6205B | CONNECTING ROD ASS'Y  | 6   |     | 970910~   | Y   | 65.02401-6205D | 1   |
| 20     | 65.02401-6205D | CONNECTING ROD ASS'Y  | 6   |     | ~021213   | I   | 65.02401-6021  | 6   |
| 20     | 65.02401-6021  | CONNECTING ROD ASS'Y  | 6   |     | 021214~   |     |                |     |
| 20A    | 65.02401-0163C | ROD;CONNECTING        | 1   | D   | ~021213   |     |                |     |
| 20A    | 65.02401-0164D | ROD;CONNECTING        | 1   | D   | 021214~   |     |                |     |
| 20B    | 65.02405-0163B | BUSH                  | 1   | B   | ~021213   |     |                |     |
| 20B    | 65.02405-0006  | BUSH                  | 1   | B   | 021214~   |     |                |     |
| 20C    | 65.02411-0006  | BOLT                  | 2   |     | ~970909   | Y   | 65.02411-0006A | 2   |
| 20C    | 65.02411-0006A | BOLT                  | 2   |     | 970910~   |     |                |     |
| 21     | 65.02410-6083  | METAL;CON-ROD STD     | 6   |     | ~021010   | Y   | 65.02410-6083B | 6   |
| 21     | 65.02410-6083B | METAL;CON-ROD STD     | 6   |     | 021011~   |     |                |     |
| 21     | 65.02410-6124B | METAL;CON-ROD 0.125mm | 6   |     | 021011~   |     |                |     |
| 21     | 65.02410-6125B | METAL;CON-ROD 0.25mm  | 6   | US  | 021011~   |     |                |     |
| 21     | 65.02410-6005  | METAL;CON-ROD 0.50mm  | 6   | US  | ~021010   |     |                |     |
| 21     | 65.02410-6126B | METAL;CON-ROD 0.5mm   | 6   | US  | 021011~   |     |                |     |
| 30     | 65.02501-0211  | PISTON(ALT.V.)        | 6   |     | ~970909   | T   | 65.02401-6205D | 1   |
| 30     |                |                       | -   |     |           |     | 65.02501-0561  | 1   |
| 30     |                |                       | -   |     |           |     | 65.02502-0082A | 1   |

| Key No | Part No        | Description      | Qty | S.C | Serial No | ICA | Replacable    | Qty |
|--------|----------------|------------------|-----|-----|-----------|-----|---------------|-----|
| 30     |                |                  | —   |     |           |     | 65.90815-0007 | 2   |
| 30     | 65.02501-0561  | PISTON(ALT.V.-1) | 6   |     | ~100322   |     |               |     |
| 30     | 130602-00280   | PISTON(ALT.V.-1) | 6   |     | 100323~   |     |               |     |
| 31     | 65.02501-0562  | PISTON-1:A GRADE | 6   |     | ~100322   | I   | 130602-00281  | 6   |
| 31     | 130602-00281   | PISTON-1:A GRADE | 6   |     | 100323~   |     |               |     |
| 32     | 65.02501-0563  | PISTON-1:B GRADE | 6   |     | ~100322   | I   | 130602-00282  | 6   |
| 32     | 130602-00282   | PISTON-1:B GRADE | 6   |     | 100323~   |     |               |     |
| 34     | 65.02503-8058  | PISTON RING KIT  | 1   |     |           |     |               |     |
| 34A    | —              | RING;TOP         | 6   | K   |           |     |               |     |
| 34B    | —              | RING,SECOND      | 6   | K   |           |     |               |     |
| 34C    | —              | RING;OIL         | 6   | K   |           |     |               |     |
| 37     | 65.02502-0002  | PIN;PISTON       | 6   |     | ~970909   |     |               |     |
| 37     | 65.02502-0082A | PIN;PISTON       | 6   |     | 970910~   |     |               |     |
| 38     | 06.29020-0122  | RING;RETAINING   | 12  |     | ~970909   |     |               |     |
| 38     | 65.90815-0007  | RING;RETAINING   | 12  |     | 970910~   |     |               |     |
| 40     | 65.02601-5019  | PULLEY;DAMPER    | 1   |     |           |     |               |     |
| 41     | 65.02122-0001  | COVER;DUST       | 1   |     |           |     |               |     |

# Fig. 005 CYLINDER HEAD




## Fig. 005 CYLINDER HEAD

| Key No | Part No        | Description             | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|-------------------------|-----|-----|-----------|-----|----------------|-----|
| 1      | 65.03101-6049  | CYLINDER HEAD ASS'Y     | 1   |     | ~020919   | I   | 65.03101-6071A | 1   |
| 1      | 65.03101-6071A | CYLINDER HEAD ASS'Y     | 1   |     | ~040924   | Y   | 65.03101-6071B | 1   |
| 1      | 65.03101-6071B | CYLINDER HEAD ASS'Y     | 1   |     | ~081202   | Y   | 65.03101-6071C | 1   |
| 1      | 65.03101-6071C | CYLINDER HEAD ASS'Y     | 1   |     | ~090915   | Y   | 150113-00048   | 1   |
| 1      | 150113-00048   | HEAD ASSY,CYLINDER      | 1   |     | 090916~   |     |                |     |
| 1A     | 65.03101-1043  | HEAD:CYLINDER           | 1   | D   | ~020919   |     |                |     |
| 1A     | 65.03101-1043C | HEAD:CYLINDER           | 1   | D   | ~081202   |     |                |     |
| 1A     | 65.03101-1043D | HEAD:CYLINDER           | 1   | D   | 081203~   |     |                |     |
| 1B     | 65.03203-1019  | SEAT:INLET VALVE        | 6   | B   | ~020919   | I   | 65.03203-1053  | 6   |
| 1B     | 65.03203-1053  | SEAT:INLET VALVE        | 6   | B   | 020920~   |     |                |     |
| 1C     | 65.03203-1020  | SEAT:EXHAUST VALVE      | 6   | B   | ~020919   | I   | 65.03203-1054  | 6   |
| 1C     | 65.03203-1054  | SEAT:EXHAUST VALVE      | 6   | B   | 020920~   |     |                |     |
| 1D     | 65.03201-1013  | GUIDE:VALVE             | 12  | B   | ~040924   | Y   | 65.03201-1013A | 12  |
| 1D     | 65.03201-1013A | GUIDE:VALVE             | 12  | B   | ~090915   | Y   | 65.03201-1063  | 12  |
| 1D     | 65.03201-1063  | GUIDE,VALVE             | 12  | B   | 090916~   |     |                |     |
| 1E     | 06.15090-2313  | PLUG:CORE               | 3   |     | ~020919   |     |                |     |
| 1E     | 65.90302-0045  | PLUG:CORE               | 3   |     | 020920~   |     |                |     |
| 1F     | 65.90302-0019B | PLUG:CORE               | 11  |     |           |     |                |     |
| 1G     | 65.90302-0015  | PLUG:CORE(NEAR FACE)    | 1   |     |           |     |                |     |
| 1H     | 06.15090-2305  | PLUG:CORE               | 6   |     | ~020919   |     |                |     |
| 1H     | 65.90302-0027  | PLUG:CORE               | 6   |     | 020920~   |     |                |     |
| 1I     | 65.90302-0011  | PLUG:DRILLED PASS       | 6   |     |           |     |                |     |
| 1J     | 65.90302-0016  | PLUG:CORE(EXHAUST MAIN) | 3   |     | ~020919   |     |                |     |
| 1J     | 65.90302-0030  | PLUG:CORE(EXHAUST MAIN) | 6   |     | 020920~   |     |                |     |
| 10     | 65.90302-0017  | PLUG:WATER JET CORE     | 6   |     |           |     |                |     |
| 11     | 65.91710-0004  | RING:STOPPER            | 2   |     |           |     |                |     |
| 12     | 65.90020-0006  | BOLT:CYLINDER HEAD      | 19  |     | ~970723   | I   | 65.90020-0294  | 19  |
| 12     | 65.90020-0294  | BOLT:CYLINDER HEAD      | 19  |     | ~030910   |     |                |     |
| 12     | 65.90020-0294  | BOLT:CYLINDER HEAD      | 18  |     | 030911~   |     |                |     |
| 13     | 65.90020-0007  | BOLT:CYLINDER HEAD      | 6   |     | ~970723   | I   | 65.90020-0295  | 6   |
| 13     | 65.90020-0295  | BOLT:CYLINDER HEAD      | 6   |     | 970724~   |     |                |     |
| 14     | 65.90020-0027  | BOLT:CYLINDER HEAD      | 1   |     | ~970723   | I   | 65.90020-0296  | 1   |
| 14     | 65.90020-0296  | BOLT:CYLINDER HEAD      | 1   |     | ~030910   |     |                |     |
| 14     | 65.90020-0296  | BOLT:CYLINDER HEAD      | 2   |     | 030911~   |     |                |     |
| 15     | 06.06125-8717  | BOLT:STUD               | 10  |     |           |     |                |     |
| 16     | 06.06125-8723  | BOLT:STUD M8X110        | 1   |     |           |     |                |     |

| Key No | Part No        | Description               | Qty | S.C | Serial No | ICA | Replacable     | Qty |
|--------|----------------|---------------------------|-----|-----|-----------|-----|----------------|-----|
| 17     | 06.06125-8709  | BOLT;STUD M8X35           | 1   |     |           |     |                |     |
| 18     | 06.06225-0706  | BOLT;STUD M8X25           | 3   |     |           |     |                |     |
| 20     | 65.03901-0055  | GASKET;CYLINDER HEAD      | 1   |     |           |     |                |     |
| 21     | 65.26803-7014B | PLUG;GLOW                 | 6   |     | ~040115   | Y   | 65.26803-7014C | 6   |
| 21     | 65.26803-7014C | PLUG;GLOW                 | 6   |     | ~060421   | Y   | 65.26803-7014D | 6   |
| 21     | 65.26803-7014D | PLUG;GLOW                 | 6   |     | 060422~   |     |                |     |
| 22     | 65.19202-5005  | HOOK;LIFTING              | 1   |     |           |     |                |     |
| 23     | 06.01733-4409  | BOLT;HEX M14X1.5X25       | 1   |     |           |     |                |     |
| 24     | 06.16731-2110  | WASHER;SPRING             | 1   |     |           |     |                |     |
| 25     | 06.01733-4208  | BOLT M10X1.25X22          | 1   |     |           |     |                |     |
| 26     | 06.16731-2108  | WASHER;SPRING             | 1   |     |           |     |                |     |
| 27     | 65.19202-0005  | HOOK;LIFTING              | 1   |     |           |     |                |     |
| 28     | 06.01943-3213  | BOLT ASS'Y M10X1.25X20    | 2   |     |           |     |                |     |
| 29     | 65.26810-0007  | CONNECTOR                 | 1   |     |           |     |                |     |
| 30     | 65.03401-6043A | CYLINDER HEAD COVER ASS'Y | 1   |     | ~001129   | T   | 65.03401-6057  | 1   |
| 30     |                |                           | -   |     |           |     | 65.03905-0023  | 4   |
| 30     |                |                           | -   |     |           |     | 65.90701-0202  | 4   |
| 30     |                |                           | -   |     |           |     | 65.90501-0028  | 4   |
| 30     | 65.03401-6057  | CYLINDER HEAD COVER ASS'Y | 1   |     | ~021014   | Y   | 65.03401-6057A | 1   |
| 30     | 65.03401-6057A | CYLINDER HEAD COVER ASS'Y | 1   |     | ~030529   | I   | 65.03401-6064  | 1   |
| 30     | 65.03401-6064  | CYLINDER HEAD COVER ASS'Y | 1   |     | 030530~   | Y   | 65.03401-6097  | 1   |
| 30     | 65.03401-6097  | CYLINDER HEAD COVER ASS'Y | 1   |     | ~070816   | Y   | 65.03401-6097B | 1   |
| 30     | 65.03401-6097B | CYLINDER HEAD COVER ASS'Y | 1   |     | ~090409   | I   | 150106-00006   | 1   |
| 30     | 150106-00006   | CYLINDER HEAD COVER ASS'Y | 1   |     | 090410~   |     |                |     |
| 30A    | 65.03401-0061A | COVER;CYL. HEAD           | 1   |     | ~060206   |     |                |     |
| 30A    | 65.03401-6094  | COVER;CYL. HEAD           | 1   |     | ~070816   |     |                |     |
| 30A    | 65.03401-6094A | COVER;CYL. HEAD           | 1   |     | 070817~   |     |                |     |
| 30B    | 65.03903-0001  | PACKING;BREATHING PIPE    | 1   |     |           |     |                |     |
| 30C    | 65.01801-0011  | CASE;BREATHING            | 1   |     |           |     |                |     |
| 30D    | 06.16731-2104  | WASHER;SPRING             | 6   |     |           |     |                |     |
| 30E    | 06.04190-8808  | BOLT M5X16                | 6   |     |           |     |                |     |
| 30F    | 65.03905-0002  | GASKET;CYLINDER HEAD      | 1   |     | ~991029   | Y   | 65.03905-0002B | 1   |
| 30F    | 65.03905-0002B | GASKET;CYLINDER HEAD      | 1   |     | ~090409   | I   | 400603-00022   | 1   |
| 30F    | 400603-00022   | GASKET;CYLINDER HEAD      | 1   |     | 090410~   |     |                |     |
| 31     | 65.03905-0017A | GASKET                    | 4   |     | ~991029   |     |                |     |
| 31     | 65.03905-0023  | GASKET;CYL. HEAD COVER    | 4   |     | ~020426   | Y   | 65.03905-0023A | 4   |
| 31     | 65.03905-0023A | GASKET;CYLINDER HEAD      | 4   |     | 020427~   |     |                |     |
| 32     | 65.90501-0007  | NUT;CYLINDER HEAD COVER   | 4   |     | ~991029   |     |                |     |

| Key No | Part No        | Description             | Qty | S.C | Serial No | ICA | Replacable    | Qty |
|--------|----------------|-------------------------|-----|-----|-----------|-----|---------------|-----|
| 32     | 65.90501-0028  | NUT;CYLINDER HEAD COVER | 4   |     | 991030~   |     |               |     |
| 33     | 65.01801-5097  | BREATHER PIPE ASS'Y     | 1   |     | ~021008   | T   | 65.01801-5035 | 1   |
| 33     |                |                         | -   |     |           |     | 65.01801-0354 | 1   |
| 33     |                |                         | -   |     |           |     | 65.01801-0179 | 2   |
| 33     |                |                         | -   |     |           |     | 65.01801-0105 | 1   |
| 33     | 65.01801-5035  | BREATHER PIPE ASS'Y     | 1   |     | 021009~   |     |               |     |
| 34     | 65.96501-0032B | O-RING;BREATHER         | 1   |     |           |     |               |     |
| 35     | 65.96301-0226  | HOSE;RUBBER             | 1   |     | ~991112   | I   | 65.96301-0322 | 1   |
| 35     | 65.96301-0322  | HOSE;RUBBER             | 1   |     | ~010709   | I   | 65.96301-0346 | 1   |
| 35     | 65.96301-0346  | HOSE;RUBBER             | 1   |     | ~021008   |     |               |     |
| 35     | 65.96301-0354  | HOSE;RUBBER             | 1   |     | 021009~   |     |               |     |
| 36     | 65.97401-0141  | CLIP;WATER HOSE         | 1   |     | ~000923   |     |               |     |
| 36     | 65.97401-0144  | CLIP;WATER HOSE         | 2   |     | ~021008   |     |               |     |
| 36     | 65.97401-0179  | CLIP;WATER HOSE         | 2   |     | 021009~   |     |               |     |
| 37     | 06.67020-0102  | CLAMP                   | 2   |     | ~001129   |     |               |     |
| 37     | 06.67020-0102  | CLAMP                   | 1   |     | ~021008   |     |               |     |
| 37     | 06.67020-0105  | CLAMP;HOSE              | 1   |     | 021009~   |     |               |     |
| 38     | 06.16731-2107  | WASHER                  | 1   |     | 021009~   |     |               |     |
| 39     | 06.11063-8214  | NUT                     | 1   |     | 021009~   |     |               |     |
| 40     | 65.01810-5005  | CAP;OIL FILLER          | 1   |     | ~951212   | Y   | 65.01810-5007 | 1   |
| 40     | 65.01810-5007  | CAP;OIL FILLER          | 1   |     | 951213~   |     |               |     |
| 41     | 65.90701-0018  | WASHER;PLATE            | 4   |     | ~991029   |     |               |     |
| 41     | 65.90701-0202  | WASHER;PLATE            | 4   |     | 991030~   |     |               |     |
| 42     | 65.96001-0008  | CAP;RUBBER              | 1   |     | ~001129   |     |               |     |

Fig. 006 VALVE MECHANISM



Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.  
You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:  
[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)