


Update Date : 2020/05/14    Print Date : 2022/02/19

# F3560




FUIGF-008-10

| Item              | Capacity | Change Interval                                           |
|-------------------|----------|-----------------------------------------------------------|
| Engine Oil        | 2.7L     | after the first 50 hours of operation.<br>Every 100 hours |
| Engine Oil Filter |          | after the first 50 hours of operation.<br>Every 200 hours |

Kubota


## ■ ELECTRICAL PARTS



## ■ ELECTRICAL PARTS (for U.K. Only)




## ■ OIL / FUEL PARTS



## ■ BELT



## ■ OTHERS PARTS




Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)         | Part Name (ENG)           | QTY | IC | Serial No./PIN | Kg    | Remarks                              |
|-----|-------------|-------------------------|---------------------------|-----|----|----------------|-------|--------------------------------------|
| 010 | 67980-55150 | ANLASSERS<br>CHALTER    | SWITCH,ASSY<br>(STARTER)  | 1   |    |                | 0.270 |                                      |
| 020 | 37410-55150 | SCHLUESSEL              | KEY,STARTE<br>R           | 1   |    |                | 0.025 |                                      |
| 030 | 15531-73010 | GRP.THERM<br>OSTAT      | ASSY<br>THERMOSTA<br>T    | 1   |    | <=110326       | 0.063 |                                      |
| 030 | 15321-73010 | GRP.THERM<br>OSTAT      | THERMOSTA<br>T,ASSY       | 1   | NI | >=110327       | 0.068 |                                      |
| 030 | 15321-73016 | GRP.THERM<br>OSTAT      | ASSY<br>THERMOSTA<br>T    | 1   | >> | >=1E0001       | 0.070 |                                      |
| 040 | 1A024-39010 | OELDRUCKS<br>CHALTER    | SWITCH(OIL)               | 1   |    |                | 0.035 |                                      |
| 050 | 66426-80010 | AUTOSICHER<br>UNG       | FUSE,AUTO                 | 1   |    |                | 0.010 | 5A                                   |
| 060 | 36730-75550 | AUTOSICHER<br>UNG       | FUSE                      | 1   |    |                | 0.003 | 10A                                  |
| 070 | 52200-41620 | AUTOSICHER<br>UNG       | FUSE,AUTO                 | 1   |    |                | 0.003 | 15A                                  |
| 080 | 76611-55170 | GRP.LAMPE               | LAMP,ASSY<br>(ELECTRIC)   | 1   |    |                | 0.320 |                                      |
| 090 | 76611-55190 | GLUEHBIRNE              | BULB,HEAD<br>LIGHT        | 1   |    |                | 0.010 | 25W                                  |
| 100 | 17478-60080 | SICHERUNG               | FUSE                      | 1   |    |                | 0.008 | 50A                                  |
| 110 | 32530-33610 | GRP.BLINKLE<br>UCHTE    | ASSY<br>LIGHT,HAZAR<br>D  | 2   |    |                | 0.380 |                                      |
| 120 | 32530-91530 | GLUEHBIRNE              | BULB,LIGHT                | 2   |    |                | 0.020 | 27W                                  |
| 130 | K3332-55340 | GRP.SCHLUS<br>SLEUCHTE  | ASSY<br>LIGHT,TAIL        | 2   |    |                | 0.110 |                                      |
| 140 | 66704-55560 | GLUEGBIRNE              | BULB,TAIL<br>LIGHT        | 2   |    |                | 0.007 |                                      |
| 150 | 16271-32092 | OELFILTERP<br>ATRONE    | CARTRIDGE<br>OIL FILTER   | 1   |    | <=6H9999       | 0.400 | BESTELLEN<br>SIE BITTE<br>NEUE TEILE |
| 150 | 16271-32093 | OELFILTERP<br>ATRONE    | ASSY<br>CARTRIDGE,<br>OIL | 1   | >> | >=6J0001       | 0.400 |                                      |
| 150 | HH160-32093 | OELFILTERP<br>ATRONE    | CARTRIDGE<br>OIL FILTER   | 1   | >> |                | 0.340 |                                      |
| 160 | 12581-43012 | GRP.KRAFTS<br>TOFFILTER | ASSY<br>FILTER,FUEL       | 2   |    |                | 0.034 |                                      |

Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)       | Part Name (ENG)          | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|-----------------------|--------------------------|-----|----|----------------|-------|---------|
| 170 | 66021-36060 | OELFILTERP<br>ATRONE  | CARTRIDGE,<br>OIL FILTER | 1   |    |                | 0.390 |         |
| 170 | HH660-36060 | OELFILTERP<br>ATRONE  | CARTRIDGE,<br>OIL FILTER | 1   | >> |                | 0.390 |         |
| 180 | 66021-36390 | OELFILTER             | FILTER,OIL               | 1   |    |                | 0.185 |         |
| 190 | 1G062-97010 | KEILRIEMEN            | BELT,FAN                 | 1   |    |                | 0.075 |         |
| 200 | 17214-72020 | KUEHLERVE<br>RSCHLUSS | CAP,ASSY<br>(RADIATOR)   | 1   |    |                | 0.050 |         |
| 210 | K3551-58610 | SCHLAUCH              | HOSE,WATE<br>R UPPER     | 1   |    |                | 0.135 |         |
| 220 | K3551-58620 | SCHLAUCH              | HOSE,WATE<br>R LOWER     | 1   |    |                | 0.053 |         |
| 230 | TC020-16320 | FILTEREINSA<br>TZ     | COMP,FILTE<br>R,A/C      | 1   |    |                | 0.500 |         |
| 240 | K3511-58110 | AUSPUFF               | MUFFLER                  | 1   |    | <=50137        | 0.000 |         |
| 240 | K3511-58113 | AUSPUFF               | MUFFLER                  | 1   | >> | >=60001        | 3.100 |         |
| 240 | K3511-58114 | AUSPUFF               | MUFFLER                  | 1   | >> | >=61833        | 3.100 |         |

Update Date : 2020/05/14 Print Date : 2022/02/19




## BKIDA0131 &gt;&gt; F3560 &gt;&gt; MOTOR / ENGINE &gt;&gt; 100100 KURBELGEHAEUSE / CRANK CASE

Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)     | Part Name (ENG) | QTY | IC | Serial No./PIN | Kg     | Remarks                               |
|-----|-------------|---------------------|-----------------|-----|----|----------------|--------|---------------------------------------|
| 010 | 16626-01011 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   |    | <=116859       | 0.000  |                                       |
| 010 | 16626-01012 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | NI | >=116860       | 49.000 |                                       |
| 010 | 16626-01013 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=YE0001       | 52.000 |                                       |
| 010 | 16626-01014 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | NI | >=YL0001       | 53.000 |                                       |
| 010 | 16626-01015 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=1J0010       | 46.000 | BESTELLEN SIE BITTE * & 100202 *(SET) |
| 010 | 16626-01016 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=2E0001       | 0.000  | BESTELLEN SIE BITTE * & 100202 *(SET) |
| 010 | 16626-01017 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=3L0007       | 0.000  | BESTELLEN SIE BITTE * & 100202 *(SET) |
| 010 | 16626-01018 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=3N0001       | 47.000 | BESTELLEN SIE BITTE * & 100202 *(SET) |
| 010 | 1E024-01017 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | NI | >=5A0001       | 47.000 | *                                     |
| 010 | 1E024-01018 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE  | 1   | >> | >=6J0001       | 38.000 |                                       |
| 020 | 15451-96270 | KAPPE               | CAP,SEALING     | 6   |    |                | 0.010  |                                       |
| 030 | 15221-03490 | STOPFEN             | CAP,SEALING     | 1   |    |                | 0.020  |                                       |
| 040 | 15261-96010 | STOPFEN             | PLUG            | 4   |    |                | 0.002  |                                       |
| 050 | 16683-96020 | STOPFEN             | PLUG            | 1   |    |                | 0.088  |                                       |
| 060 | 16241-96010 | STOPFEN             | PLUG            | 3   |    |                | 0.007  |                                       |
| 070 | 15521-96020 | STOPFEN             | PLUG            | 2   |    |                | 0.003  |                                       |
| 080 | 17391-96160 | STOPFEN             | PLUG,EXPANSION  | 3   |    |                | 0.003  |                                       |
| 090 | 16271-96160 | STOPFEN             | PLUG,EXPANSION  | 1   |    |                | 0.025  |                                       |
| 100 | 05012-00508 | ZYLINDERSTIFT       | PIN,STRAIGHT    | 2   |    |                | 0.001  |                                       |
| 110 | 05012-00814 | ZYLINDERSTIFT       | PIN,STRAIGHT    | 2   |    | <=WT2678       | 0.006  |                                       |
| 110 | 16221-94530 | ZYLINDERSTIFT       | PIN,STRAIGHT    | 2   | NI | >=WU0001       | 0.006  |                                       |
| 120 | 05012-00610 | ZYLINDERSTIFT       | PIN,STRAIGHT    | 2   |    | <=WT2678       | 0.003  |                                       |


Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL) | Part Name (ENG)         | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|-----------------|-------------------------|-----|----|----------------|-------|---------|
| 120 | 05012-00610 | ZYLINDERSTIFT   | PIN,STRAIGHT            | 2   | NI | >=WU0001       | 0.003 |         |
| 130 | 15231-33960 | ROHRSTIFT       | PIN,PIPE                | 2   |    |                | 0.001 |         |
| 140 | 16241-33650 | ROHRSTIFT       | PIN,PIPE                | 1   |    |                | 0.002 |         |
| 150 | 16241-96262 | STOPFEN         | PLUG,FUEL CAMSHAFT      | 1   |    |                | 0.007 |         |
| 160 | 15221-56280 | STARTFEDERSTIFT | PIN,START SPRING        | 1   |    | <=WT2678       | 0.006 |         |
| 160 | 16221-56280 | STARTFEDERSTIFT | PIN,START SPRING        | 1   | =  | >=WU0001       | 0.005 |         |
| 170 | 16282-96010 | STOPFEN         | PLUG                    | 1   |    |                | 0.090 |         |
| 180 | 16271-55350 | BUCHSE          | BUSHING (GEAR,GOVERNOR) | 1   |    |                | 0.060 |         |
| 190 | 15221-33610 | STOPFEN         | PLUG                    | 1   |    |                | 0.009 |         |
| 200 | 15021-33660 | DICHTUNGSPATTE  | PACKING                 | 1   |    |                | 0.001 |         |
| 220 | 15321-73340 | WASSERROHR      | PIPE(WATER RETURN)      | 1   |    |                | 0.016 |         |
| 230 | 01754-50610 | SCHRAUBE        | BOLT,FLANGE             | 1   |    | >=3L0007       | 0.006 |         |
| 240 | 15601-96650 | DICHTUNGSPATTE  | PACKING                 | 1   |    | >=3L0007       | 0.001 |         |




Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)             | Part Name (ENG)   | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|-----------------------------|-------------------|-----|----|----------------|-------|---------|
| 010 | 16271-01502 | KOMP.OELW<br>ANNE           | COMP.OIL<br>PAN   | 1   |    |                | 1.700 |         |
| 030 | 01023-50612 | BOLZEN                      | BOLT,SEMS         | 26  |    | <=2S9607       | 0.005 |         |
| 030 | 01023-50612 | BOLZEN                      | BOLT,SEMS         | 26  | =  | >=2U0004       | 0.005 |         |
| 030 | 16221-91122 | BOLZEN                      | BOLT,SEMS         | 26  | NI | >=6J0001       | 0.005 |         |
| 040 | 16271-33750 | STOPFEN                     | PLUG              | 2   |    |                | 0.034 |         |
| 050 | 15471-96650 | DICHTUNGSP<br>LATTE         | PACKING           | 2   |    |                | 0.002 |         |
| 060 | 16271-32114 | OELFILTER                   | FILTER,OIL        | 1   |    | <=XG7689       | 0.220 |         |
| 060 | 16271-32115 | OELFILTER                   | FILTER,OIL        | 1   | >> | >=XJ0001       | 0.240 |         |
| 060 | 16271-32118 | OELFILTER                   | FILTER,OIL        | 1   | >> | >=5Y0001       | 0.240 |         |
| 070 | 01123-50816 | SCHRAUBE                    | BOLT,SEMS         | 1   |    |                | 0.011 |         |
| 080 | 04811-00160 | O RING                      | O RING            | 1   |    | <=WH4333       | 0.001 |         |
| 080 | 04814-00160 | O RING                      | O RING            | 1   | >> | >=WJ0001       | 0.001 |         |
| 090 | 16259-36410 | OELMESSST<br>AB             | GAUGE,OIL         | 1   |    |                | 0.035 |         |
| 100 | 1G513-36550 | STOPFEN,<br>OELMESSST<br>AB | PLUG,OIL<br>GAUGE | 1   |    | >=5A0001       | 0.004 | *       |



Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)       | Part Name (ENG)      | QTY | IC | Serial No./PIN | Kg     | Remarks                     |
|-----|-------------|-----------------------|----------------------|-----|----|----------------|--------|-----------------------------|
| 010 | 15221-01750 | MOTORHAKE<br>N        | HOOK,ENGINE          | 2   |    |                | 0.040  |                             |
| 020 | 01123-50814 | BOLZEN                | BOLT,SEMS            | 1   |    |                | 0.010  |                             |
| 030 | 01123-50818 | BOLZEN                | BOLT,SEMS            | 1   |    |                | 0.012  |                             |
| 040 | 16062-03041 | KOMP.ZYLINDERKOPF     | COMP.CYLINDER HEAD   | 1   |    | <=116859       | 0.000  | BESTELLEN SIE BITTE * (SET) |
| 040 | 16062-03042 | KOMP.ZYLINDERKOPF     | HEAD,CYL,COMP        | 1   | NI | >=116860       | 11.500 | *                           |
| 050 | 15321-96260 | KAPPE                 | CAP,SEALING          | 1   |    |                | 0.014  |                             |
| 060 | 15261-96010 | STOPFEN               | PLUG                 | 2   |    |                | 0.002  |                             |
| 070 | 16261-13540 | EINLASSVENTILFUEHRUNG | GUIDE,INLET VALVE    | 4   |    | <=3Q9649       | 0.020  |                             |
| 070 | 16261-13540 | EINLASSVENTILFUEHRUNG | GUIDE,INLET VALVE    | 4   | =  | >=3S0001       | 0.020  |                             |
| 080 | 16261-13560 | AUSLASSVENTILFUEHRUNG | GUIDE,EXHAUST VALVE  | 4   |    | <=3Q9649       | 0.019  |                             |
| 080 | 16261-13560 | AUSLASSVENTILFUEHRUNG | GUIDE,EXHAUST VALVE  | 4   | =  | >=3S0001       | 0.019  |                             |
| 090 | 15261-03370 | STOEPSSEL,ABDICHTUNG  | CAP,SEALING          | 3   |    |                | 0.005  |                             |
| 100 | 16241-03450 | ZYLINDERKOPFSCHRAUBE  | BOLT,HEAD (CYLINDER) | 18  |    | <=89029        | 0.050  |                             |
| 100 | 16241-03450 | ZYLINDERKOPFSCHRAUBE  | BOLT,HEAD (CYLINDER) | 16  |    | >=89030        | 0.050  |                             |
| 105 | 16216-03450 | ZYLINDERKOPFSCHRAUBE  | BOLT,CYLINDER HEAD   | 2   |    | >=89030        | 0.070  |                             |
| 110 | 16282-03311 | DICHTUNG,ZYLINDERKOPF | GASKET,CYLINDER HEAD | 1   |    | <=116859       | 0.000  |                             |
| 110 | 16292-03310 | ZYLINDERKOPFDICHTUNG  | GASKET,CYLINDER HEAD | 1   | NI | >=116860       | 0.090  | *                           |
| 110 | 16394-03310 | ZYLINDERKOPFDICHTUNG  | GASKET,CYLINDER HEAD | 1   | NI | >=4Q0001       | 0.200  |                             |




## BKIDA0131 &gt;&gt; F3560 &gt;&gt; MOTOR / ENGINE &gt;&gt; 100400 GETRIEBE GEHAEUSE / GEAR CASE

Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name (POL)              | Part Name (ENG)             | QTY | IC | Serial No./PIN | Kg    | Remarks                     |
|-----|-------------|------------------------------|-----------------------------|-----|----|----------------|-------|-----------------------------|
| 010 | 16251-04020 | KMP.GETRIE<br>BEGEHAEUS<br>E | COMP.CASE,<br>GEAR          | 1   |    | <=1U7903       | 2.500 | ORDER BY *<br>& 1501 *(SET) |
| 010 | 16251-04027 | KMP.GETRIE<br>BEGEHAEUS<br>E | COMP.CASE,<br>GEAR          | 1   | NI | >=1W0006       | 2.500 | *                           |
| 010 | 16252-04021 | KMP.GETRIE<br>BEGEHAEUS<br>E | COMP.CASE,<br>GEAR          | 1   | >> | >=5E0001       | 0.000 |                             |
| 010 | 16252-04022 | KMP.GETRIE<br>BEGEHAEUS<br>E | CASE,GEAR,<br>COMP          | 1   | >> | >=5G0001       | 2.460 |                             |
| 020 | 16241-96020 | STOPFEN                      | PLUG                        | 2   |    |                | 0.015 |                             |
| 025 | 15521-96020 | STOPFEN                      | PLUG                        | 1   |    | >=95970        | 0.003 |                             |
| 030 | 04011-50180 | SCHEIBE                      | WASHER,PLA<br>IN            | 1   |    |                | 0.012 |                             |
| 040 | 15241-32290 | VERBINDUNG<br>SSTUECK        | JOINT,PIPE                  | 1   |    |                | 0.053 |                             |
| 050 | 16241-36950 | FEDER                        | SPRING                      | 1   |    |                | 0.015 |                             |
| 060 | 16241-36930 | SITZ,VENTIL                  | SEAT,VALVE                  | 1   |    |                | 0.032 |                             |
| 070 | 07715-00201 | KUGEL                        | BALL                        | 1   |    |                | 0.008 |                             |
| 080 | 16241-35070 | ROTOR<br>KOMP.               | ASSY<br>ROTOR,OIL<br>PUMP   | 1   |    |                | 0.270 |                             |
| 090 | 16251-35130 | DECKEL,<br>OELPUMPE          | COVER,OIL<br>PUMP           | 1   |    |                | 0.090 |                             |
| 095 | 05012-00410 | ZYLINDERSTI<br>FT            | PIN,STRAIGH<br>T            | 2   |    |                | 0.001 |                             |
| 100 | 03017-50620 | SCHRAUBE                     | SCREW,BINDI<br>NG(PHILLIPS) | 5   |    |                | 0.005 |                             |
| 110 | 16264-04132 | DICHTUNG                     | GASKET,GEA<br>R CASE        | 1   |    |                | 0.010 |                             |
| 120 | 01023-50645 | BOLZEN                       | BOLT,SEMS                   | 3   |    |                | 0.010 |                             |
| 130 | 01023-50650 | BOLZEN                       | BOLT,SEMS                   | 4   |    |                | 0.012 |                             |
| 140 | 01023-50655 | BOLZEN                       | BOLT,SEMS                   | 4   |    |                | 0.012 |                             |
| 150 | 15841-91040 | BOLZEN                       | BOLT                        | 1   |    |                | 0.010 |                             |
| 160 | 16241-91040 | BOLZEN                       | BOLT                        | 1   |    |                | 0.015 |                             |
| 170 | 01513-50645 | STEBOLZEN                    | BOLT,STUD                   | 1   |    | <=WH4333       | 0.011 |                             |
| 170 | 16245-91530 | STEBOLZEN                    | STUD                        | 1   | =  | >=WJ0001       | 0.010 |                             |
| 180 | 02056-50060 | MUTTER                       | HEX.NUT                     | 1   |    |                | 0.002 |                             |
| 190 | 04512-50060 | FEDERRING                    | WASHER,SP<br>RING LOCK      | 1   |    |                | 0.001 |                             |

Update Date : 2020/05/14 Print Date : 2022/02/19

| No. | Part Number | Part Name<br>(POL)              | Part Name<br>(ENG) | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|---------------------------------|--------------------|-----|----|----------------|-------|---------|
| 200 | 16241-04212 | OELDICHTUN<br>GSRING            | SEAL,OIL           | 1   |    |                | 0.012 |         |
| 230 | 01513-50618 | STEBOLZEN                       | BOLT,STUD          | 2   |    | <=3B0061       | 0.005 |         |
| 230 | 16245-91540 | STEBOLZEN                       | STUD               | 2   | NI | >=3C0011       | 0.005 |         |
| 240 | 16264-83342 | DECKEL,<br>GETRIEBEGE<br>HAEUSE | COVER,GEAR<br>CASE | 1   |    |                | 0.010 |         |



Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.  
You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:  
[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)