

Update Date : 28-01-2021 Print Date : 06-03-2022

L2-452DTC



FUJTL 388 10

Item	Capacity	Change Interval
Engine Oil	8.2 L	after the first 50 hours of operation. Every 400 hours
Engine Oil Filter		after the first 50 hours of operation. Every 400 hours

Kubota

ELECTRICAL PARTS

010	020-030-040 050-060-070	085 080 085	090	100	110
120	130	140	150	160	170
180	190	200	210	220	230
240	250	260	270	280	290
300	310	320	330	340	350

FILTERS / ELEMENTS

ENGINE	FUEL	INLET	AIR CLEANER	AIR CONDITIONER
270	280	290	300	310
320	330	340	350	360

BELT

FAN	COMPRESSOR				
330	340				

OTHERS

350	360	370			
-----	-----	-----	--	--	--


Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	T0270-81810	ZUENDSCHL OSS KOMP.	ASSY KEY,MAIN SWITCH	1			0.255	
020	3C001-75040	WARNBLINKS CHALTER	SWITCH,HAZ ARD	1			0.015	HAZARD
030	6C222-75320	SCHALTER RUNDUMLEU CHTE	SWITCH (BEACON)	1			0.019	LEUCHTFEUE R-LIGHT
040	6C782-30850	SCHALTER	SWITCH	1			0.017	STATIONARY PTO
050	T1270-33782	LICHTSCHAL TER	SWITCH (WORK LIGHT)	1			0.020	SIDE WORK
060	TD350-33760	SCHALTER (DPF)	SWITCH(DPF)	1			0.020	PARKED REGENERATI ON
070	TC650-33770	SCHALTER	SWITCH (DPF,INHIBIT)	1			0.018	DPF INHIBIT
080	T0270-81840	GRP.SCHLUE SSEL	ASSY KEY,MAIN SWITCH	1			0.023	SET
085	T0270-81820	START + KABINENSCH LUESSEL	KEY,MAIN SWITCH	2			0.012	
090	3S203-32072	SCHALTER	SWITCH,CON BI	1			0.272	
100	1J801-73012	THERMOSTA T,KOMP.	THERMOSTA T,ASSY	1			0.080	
110	11521-39013	OELDRUCKS CHALTER	OIL SWITCH (F)	1			0.040	
120	T1060-30430	SICHERUNG 5A	FUSE,MINI (5A)	7			0.005	5A
130	T1060-30440	SICHERUNG 10A	FUSE,MINI (10A)	1			0.005	10A
140	T1060-30450	SICHERUNG 15A	FUSE,MINI (15A)	4			0.005	15A
150	T1060-30460	SICHERUNG 20A	FUSE,MINI (20A)	5			0.002	20A
160	T1060-30470	SICHERUNG 30A	FUSE,MINI (30A)	7			0.005	30A
170	RD809-53910	KEGELRAD	FUSE	2			0.010	100A
180	T1150-30500	SICHERUNG (60A)	FUSE,SLOW- BLOW(60A)	4			0.007	60A

Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
190	3C081-75810	GLUEHBIRNE	BULB	2			0.025	60/55W
200	3C081-75820	GLUEHBIRNE	BULB	2			0.006	21W
210	T1880-99110	GLUEHBIRNE	BULB (12V21W)	2			0.020	21W
220	T1880-99140	GLUEHBIRNE	BULB(12V5W)	2			0.010	5W
230	TC420-30030	GLUEHBIRNE	BULB (12V21W)	2			0.010	21W
240	TC420-30040	GLUEHBIRNE	BULB (12V21W/5W)	2			0.010	5/21W
250	TA049-30030	GLUEHBIRNE	BULB	1			0.010	10W
260	3C581-54220	GLUEHBIRNE	BULB,ROOM LIGHT	1			0.002	5W
270	HH164-32430	OELFILTERP ATRONE	FILTER (CARTRIDGE, OIL)	1			0.500	
280	1J800-43172	KRAFTSTOFF FILTER KARTUSCHE	CARTRIDGE, FILTER	1			0.570	
290	HHTA0-37710	HYDRAULIKO ELFILTER	FILTER (CARTRIDGE, OIL)	1			0.730	
300	32821-93220	INNENELEMENT	ELEMENT (INNER)	1			0.105	
310	TD270-93232	LUFTFILTERE INSATZ	ASSY ELEMENT,A/C	1			0.420	
320	TA043-71600	KRAFTSTOFF ILTER	FILTER,PAPER	1			0.340	
330	15628-97010	RIEMEN	V BELT,A	1			0.070	
340	TD170-79320	KEILRIEMEN	V BELT	1			0.120	
350	17580-16060	ABDECKKAP PEN	CAP,RADIATOR	1			0.040	
360	T4360-16120	SCHLAUCH	HOSE (UPPER)	1			0.350	
370	TD459-16140	SCHLAUCH	HOSE (LOWER)	1			0.000	

Update Date : 28-01-2021 Print Date : 06-03-2022



1J810-060-20


Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J810-01010	KOMP.KURBELGEHAUSE	CRANKCASE, COMP	1			68.000	
020	15521-96020	STOPFEN	PLUG	5			0.003	
030	15521-96030	STOPFEN	PLUG	2			0.007	
040	17391-96160	STOPFEN	PLUG,EXPANSION	3			0.003	
050	16271-96160	STOPFEN	PLUG,EXPANSION	1			0.025	
060	15221-03380	STOPFEN	CAP,SEALING	4			0.017	
070	1J860-71010	KOMP.WASSERROHR	PIPE,COMP	2			0.063	
080	15221-03390	STOPFEN	CAP,SEALING	2			0.030	
090	15261-03370	STOEPSEL,ABDICHTUNG	CAP,SEALING	1			0.005	
100	1A091-03380	STOPFEN	PLUG,WEIGHT SHAFT	2			0.005	
110	05012-00609	ZYLINDERSTIFT	PIN,STRAIGHT	2			0.003	
120	05012-00612	ZYLINDERSTIFT	PIN, STRAIGHT	2			0.003	
130	05012-01018	ZYLINDERSTIFT	PIN,STRAIGHT	1			0.012	
140	15221-33650	ROHRSTIFT	PIN,PIPE	1			0.004	
150	15321-73340	WASSERROHR	PIPE(WATER RETURN)	1			0.016	
160	1A091-26990	METALLTEIL	METAL (SHAFT,WEIGHT)	2			0.026	
170	1G425-26980	METALLTEIL	METAL (SHAFT,WEIGHT,2)	2			0.030	
180	1A091-26970	METALLTEIL	METAL (SHAFT,WEIGHT)	2			0.012	
185	1G896-33610	BOLZEN	PLUG	1			0.008	
186	15021-33660	DICHTUNGSPLATTE	PACKING	1			0.001	
190	1E013-35013	GRP.OELPUMPE	ASSY PUMP,OIL	1			0.570	
200	1A021-35150	DICHTUNGSPLATTE	GASKET,OIL PUMP	1			0.001	

BKIDK5392 >> L2-452DTC >> MOTOR / ENGINE >> 500001 KURBELGHAUSE / CRANKCASE

Update Date : 28-01-2021 Print Date : 06-03-2022


No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
210	01023-50650	BOLZEN	BOLT,SEMS	4			0.012	
220	1G896-35660	ZAHNRAD	GEAR,OIL PUMP DRIVE	1			0.135	
230	05712-00410	KEIL	KEY,FEATHER R	1			0.001	
240	15221-35682	MUTTER	NUT	1			0.014	
250	1J803-39052	ZWISCHENST UECK	ADAPTER (SWITCH,OIL)	1			0.025	



BKIDK5392 >> L2-452DTC >> MOTOR / ENGINE >> 501001 OELWANNE / OIL PAN

Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G425-01613	OELWANNE	OIL PAN	1			4.000	
030	1A091-91010	BOLZEN	BOLT,SEMS	24			0.025	
050	16427-33750	ENTLEERUNGSSTOPFEN	PLUG,DRAIN	2			0.030	
060	6C090-58960	DICHTUNGSPLATTE	GASKET	2			0.005	
070	1J854-32110	KRAFTSTOFFFILTER	FILTER(OIL,1)	1			0.250	
080	01754-50812	SCHRAUBE	BOLT,FLANGE	1			0.008	
090	04817-00160	O RING	O RING	1			0.001	
100	1G513-36550	STOPFEN, OELMESSSTAB	PLUG,OIL GAUGE	1			0.004	




BKIDK5392 >> L2-452DTC >> MOTOR / ENGINE >> 501301 OELMESSSTAB / DIPSTICK

Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	T1060-16602	OELMESSST AB	GAUGE,OIL	1			0.015	
020	TD060-16615	FUEHRUNG, OELMESSST AB	GUIDE,OIL GAUGE	1			0.075	
030	01754-50816	SCHRAUBE	BOLT,FLANG E	1			0.011	

Update Date : 28-01-2021 Print Date : 06-03-2022




1J845-002-10

Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J810-03040	ZYLINDERKOPF, KOMP.	HEAD, CYLINDER, COMP	1			18.500	
020	15221-03370	STOPFEN	PLUG, CUP TYPE	12			0.010	
030	15221-03490	STOPFEN	CAP, SEALING	1			0.020	
040	15261-96010	STOPFEN	PLUG	2			0.002	
050	1J829-13580	VENTILFUEHRUNG	GUIDE, VALVE (INLET)	4			0.020	
060	1J829-13560	VENTILFUEHRUNG	GUIDE, VALVE (EXHAUST)	4			0.020	
070	1J812-13620	VENTILSITZ	SEAT, VALVE (INLET)	4			0.010	
080	1J812-13610	VENTILSITZ AUSPUFF	SEAT, VALVE (EXHAUST)	4			0.010	
090	19013-03450	ZYLINDERKOPFSCHRAUBE	BOLT, HEAD (CYLINDER)	18			0.077	
100	1J897-03600	DICHTUNG	GASKET (HEAD, CYLINDER 115)	1			0.275	1.15mm
100	1J897-03310	DICHTUNG	GASKET (HEAD, CYLINDER 120)	1			0.275	1.20mm
100	1J897-03610	DICHTUNG	GASKET (HEAD, CYLINDER 125)	1			0.275	1.25mm
100	1J897-03620	DICHTUNG	GASKET (HEAD, CYLINDER 130)	1			0.270	1.30mm
100	1J897-03630	DICHTUNG	GASKET (HEAD, CYLINDER 135)	1			0.275	1.35mm
110	15841-96020	STOPFEN	PLUG	1			0.020	
120	15221-01750	MOTORHAKEN	HOOK, ENGINE	2			0.040	
130	01123-50816	SCHRAUBE	BOLT, SEMS	1			0.011	
140	15471-91530	STEBOLZEN	BOLT, STUD	1			0.010	

Update Date : 28-01-2021 Print Date : 06-03-2022




1J800-004-11

Update Date : 28-01-2021 Print Date : 06-03-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G852-13114	VENTIL	VALVE,INLET	4			0.080	
020	1G852-13124	VENTIL	VALVE,EXHAUST	4			0.065	
030	1G896-13240	VENTIL-FEDER	SPRING,VALVE	8			0.040	
040	15221-13330	HALTER	RETAINER,VALVE SP.	8			0.028	
050	15221-13980	KLEMMSCHEIBE	COLLET,VALVE SPRING	8			0.005	SET
060	15221-13153	VENTILDICHTUNG	SEAL(VA LVE STEM)	8			0.002	
070	1G896-13280	VENTILKAPPE	CAP(VA LVE)	8			0.005	

Update Date : 28-01-2021 Print Date : 06-03-2022



1J800-005-10

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com