

Update Date : 2016/10/06    Print Date : 2022/03/14

# M105SDT




FUJTM 062 10

| Item              | Capacity | Change Interval                                          |
|-------------------|----------|----------------------------------------------------------|
| Engine Oil        | 10 7L    | after the first 50 hours of operation<br>Every 300 hours |
| Engine Oil Filter |          | after the first 50 hours of operation<br>Every 600 hours |

Kubota

## ELECTRICAL PARTS

|                                                                                            |                                                                                            |                                                                                                     |                                                                                             |                                                                                             |                                                                                            |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <br>010   | <br>020  | <br>030          | <br>040  | <br>050  |                                                                                            |
| <br>060   | <br>070   | <br>080           | <br>090  | <br>100  |                                                                                            |
| <br>110 | <br>120 | <br>130          | <br>140  | <br>150  | <br>160 |
| <br>170  | <br>180  | <br>190-200-220 | <br>210 | <br>230 |                                                                                            |

## OIL / FUEL PARTS

|                                                                                            |                                                                                             |                                                                                              |                                                                                              |  |  |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--|--|
| <br>240 | <br>250 | <br>260 | <br>270 |  |  |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--|--|

## BELT

|                                                                                                |  |  |  |  |  |
|------------------------------------------------------------------------------------------------|--|--|--|--|--|
| <br>280-290 |  |  |  |  |  |
|------------------------------------------------------------------------------------------------|--|--|--|--|--|

## OTHERS PARTS


|                                                                                            |                                                                                            |                                                                                              |                                                                                              |                                                                                              |                                                                                              |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <br>300 | <br>310 | <br>320 | <br>330 | <br>340 | <br>350 |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|

Update Date : 2016/10/06 Print Date : 2022/03/14

| No. | Part Number | Part Name (POL)          | Part Name (ENG)           | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|--------------------------|---------------------------|-----|----|----------------|-------|---------|
| 010 | 36919-75162 | ZUENDSCHL<br>OSS         | SWITCH MAIN               | 1   |    |                | 0.140 |         |
| 020 | 3A751-75040 | SCHALTER                 | SWITCH<br>HAZARD          | 1   |    |                | 0.030 |         |
| 030 | 36919-75190 | ZUENDSCHL<br>UESSEL      | KEY MAIN<br>SWITCH        | 1   |    |                | 0.005 | SET     |
| 040 | 37410-55120 | KOMBINATIO<br>NSCHALTER  | SWITCH<br>COMBINATIO<br>N | 1   |    |                | 0.150 |         |
| 050 | 1C011-73010 | GRP.THERM<br>OSTAT       | ASSY<br>THERMOSTA<br>T    | 1   |    |                | 0.090 |         |
| 060 | T1060-30430 | SICHERUNG<br>5A          | FUSE                      | 7   |    |                | 0.005 | 5A      |
| 070 | T1060-30440 | SICHERUNG<br>10A         | FUSE                      | 4   |    |                | 0.005 | 10A     |
| 080 | T1060-30450 | SICHERUNG<br>15A         | FUSE                      | 7   |    |                | 0.005 | 15A     |
| 090 | T1060-30460 | SICHERUNG<br>20A         | FUSE                      | 4   |    | <=52353        | 0.002 | 20A     |
| 090 | T1060-30460 | SICHERUNG<br>20A         | FUSE                      | 2   |    | =>52354        | 0.002 | 20A     |
| 100 | TD069-30660 | SICHERUNG<br>25A         | FUSE                      | 2   |    | <=52353        | 0.001 | 25A     |
| 100 | TD069-30660 | SICHERUNG<br>25A         | FUSE                      | 3   |    | =>52354        | 0.001 | 25A     |
| 110 | 15531-39010 | OELDRUCKS<br>CHALTER     | SWITCH OIL                | 1   |    |                | 0.032 |         |
| 120 | 3G710-75900 | GLUEHLAMP<br>E (12V 55W) | BULB                      | 4   |    |                | 0.007 | 55W     |
| 130 | T1060-30510 | SICHERUNG<br>30A         | FUSE                      | 2   |    |                | 0.007 | 30A     |
| 140 | T1060-30530 | SICHERUNG                | FUSE                      | 1   |    |                | 0.007 | 50A     |
| 150 | T1150-30500 | SICHERUNG<br>(60A)       | FUSE                      | 2   |    |                | 0.007 | 60A     |
| 160 | 3N300-75560 | SICHERUNG                | FUSE                      | 2   |    |                | 0.006 | 120A    |
| 170 | T1060-30450 | SICHERUNG<br>15A         | FUSE                      | 1   |    | =>52109        | 0.005 | 15A     |
| 180 | 3N303-33870 | GLUEHLAMP<br>E           | BULB                      | 2   |    |                | 0.000 | 60/55W  |

Update Date : 2016/10/06 Print Date : 2022/03/14

| No. | Part Number | Part Name (POL)              | Part Name (ENG)      | QTY | IC | Serial No./PIN | Kg    | Remarks                       |
|-----|-------------|------------------------------|----------------------|-----|----|----------------|-------|-------------------------------|
| 190 | TA049-30040 | GLUEHBIRNE                   | BULB                 | 2   |    |                | 0.010 | 21W                           |
| 200 | TA049-30080 | GLUEHBIRNE                   | BULB                 | 2   |    |                | 0.010 | 5W                            |
| 210 | TA049-30030 | GLUEHBIRNE                   | BULB                 | 2   |    |                | 0.010 | 10W                           |
| 220 | TA049-30040 | GLUEHBIRNE                   | BULB                 | 4   |    |                | 0.010 | 21W                           |
| 230 | T0180-74220 | GLUEHBIRNE                   | BULB ROOM LIGHT      | 1   |    |                | 0.005 | 10W                           |
| 240 | 1C020-32430 | OELFILTERP ATRONE            | CARTRIDGE OIL FILTER | 1   |    |                | 0.550 | ORDER BY REF.No.240 NEW PART. |
| 240 | HH1C0-32430 | OELFILTERP ATRONE            | CARTRIDGE OIL FILTER | 1   | >> |                | 0.550 |                               |
| 250 | 16631-43560 | FILTEREINSA TZ               | ELEMENT FUEL FILTER  | 1   |    |                | 0.420 |                               |
| 260 | 15831-43380 | KRAFTSTOFF VORFILTEREI NSATZ | ELEMENT              | 1   |    |                | 0.040 |                               |
| 270 | 33960-82630 | DRUCKFILTE R                 | FILTER               | 2   |    |                | 0.650 | ORDER BY REF.No.270 NEW PART. |
| 270 | HH330-82630 | HYDR.-FILTER                 | CARTRIDGE OIL FILTER | 2   | >> |                | 0.700 |                               |
| 280 | 1C010-97010 | KEILRIEMEN                   | BELT V               | 1   |    |                | 0.130 |                               |
| 290 | 3A761-79320 | KEILRIEMEN                   | BELT V               | 1   |    |                | 0.180 |                               |
| 300 | 17580-16060 | ABDECKKAP PEN                | CAP RADIATOR         | 1   |    |                | 0.040 |                               |
| 310 | 3N300-17460 | SCHLAUCHW ASSER              | HOSE WATER UPPER     | 1   |    |                | 0.330 |                               |
| 320 | 3N300-17450 | WASSERSCH LAUCH              | HOSE WATER LOWER     | 1   |    |                | 0.600 |                               |
| 330 | 55231-26150 | LUFTFILTERE INSATZ (INNEN)   | ELEMENT INNER        | 1   |    |                | 0.370 |                               |
| 340 | 59700-26112 | LUFTFILTERE INSATZ (AUSSSEN) | ASSY ELEMENT A/C     | 1   |    |                | 1.210 |                               |
| 350 | 3N300-12113 | AUSPUFFTO PF                 | MUFFLER              | 1   |    |                | 4.510 |                               |



Update Date : 2016/10/06 Print Date : 2022/03/14


| No. | Part Number | Part Name (POL)     | Part Name (ENG)    | QTY | IC | Serial No./PIN | Kg     | Remarks |
|-----|-------------|---------------------|--------------------|-----|----|----------------|--------|---------|
| 010 | 1G574-01010 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE     | 1   |    | <=6A3305       | 70.000 |         |
| 010 | 1G574-01014 | KOMP.KURBELGEHAEUSE | COMP.CRANKCASE     | 1   | >> | =>6C0001       | 77.000 |         |
| 020 | 15521-96020 | STOPFEN             | PLUG               | 1   |    |                | 0.003  |         |
| 030 | 1C010-96010 | STOPFEN             | PLUG               | 1   |    |                | 0.012  |         |
| 040 | 16683-96020 | STOPFEN             | PLUG               | 1   |    |                | 0.088  |         |
| 050 | 15261-03370 | STOEPSEL,ABDICHTUNG | CAP SEALING        | 4   |    |                | 0.005  |         |
| 060 | 15221-03380 | STOPFEN             | CAP SEALING        | 9   |    |                | 0.017  |         |
| 070 | 15221-03390 | STOPFEN             | CAP SEALING        | 1   |    |                | 0.030  |         |
| 080 | 1C010-96160 | STOPFEN             | PLUG EXPANSION     | 1   |    |                | 0.050  |         |
| 090 | 05012-00820 | ZYLINDERSTIFT       | PIN STRAIGHT       | 1   |    |                | 0.008  |         |
| 100 | 05012-01016 | ZYLINDERSTIFT       | PIN STRAIGHT       | 2   |    |                | 0.010  |         |
| 110 | 15221-33650 | ROHRSTIFT           | PIN PIPE           | 2   |    |                | 0.004  |         |
| 120 | 1C010-33640 | STIFT               | PIN GEAR CASE      | 1   |    |                | 0.019  |         |
| 130 | 1C010-04560 | BOLZEN              | BOLT BEARING CASE  | 10  |    |                | 0.130  |         |
| 150 | 1C040-33210 | STIFT               | PIPE OIL           | 1   |    |                | 0.025  |         |
| 150 | 1C040-33212 | STIFT               | PIPE OIL           | 1   | =  |                | 0.025  |         |
| 160 | 1C010-37114 | ADAPTER, WASSERROHR | JOINT WATER PIPE   | 1   |    |                | 0.020  |         |
| 170 | 06311-55030 | STOPFEN             | PLUG               | 1   |    |                | 0.050  |         |
| 180 | 04724-00170 | DICHTUNGSPLATTE     | GASKET             | 1   |    |                | 0.005  |         |
| 190 | 1C011-01120 | KURBELGHAUSE        | CRANKCASE          | 1   |    |                | 52.000 |         |
| 200 | 1C010-33650 | STIFT               | PIN GEAR CASE      | 1   |    |                | 0.037  |         |
| 210 | 1C010-33080 | BLINDSTOPFEN        | ASSY PLUG O/FILLER | 1   |    |                | 0.018  |         |
| 220 | E9151-33140 | OELEINFUELLSTOPFEN  | PLUG OIL FILLER    | 1   |    |                | 0.017  |         |

BKIDK0565 >> M105SDT >> MOTOR / ENGINE >> 000100 KURBELGHAUSE / CRANKCASE

Update Date : 2016/10/06 Print Date : 2022/03/14

| No. | Part Number | Part Name<br>(POL)      | Part Name<br>(ENG)   | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|-------------------------|----------------------|-----|----|----------------|-------|---------|
| 230 | 04817-50300 | O RING                  | O RING               | 1   |    |                | 0.001 |         |
| 240 | 15602-33110 | EINFUELLFLA<br>NSCH     | FLANGE OIL<br>FILLER | 1   |    |                | 0.100 |         |
| 250 | 15625-32890 | DICHTUNGSP<br>LATTE     | GASKET               | 1   |    |                | 0.001 |         |
| 260 | 01754-50820 | SCHRAUBE                | BOLT<br>FLANGE       | 2   |    |                | 0.015 |         |
| 270 | 15451-96300 | STOEPSEL,A<br>BDICHTUNG | CAP SEALING          | 1   |    |                | 0.002 |         |


Update Date : 2016/10/06    Print Date : 2022/03/14



Update Date : 2016/10/06 Print Date : 2022/03/14

| No. | Part Number | Part Name (POL)              | Part Name (ENG)    | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|------------------------------|--------------------|-----|----|----------------|-------|---------|
| 010 | 1G511-01500 | KOMP.OELW<br>ANNE            | COMP.OIL<br>PAN    | 1   |    | <=5U3794       | 2.280 |         |
| 010 | 1G511-01605 | KOMP.<br>OELWANNE            | KIT OIL PAN        | 1   | >> | =>5W0001       | 2.430 |         |
| 020 | 15707-33750 | ENTLEERUN<br>GSSTOPFEN       | PLUG DRAIN         | 2   |    |                | 0.095 |         |
| 030 | 15451-96670 | DICHTUNG                     | GASKET             | 2   |    | <=5U3794       | 0.003 |         |
| 030 | 16265-96670 | DICHTUNG                     | GASKET             | 2   | >> | =>5W0001       | 0.005 |         |
| 040 | 1C011-91010 | BOLZEN                       | BOLT<br>FLANGE     | 20  |    | <=6L3484       | 0.100 |         |
| 040 | 1C011-91012 | SCHRAUBE                     | BOLT<br>FLANGE     | 20  | >> | =>6N0001       | 0.100 |         |
| 050 | 1C010-91100 | BOLZEN                       | BOLT OIL<br>PAN    | 6   |    |                | 0.020 |         |
| 060 | 1C011-32110 | OELFILTER                    | FILTER OIL         | 1   |    |                | 0.280 |         |
| 070 | 04814-00220 | O RING                       | O RING             | 1   |    |                | 0.001 |         |
| 080 | 01754-50814 | SCHRAUBE                     | BOLT<br>FLANGE     | 2   |    |                | 0.012 |         |
| 090 | 1C010-36422 | FUEHRUNG,<br>OELMESSST<br>AB | GUIDE OIL<br>GAUGE | 1   |    |                | 0.014 |         |
| 100 | 1C010-36412 | OELMESSST<br>AB              | GAUGE OIL          | 1   |    |                | 0.040 |         |
| 110 | 15451-96300 | STOEPSEL,A<br>BDICHTUNG      | CAP SEALING        | 1   |    |                | 0.002 |         |


Update Date : 2016/10/06 Print Date : 2022/03/14



Update Date : 2016/10/06 Print Date : 2022/03/14

| No. | Part Number | Part Name (POL)      | Part Name (ENG)            | QTY | IC | Serial No./PIN | Kg     | Remarks                   |
|-----|-------------|----------------------|----------------------------|-----|----|----------------|--------|---------------------------|
| 010 | 3N300-01740 | PLATTE               | PLATE<br>ENGINE<br>HOOK    | 1   |    |                | 1.040  |                           |
| 020 | 01754-50818 | SCHRAUBE             | BOLT<br>FLANGE             | 2   |    |                | 0.011  |                           |
| 030 | 15221-91530 | STEBOLZEN            | STUD                       | 1   |    |                | 0.011  |                           |
| 050 | 1C020-03022 | GRP.ZYLINDERKOPF     | ASSY<br>CYLINDER<br>HEAD   | 1   |    |                | 26.000 |                           |
| 060 | 15221-03370 | STOPFEN              | CAP SEALING                | 5   |    |                | 0.010  |                           |
| 070 | 15221-03490 | STOPFEN              | CAP SEALING                | 1   |    |                | 0.020  |                           |
| 080 | 15521-96020 | STOPFEN              | PLUG                       | 1   |    |                | 0.003  |                           |
| 090 | 1C010-03450 | ZYLINDERKOPFSCHRAUBE | BOLT<br>CYLINDER<br>HEAD   | 18  |    |                | 0.100  |                           |
| 100 | 1G514-03310 | ZYLINDERKOPFDICHTUNG | GASKET<br>CYLINDER<br>HEAD | 1   |    |                | 0.230  | STD/ 2<br>NOTCH           |
| 100 | 1G514-03602 | ZYLINDERKOPFDICHTUNG | GASKET<br>CYLINDER<br>HEAD | 1   |    |                | 0.260  | SUITABILITY/<br>1 NOTCH   |
| 100 | 1G514-03612 | ZYLINDERKOPFDICHTUNG | GASKET<br>CYLINDER<br>HEAD | 1   |    |                | 0.270  | SUITABILITY/<br>NOT NOTCH |

Update Date : 2016/10/06 Print Date : 2022/03/14



1C041-003-14

Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.

You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)