

Update Date : 2018/01/19 Print Date : 2022/03/28

## M128XDTC




FJITM-099 11


| Item              | Capacity | Change Interval                                          |
|-------------------|----------|----------------------------------------------------------|
| Engine Oil        | 14 6L    | after the first 50 hours of operation<br>Every 300 hours |
| Engine Oil Filter |          | after the first 50 hours of operation<br>Every 600 hours |

**Kubota**


### ■ ELECTRICAL PARTS




### ■ OIL / FUEL PARTS



### ■ BELT



### ■ OTHERS PARTS




Update Date : 2018/01/19 Print Date : 2022/03/28

| No. | Part Number | Part Name (POL)                         | Part Name (ENG)          | QTY | IC | Serial No./PIN | Kg    | Remarks                                         |
|-----|-------------|-----------------------------------------|--------------------------|-----|----|----------------|-------|-------------------------------------------------|
| 010 | 36919-75162 | ZUENDSCHL<br>OSS                        | SWITCH,MAI<br>N          | 1   |    |                | 0.140 |                                                 |
| 020 | 36919-75190 | ZUENDSCHL<br>UESSEL                     | KEY,MAIN<br>SWITCH       | 1   |    |                | 0.005 |                                                 |
| 030 | 3P903-23960 | KOMBISCHAL<br>TER,<br>LICHT+BLINK<br>ER | SWITCH,LEV<br>ER CONTRO. | 1   |    |                | 0.336 |                                                 |
| 040 | 3C581-75900 | GLUEHBIRNE                              | BULB                     | 6   |    |                | 0.010 | 55W                                             |
| 050 | 1G410-73010 | GRP.THERM<br>OSTAT                      | ASSY<br>THERMOSTA<br>T   | 1   |    |                | 0.180 |                                                 |
| 060 | 11521-39010 | OELDRUCKS<br>CHALTER                    | OIL SWITCH               | 1   |    | <=50130        | 0.040 | BESTELLEN<br>SIE BITTE<br>POS.060<br>NEUE TEILE |
| 060 | 11521-39013 | OELDRUCKS<br>CHALTER                    | OIL SWITCH               | 1   | >> | =>50131        | 0.040 |                                                 |
| 070 | 37410-55520 | SICHERUNG                               | FUSE                     | 10  |    |                | 0.002 | 5A                                              |
| 080 | 99999-99999 | LEERE<br>SPALTE                         | none                     | 12  |    |                | 0.000 | 10A                                             |
| 090 | 99999-99999 | LEERE<br>SPALTE                         | none                     | 10  |    |                | 0.000 | 15A                                             |
| 100 | 99999-99999 | LEERE<br>SPALTE                         | none                     | 3   |    |                | 0.000 | 20A                                             |
| 110 | T1060-30510 | SICHERUNG<br>30A                        | FUSE                     | 3   |    |                | 0.007 | 30A                                             |
| 120 | 3M760-75550 | SICHERUNG<br>40A                        | FUSE                     | 3   |    |                | 0.008 | 40A                                             |
| 120 | 3M760-75550 | SICHERUNG<br>40A                        | FUSE                     | 1   |    |                | 0.008 | 40A                                             |
| 130 | T1060-30520 | SICHERUNG<br>40A                        | FUSE                     | 1   |    |                | 0.007 | 40A                                             |
| 140 | T1270-30500 | SICHERUNG<br>60A                        | FUSE                     | 1   |    |                | 0.005 | 60A                                             |
| 150 | 3F240-75550 | SICHERUNG                               | FUSE                     | 1   |    |                | 0.010 | 100A                                            |
| 160 | 99999-99999 | LEERE<br>SPALTE                         | none                     | 1   |    |                | 0.000 | 10A                                             |
| 170 | 3F740-75930 | GLUEHBIRNE                              | BULB,MAIN                | 2   |    |                | 0.038 | 60/55W                                          |
| 180 | 3F740-75940 | GLUEHBIRNE                              | BULB,AUX.                | 2   |    |                | 0.010 | 21W                                             |

Update Date : 2018/01/19 Print Date : 2022/03/28

| No. | Part Number | Part Name (POL)              | Part Name (ENG)       | QTY | IC | Serial No./PIN | Kg    | Remarks |
|-----|-------------|------------------------------|-----------------------|-----|----|----------------|-------|---------|
| 190 | 66706-55920 | GLUEHBIRNE                   | BULB                  | 2   |    |                | 0.010 | 21W     |
| 200 | 66706-55930 | GLUEHBIRNE                   | BULB                  | 2   |    |                | 0.010 | 5W      |
| 210 | TA049-30030 | GLUEHBIRNE                   | BULB                  | 2   |    |                | 0.010 | 10W     |
| 220 | TA049-30040 | GLUEHBIRNE                   | BULB                  | 4   |    |                | 0.010 | 21W     |
| 230 | T0180-74220 | GLUEHBIRNE                   | BULB,ROOM LIGHT       | 1   |    |                | 0.005 | 10W     |
| 240 | 3F260-54220 | GLUEHBIRNE                   | BULB                  | 1   |    |                | 0.001 | 7.5W    |
| 250 | HH1G0-32430 | OELFILTERP ATRONE            | CARTRIDGE, OIL FILTE. | 1   |    |                | 1.075 |         |
| 260 | HH330-82630 | HYDR.-FILTER                 | CARTRIDGE, OIL FILTE. | 2   |    |                | 0.700 |         |
| 270 | 16631-43560 | FILTEREINSA TZ               | ELEMENT,FU EL FILTER  | 1   |    |                | 0.420 |         |
| 270 | HH166-43560 | FILTEREINSA TZ               | ELEMENT,FU EL FILTER  | 1   | >> |                | 0.390 |         |
| 280 | HH520-15320 | HYDR.-FILTER (HST)           | OIL FILTER,HST        | 1   |    |                | 0.720 |         |
| 290 | 15831-43380 | KRAFTSTOFF VORFILTEREI NSATZ | ELEMENT               | 1   |    |                | 0.040 |         |
| 300 | 1G410-52300 | GRP.DRUCKF IILTER            | KIT FILTER            | 1   |    |                | 0.025 |         |
| 310 | 3P903-15780 | KEILRIEMEN                   | BELT,V                | 1   |    |                | 0.235 |         |
| 320 | 17214-72020 | KUEHLERVE RSCHLUSS           | ASSY CAP,RADIAT OR    | 1   |    |                | 0.050 |         |
| 330 | 3P903-72940 | SCHLAUCH                     | HOSE,WATE R           | 1   |    |                | 0.365 |         |
| 340 | 3P903-72850 | SCHLAUCH                     | HOSE,WATE R           | 1   |    | <=50449        | 0.247 |         |
| 340 | 3P903-72852 | SCHLAUCH                     | HOSE,WATE R           | 1   | >> | =>50450        | 0.268 |         |
| 350 | 3P300-11230 | LUFTFILTERE INSATZ (INNEN)   | ELEMENT,IN NER        | 1   |    |                | 0.380 |         |
| 360 | 3P300-11220 | LUFTFILTERE INSATZ (AUSSSEN) | ELEMENT,OU TER        | 1   |    |                | 1.500 |         |
| 370 | 3P903-12112 | AUSPUFFTO PF                 | MUFFLER               | 1   |    |                | 4.900 |         |

Update Date : 2018/01/19 Print Date : 2022/03/28




LINE >> 300100 KURBELGEHAEUSE (OBEN) / CRANKCASE (UPPER) ## NOTE:REFER TO Fig.No.J447 FOR COMPONENTS. / NO

Update Date : 2018/01/19 Print Date : 2022/03/28

| No. | Part Number | Part Name (POL)            | Part Name (ENG)     | QTY | IC | Serial No./PIN | Kg      | Remarks |
|-----|-------------|----------------------------|---------------------|-----|----|----------------|---------|---------|
| 010 | 1G410-01024 | GRP.<br>KURBELGEH<br>AEUSE | ASSY<br>CRANKCASE   | 1   |    |                | 175.000 |         |
| 020 | 15221-03490 | STOPFEN                    | CAP SEALING         | 8   |    |                | 0.020   |         |
| 030 | 06311-55030 | STOPFEN                    | PLUG                | 1   |    |                | 0.050   |         |
| 040 | 04724-00170 | DICHTUNGSP<br>LATTE        | GASKET              | 1   |    |                | 0.005   |         |
| 050 | 16683-96020 | STOPFEN                    | PLUG                | 1   |    |                | 0.088   |         |
| 060 | 15521-96020 | STOPFEN                    | PLUG                | 6   |    |                | 0.003   |         |
| 070 | 05012-01016 | ZYLINDERSTI<br>FT          | PIN<br>STRAIGHT     | 4   |    |                | 0.010   |         |
| 080 | 15451-96280 | STOEPSEL,A<br>BDICHTUNG    | CAP SEALING         | 6   |    |                | 0.026   |         |
| 090 | 16851-96270 | KAPPE                      | CAP SEALING         | 1   |    |                | 0.005   |         |
| 100 | 15521-96020 | STOPFEN                    | PLUG                | 3   |    |                | 0.003   |         |
| 110 | 1G410-01570 | DUESE                      | JET OIL             | 4   |    |                | 0.025   |         |
| 120 | 01754-50620 | SCHRAUBE                   | BOLT<br>FLANGE      | 4   |    |                | 0.007   |         |
| 130 | 1C040-33212 | STIFT                      | PIPE OIL            | 1   |    |                | 0.025   |         |
| 140 | 1C010-37114 | ADAPTER,<br>WASSERROH<br>R | JOINT<br>WATER PIPE | 3   |    |                | 0.020   |         |


Update Date : 2018/01/19 Print Date : 2022/03/28



BKIDK0636 >> M128XDTC >> MOTOR / ENGINE >> 300200 KURBELGEHAEUSE (UNTEN) / CRANKCASE (LOWER)

Update Date : 2018/01/19 Print Date : 2022/03/28


| No. | Part Number | Part Name<br>(POL)         | Part Name<br>(ENG) | QTY | IC | Serial No./PIN | Kg      | Remarks |
|-----|-------------|----------------------------|--------------------|-----|----|----------------|---------|---------|
| 010 | 1G410-01024 | GRP.<br>KURBELGEH<br>AEUSE | ASSY<br>CRANKCASE  | 1   |    |                | 175.000 |         |
| 020 | 1G410-99000 | BOLZEN                     | BOLT               | 10  |    |                | 0.296   |         |
| 030 | 1G410-91010 | BOLZEN                     | BOLT               | 18  |    |                | 0.133   |         |
| 040 | 1C011-94510 | ZYLINDERSTI<br>FT          | PIN<br>STRAIGHT    | 2   |    |                | 0.040   |         |
| 050 | 05012-01016 | ZYLINDERSTI<br>FT          | PIN<br>STRAIGHT    | 2   |    |                | 0.010   |         |





Update Date : 2018/01/19 Print Date : 2022/03/28


| No. | Part Number | Part Name (POL)          | Part Name (ENG)       | QTY | IC | Serial No./PIN | Kg     | Remarks |
|-----|-------------|--------------------------|-----------------------|-----|----|----------------|--------|---------|
| 010 | 1G410-01610 | OELWANNE                 | OIL PAN               | 1   |    | <=9U0140       | 23.840 |         |
| 010 | 1G410-01614 | OELWANNE                 | OIL PAN               | 1   | >> | =>9W0001       | 23.840 |         |
| 020 | 15451-96670 | DICHTUNG                 | GASKET                | 2   |    |                | 0.003  |         |
| 030 | 15707-33750 | ENTLEERUNG<br>GSSTOPFEN  | PLUG,DRAIN            | 2   |    |                | 0.095  |         |
| 040 | 05012-01016 | ZYLINDERSTIFT            | PIN,STRAIGHT          | 2   |    |                | 0.010  |         |
| 050 | 1G772-91010 | BOLZEN                   | BOLT,FLANGE           | 24  |    |                | 0.030  |         |
| 060 | 1G410-91020 | BOLZEN                   | BOLT,FLANGE           | 4   |    | <=9C0176       | 0.019  |         |
| 060 | 1G410-91022 | BOLZEN                   | BOLT,FLANGE           | 4   | >> | =>9E0001       | 0.018  |         |
| 070 | 1G410-32110 | OELFILTER                | FILTER,OIL            | 1   |    |                | 0.330  |         |
| 080 | 04814-05250 | O RING                   | O RING                | 1   |    |                | 0.001  |         |
| 090 | 01754-50812 | SCHRAUBE                 | BOLT,FLANGE           | 2   |    |                | 0.010  |         |
| 100 | 1G410-01670 | STAUBLECH                | PLATE,BAFFLE          | 1   |    |                | 0.820  |         |
| 110 | 01754-50812 | SCHRAUBE                 | BOLT,FLANGE           | 3   |    |                | 0.010  |         |
| 120 | 1C010-33080 | BLINDSTOPFEN             | ASSY<br>PLUG,O/FILLER | 1   |    |                | 0.018  |         |
| 130 | E9151-33140 | OELEINFUELLSTOPFEN       | PLUG,OIL FILLER       | 1   |    |                | 0.017  |         |
| 140 | 04817-50300 | O RING                   | O RING                | 1   |    |                | 0.001  |         |
| 150 | 1G410-36413 | OELMESSSTAB              | GAUGE,OIL             | 1   |    |                | 0.028  |         |
| 160 | 1G410-36420 | FUEHRUNG,<br>OELMESSSTAB | GUIDE,OIL GAUGE       | 1   |    |                | 0.100  |         |
| 170 | 04814-00090 | O RING                   | O RING                | 1   |    |                | 0.001  |         |
| 180 | 01774-51212 | SCHRAUBE                 | BOLT,FLANGE           | 1   |    |                | 0.028  |         |



Update Date : 2018/01/19 Print Date : 2022/03/28

| No. | Part Number | Part Name (POL)       | Part Name (ENG)            | QTY | IC | Serial No./PIN | Kg     | Remarks    |
|-----|-------------|-----------------------|----------------------------|-----|----|----------------|--------|------------|
| 010 | 1G410-01740 | MOTORAUFGH<br>AENGUNG | HOOK<br>ENGINE             | 2   |    |                | 0.148  |            |
| 020 | 01774-61020 | SCHRAUBE              | BOLT<br>FLANGE             | 2   |    |                | 0.022  |            |
| 030 | 1G410-03020 | GRP.ZYLINDERKOPF      | ASSY<br>CYLINDER<br>HEAD   | 1   |    |                | 39.000 |            |
| 040 | 15221-03390 | STOPFEN               | CAP SEALING                | 1   |    |                | 0.030  |            |
| 050 | 15221-03490 | STOPFEN               | CAP SEALING                | 1   |    |                | 0.020  |            |
| 060 | 15221-03370 | STOPFEN               | CAP SEALING                | 4   |    |                | 0.010  |            |
| 070 | 15261-03370 | STOEPSEL,ABDICHTUNG   | CAP SEALING                | 4   |    |                | 0.005  |            |
| 080 | 15521-96020 | STOPFEN               | PLUG                       | 2   |    |                | 0.003  |            |
| 090 | 1G777-05550 | ROHRSCHALTUNG         | JOINT<br>BREATHING         | 1   |    |                | 0.025  |            |
| 100 | 16241-73370 | ROHR                  | PIPE WATER<br>RETURN       | 1   |    |                | 0.007  |            |
| 110 | 1G410-03450 | ZYLINDERKOPFSCHRAUBE  | BOLT<br>CYLINDER<br>HEAD   | 18  |    |                | 0.165  |            |
| 120 | 1G410-03310 | ZYLINDERKOPFDICHTUNG  | GASKET<br>CYLINDER<br>HEAD | 1   |    |                | 0.255  | STD        |
| 120 | 1G410-03600 | ZYLINDERKOPFDICHTUNG  | GASKET,CYLINDER HEAD       | 1   |    |                | 0.300  | VERWENDUNG |
| 120 | 1G410-03610 | ZYLINDERKOPFDICHTUNG  | GASKET,CYLINDER HEAD       | 1   |    |                | 0.320  | VERWENDUNG |

Update Date : 2018/01/19 Print Date : 2022/03/28



1G410-004-10

Update Date : 2018/01/19 Print Date : 2022/03/28

| No. | Part Number | Part Name (POL)       | Part Name (ENG)     | QTY | IC | Serial No./PIN | Kg     | Remarks |
|-----|-------------|-----------------------|---------------------|-----|----|----------------|--------|---------|
| 010 | 1G410-03020 | GRP.ZYLINDERKOPF      | ASSY CYLINDER HEAD  | 1   |    |                | 39.000 |         |
| 020 | 1C010-13560 | AUSLASSVENTILFUEHRUNG | GUIDE VALVE EXHAUST | 16  |    |                | 0.025  |         |
| 030 | 1G410-13110 | EINLASSVENTIL         | VALVE INLET         | 8   |    |                | 0.095  |         |
| 040 | 1G410-13120 | AUSLASSVENTIL         | VALVE EXHAUST       | 8   |    |                | 0.085  |         |
| 050 | 15221-13240 | VENTILFEDER           | SPRING VALVE        | 16  |    |                | 0.036  |         |
| 060 | 15221-13330 | HALTER                | RETAINER VALVE SP.  | 16  |    |                | 0.028  |         |
| 070 | 15221-13980 | KLEMMSCHEIBE          | COLLET VALVE SPRING | 16  |    |                | 0.005  | SET     |
| 080 | 15221-13153 | VENTILDICHTUNG        | SEAL VALVE STEM     | 16  |    |                | 0.002  |         |
| 090 | 1C010-13482 | VENTILFUEHRUNG        | SHAFT VALVE         | 8   |    |                | 0.020  |         |
| 100 | 1G410-13470 | HUBARM, VENTIL        | ARM VALVE BRIGE     | 8   |    |                | 0.066  |         |
| 110 | 1C010-13490 | PUFFER                | PAD                 | 8   |    |                | 0.003  |         |



Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.

You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)