

Update Date : 06-12-2019 Print Date : 02-04-2022

M135GX-4















FUETM 515 10






Item	Capacity	Change Interval
Engine Oil	14.6 L	after the first 50 hours of operation. Every 500 hours
Engine Oil Filter		after the first 50 hours of operation. Every 500 hours

Kubota

ELECTRICAL PARTS

 010	 020	 030	 040	 050	 060
 070	 080	 090	 100	 110	 120
 130	 140	 150	 160	 170	 180
 190	 200	 210	 220	 230	 240
 250	 260	 270	 280	 290	 300

FILTERS/ELEMENTS

 290	 300	 310	 320	 330	 340
 350	 360	 370	 380	 390	 400
 410	 420	 430	 440	 450	 460

OTHERS

 420	 430	 440	 450	 460	 470
--	---	--	--	--	--

Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	T0270-81810	ZUENDSCHL OSS KOMP.	ASSY KEY,MAIN SWITCH	1			0.255	
020	3C001-75040	WARNBLINKS CHALTER	SWITCH,HAZ ARD	1			0.015	
030	T0270-81840	GRP.SCHLUE SSEL	ASSY KEY,MAIN SWITCH	1			0.023	
040	3S203-32072	SCHALTER	SWITCH,CON BI	1			0.272	
050	1G410-73010	GRP.THERM OSTAT	ASSY THERMOSTA T	1		<=3JMZ999	0.180	
060	11521-39013	OELDRUCKS CHALTER	OIL SWITCH (F)	1			0.040	
070	T1060-30460	SICHERUNG 20A	FUSE,MINI (20A)	3			0.002	20A
080	T1060-30430	SICHERUNG 5A	FUSE,MINI (5A)	1			0.005	5A
090	T1060-30440	SICHERUNG 10A	FUSE,MINI (10A)	3			0.005	10A
100	T1060-30470	SICHERUNG 30A	FUSE,MINI (30A)	1			0.005	30A
110	T1060-30510	SICHERUNG 30A	FUSE	3			0.007	30A
120	3W999-00060	SICHERUNG	FUSE	3			0.006	40A
130	T1060-30520	SICHERUNG 40A	FUSE,SLOW BLOW(40A)	1			0.007	40A
140	3W999-00070	SICHERUNG	FUSE	1			0.006	60A
150	T1060-30430	SICHERUNG 5A	FUSE,MINI (5A)	12			0.005	5A
160	T1150-30480	SICHERUNG	FUSE	1			0.002	7.5A
170	T1060-30440	SICHERUNG 10A	FUSE,MINI (10A)	11			0.005	10A
180	T1060-30450	SICHERUNG 15A	FUSE,MINI (15A)	12			0.005	15A
190	T1060-30460	SICHERUNG 20A	FUSE,MINI (20A)	5			0.002	20A
200	T1060-30470	SICHERUNG 30A	FUSE,MINI (30A)	2			0.005	30A


Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
210	T1275-91060	GLUEHBIRNE 35W	BULB	4			0.010	35W
220	3S223-75830	VENTIL,KOM P.	VALVE,ASSY (H3,35W)	4			0.019	H3,35W
230	3S200-75810	GLUEHBIRNE	BULB,LAMP (H9,12V65W)	2			0.022	H9,65W
240	T1880-99110	GLUEHBIRNE	BULB (12V21W)	2			0.020	21W
250	T1880-99140	GLUEHBIRNE	BULB(12V5W)	2			0.010	5W
260	T1880-99110	GLUEHBIRNE	BULB (12V21W)	2			0.020	21W
270	T1880-99120	GLUEHBIRNE	BULB (12V21/5W)	2			0.020	21/5W
280	3C581-54220	GLUEHBIRNE	BULB,ROOM LIGHT	1			0.002	5W
290	3F260-54220	GLUEHBIRNE	BULB	1			0.001	7,5W
300	HH1G0-32430	OELFILTERP ATRON	CARTRIDGE, OIL FILTER	1			1.075	
310	1J520-43060	FILTEREINSA TZ KOMP	ASSY ELEMENT,FIL TER	1			0.232	
320	HH1J0-43170	FILTEREINSA TZ	FILTER(FUEL CARTRIDGE)	1		<=3JPZ999	0.650	
320	HH1J0-43172	KRAFTSTOFF ILTER	FILTER(FUEL CARTRIDGE)	1	>>	>=3JQ0001	0.650	
330	1G410-52300	GRP.DRUCKF ILTER	FILTER	1			0.025	
340	1G311-43380	WASSERABS CHEIDER, ELEMENT	ELEMENT	1			0.033	
350	1J520-05810	ELEMENT,KIT	ELEMENT,KIT	1		<=3JRZ999	0.060	
350	1J520-05812	ELEMENT,KIT	ELEMENT,KIT	1	>>	>=3JS0001	0.060	
360	HH3Y0-82590	HYDR.- FILTER	HYDR.- FILTER	1			1.680	
370	1J520-11222	INNENELEME NT	ELEMENT (INNER)	1			0.372	
380	3P300-11220	LUFTFILTERE INSATZ (AUSSEN)	ELEMENT,OU TER	1			1.500	
390	6A671-75090	DRUCKFILTE R	FILTER	2			0.080	

Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
400	T1855-71600	KABINENFILTER	FILTER	1			0.270	
410	3P903-15780	KEILRIEMEN	BELT	1			0.235	6PK2230RG1482
420	17214-72020	KUEHLERVE RSCHLUSS	CAP,ASSY (RADIATOR)	1			0.050	
430	3S505-72852	SCHLAUCH	HOSE (WATER,LOW ER)	1			0.258	
440	3S505-72942	SCHLAUCH	HOSE (WATER UPPER)	1			0.420	


Update Date : 06-12-2019 Print Date : 02-04-2022



Update Date : 06-12-2019 Print Date : 02-04-2022


No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G410-01035	KURBELGHA EUSE,KOMP.	CRANKCASE, ASSY	1			176.000	
020	15221-03490	STOPFEN	CAP,SEALING	8			0.020	
030	06311-55030	STOPFEN	PLUG	1			0.050	
040	04724-00170	DICHTUNGSP LATTE	GASKET	1			0.005	
050	16683-96020	STOPFEN	PLUG	1			0.088	
060	15521-96020	STOPFEN	PLUG	8			0.003	
065	1J527-96020	STECKER	PLUG(R1/8)	1			0.013	
070	05012-01016	ZYLINDERSTI FT	PIN STRAIGHT	4			0.010	
080	15451-96280	STOEPSEL,A BDICHTUNG	CAP,SEALING	6			0.026	
090	16851-96270	KAPPE	CAP,SEALING	1			0.005	
100	1G410-01570	DUESE	JET(OIL)	4			0.025	
110	01754-50620	SCHRAUBE	BOLT,FLANG E	4			0.007	
120	1C040-33212	STIFT	PIPE,OIL	1			0.025	
130	1C010-37114	ADAPTER, WASSERROH R	JOINT,WATE R PIPE	4			0.020	

Update Date : 06-12-2019 Print Date : 02-04-2022



Update Date : 06-12-2019 Print Date : 02-04-2022


No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G410-01035	KURBELGHA EUSE,KOMP.	CRANKCASE, ASSY	1			176.000	
020	1G410-99000	BOLZEN	BOLT	10			0.296	
030	1G410-91010	BOLZEN	BOLT	18			0.133	
040	1C011-94510	ZYLINDERSTI FT	PIN,STRAIGH T	2			0.040	
050	05012-01016	ZYLINDERSTI FT	PIN STRAIGHT	2			0.010	
060	33300-90910	STOPFEN	PLUG	3			0.002	



Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
005	1G410-01590	OELWANNE,K OMP.	PAN,OIL,ASS Y	1			25.000	
020	15451-96670	DICHTUNG	PACKING	2			0.003	
030	15707-33750	ENTLEERUN GSSTOPFEN	PLUG(DRAIN)	2			0.095	
040	05012-01016	ZYLINDERSTI FT	PIN STRAIGHT	2			0.010	
050	1G772-91010	BOLZEN	BOLT,FLANG E	24			0.030	
060	1G410-91022	BOLZEN	BOLT,FLANG E	4			0.018	
070	1G410-32110	OELFILTER	FILTER,OIL	1		<=3KHZ999	0.330	
070	1G410-32112	OELFILTER	FILTER,OIL	1	>>	>=3KG0001	0.330	
080	04814-05250	O RING	O RING	1			0.001	
090	01754-50812	SCHRAUBE	BOLT,FLANG E	2		<=3KHZ999	0.008	
090	01754-50814	SCHRAUBE	BOLT,FLANG E	2	>>	>=3KG0001	0.012	
100	1G410-01673	STAUBLECH	PLATE,BAFFL E	1			0.820	
110	01754-50812	SCHRAUBE	BOLT,FLANG E	3		<=3KHZ999	0.008	
110	01754-50814	SCHRAUBE	BOLT,FLANG E	3	>>	>=3KG0001	0.012	
120	15951-33113	OELFILTERFL ANSCH	FLANGE,OIL FILLER	1			0.130	
130	E9151-33140	OELEINFUEL LSTOPFEN	PLUG(OIL FILLER)	1			0.017	
140	04817-50300	O RING	O RING	2			0.001	
150	1G410-36413	OELMESSST AB	GAUGE,OIL	1			0.028	
160	1G410-36500	GRP.FUEHRU NG	GUIDE,ASSY (OIL GAUGE)	1			0.102	
170	04814-00090	O RING	O RING	1			0.001	
180	01774-51212	SCHRAUBE	BOLT,FLANG E	1			0.028	


Update Date : 06-12-2019 Print Date : 02-04-2022



Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	3Y505-12612	HALTER	BRACKET,FRONT	1			1.702	
020	3S505-12620	HALTER	BRACKET (REAR,DPF)	1			2.540	
030	01774-51220	SCHRAUBE	BOLT,FLANGE	3			0.030	
040	01754-50816	SCHRAUBE	BOLT,FLANGE	1			0.011	
050	01774-51220	SCHRAUBE	BOLT,FLANGE	2			0.030	
060	01774-51020	SCHRAUBE	BOLT,FLANGE	1			0.020	
070	1J524-03020	GRP.ZYLINDERKOPF	HEAD,CYLINDER,ASSY	1			45.000	
080	15221-03390	STOPFEN	CAP,SEALING	1			0.030	
090	15221-03490	STOPFEN	CAP,SEALING	1			0.020	
100	15221-03370	STOPFEN	PLUG,CUP TYPE	4			0.010	
110	15261-03370	STOEPSEL,ABDICHTUNG	CAP,SEALING	4			0.005	
120	15521-96020	STOPFEN	PLUG	2			0.003	
130	1G777-05550	ROHRSCHALTUNG	JOINT,BREATHER	1			0.025	
140	16241-73370	ROHR	PIPE,WATER RETURN	1			0.007	
150	1J524-03450	ZYLINDERKOPFSCHRAUBE	BOLT (CYLINDER HEAD)	18			0.160	
160	1J524-03310	ZYLINDERKOPFDICHTUNG	GASKET (CYLINDER HEAD)	1			0.360	STANDARD/ 2 STUFEN
160	1J524-03600	ZYLINDERKOPFDICHTUNG	GASKET (CYLINDER HEAD)	1			0.400	VERWENDUNG / 1 KERBE
160	1J524-03610	ZYLINDERKOPFDICHTUNG	GASKET (CYLINDER HEAD)	1			0.450	VERWENDUNG / KEINE KERBE

Update Date : 06-12-2019 Print Date : 02-04-2022




1J525-031-10

Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J524-03020	GRP.ZYLINDERKOPF	HEAD,CYLINDER,ASSY	1			45.000	
020	1C010-13560	AUSLASSVENTILFUEHRUNG	GUIDE,EXHAUST VALVE	16		<=3KTZ999	0.025	
020	1J829-13560	VENTILFUEHRUNG	GUIDE,VALVE (EXHAUST)	16	>>	>=3KU0001	0.020	
030	1G410-13110	EINLASSVENTIL	VALVE,INLET	8			0.095	
040	1G410-13120	AUSLASSVENTIL	VALVE,EXHAUST	8			0.085	
050	15221-13240	VENTIL-FEDER	SPRING,VALVE	16			0.036	
060	15221-13330	HALTER	RETAINER,VALVE SP.	16			0.028	
070	15221-13980	KLEMMSCHEIBE	COLLET,VALVE SPRING	16			0.005	SET
080	15221-13153	VENTILDICHTUNG	SEAL(VALVE STEM)	16			0.002	
090	1C010-13482	VENTILFUEHRUNG	SHAFT,VALVE BURIGE	8			0.020	
100	1G410-13470	HUBARM, VENTIL	ARM,VALVE BRIGE	8			0.066	
110	1C010-13490	PUFFER	PAD	8			0.003	

Update Date : 06-12-2019 Print Date : 02-04-2022




1J522-003-12

Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G410-14263	KIPPHEBELWELLE	SHAFT,ROCKER ARM	1			0.620	
015	1G410-14372	HALTER KOMP.	COMP BRACKET,ROCKER ARM	1			0.300	
017	07715-03213	KUGEL	BALL	1			0.004	
020	1J520-14370	HALTER KOMP.	BRACKET,COMP(ROCKER ARM)	3			0.315	
025	07715-03213	KUGEL	BALL	3			0.004	
030	05411-00640	STIFT	PIN,SPRING	1			0.006	
040	1G410-14430	SCHEIBE	WASHER	2			0.005	
050	1J520-14800	FEDERRING	WASHER,PLAIN	2			0.014	
060	04512-50120	FEDERRING	WASHER,SPRING LOCK	2			0.003	
070	01173-51220	BOLZEN	HEX.BOLT	2			0.030	
080	1G410-14310	FEDER	SPRING,ROCKER ARM	3			0.012	
090	1G410-14022	SCHWINGHEBEL	ASSY ROCKER ARM,IN.	4			0.140	
100	1G896-14230	STELLSCHRAUBE	SCREW	4			0.010	
110	15021-14240	MUTTER	NUT	4			0.003	
120	1G410-14152	SCHWINGHEBEL	ASSY ROCKER ARM,EXH.	4			0.120	
130	1G896-14230	STELLSCHRAUBE	SCREW	4			0.010	
140	15021-14240	MUTTER	NUT	4			0.003	
150	01754-50870	SCHRAUBE	BOLT,FLANGE	4		<=3JRZ999	0.028	
150	EG505-91060	SCHRAUBE	BOLT,FLANGE	4	>>	>=3JS0001	0.028	


Update Date : 06-12-2019 Print Date : 02-04-2022



Update Date : 06-12-2019 Print Date : 02-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J524-14662	DECKEL OBEN,KOMP.	COVER,HEAD ,FULL-ASSY	1			4.000	
020	16241-05670	ENTLUEFTUNGSELEMENT	ELEMENT (BREATHING)	4			0.010	
030	1G410-05370	OELSCHILD,ENTLUEFTER	SHIELD,OIL BREATHING	1			0.337	
040	03054-50508	SCHRAUBE	SCREW,PAN HEAD (PHILLIPS)	9			0.002	
050	1G410-14520	VENTILDECKELDICHTUNG	GASKET,HEAD COVER	1			0.042	
060	1J524-05102	DECKEL,KOMP.	COVER,COMP (BREATHING)	1			0.082	
080	16241-05550	VERBINDUNG	JOINT,BREATHING PIPE	1			0.020	
090	1G924-05430	O RING	O-RING	1			0.001	
100	03054-50514	SCHRAUBE	SCREW,PAN HEAD (PHILLIPS)	4			0.004	
110	1C020-53810	DICHTUNG	SEAL,INJECTION PIPE	4			0.016	
130	16241-73370	ROHR	PIPE,WATER RETURN	1			0.007	
135	1G911-91022	BOLZEN	BOLT	12			0.015	
140	1J524-14540	DECKEL	COVER (HEAD)	1			2.090	
150	1G410-14530	DICHTUNG	GASKET,COVER	1			0.013	
160	01755-50816	SCHRAUBE	BOLT,FLANGE	8			0.013	

Update Date : 06-12-2019 Print Date : 02-04-2022



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com