

Update Date : 29-06-2018 Print Date : 11-04-2022

M9540DTHL





FUJTM-103-13


Item	Capacity	Change Interval
Engine Oil	10 7L	after the first 50 hours of operation Every 300 hours
Engine Oil Filter		after the first 50 hours of operation Every 600 hours




■ ELECTRICAL PARTS

 010	 020	 030	 040	 050	 060
 070 080 090 100	 110	 120 130 140			
HEAD  150	SIDE (WORK)  160	REAR  170 TURN 180 TAIL	HAZARD  190		

■ FILTER / ELEMENTS

ENGINE  200	FUEL  210	SEPARATOR  220	SUCTION  230	AIR CLEANER  240 250
--	---	---	---	--

■ BELT

FAN  260					
---	--	--	--	--	--

■ OTHERS


 270	 280	 290	 300		
--	---	--	--	--	--

Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	52200-41212	ANLASSERSCHALTER	SWITCH,STARTER	1			0.280	
020	3C001-75040	WARNBLINKSCHALTER	SWITCH,HAZARD	1			0.015	
030	T1270-33782	LICHTSCHALTER	SWITCH (WORK LIGHT)	1			0.020	
040	18510-63720	ZUENDSCHLUESSEL	ASSY KEY,STARTER	1			0.025	SET
050	6C042-55422	KOMBINATIONSSCHALTER	SWITCH (COMBINATION)	1		<=88372	0.090	BEACHTEN SIE DEN HINWEIS
050	3C093-75010	KOMBINATIONSSCHALTER	SWITCH,COMBINATION	1	NI	>=88373	0.090	
060	1C011-73010	GRP.THERMOSTAT	THERMOSTAT,ASSY	1			0.090	
070	T1065-30430	SICHERUNG	FUSE	5			0.001	5A
080	5H050-41620	SICHERUNG	FUSE	5			0.003	10A
090	5H050-41630	SICHERUNG	FUSE	6			0.001	15A
100	5H050-41650	SICHERUNG	FUSE	2			0.001	25A
110	15841-39010	OELDRUCKSCHALTER	W-SWITCH OIL PRESSUR	1			0.030	
120	T1060-30510	SICHERUNG 30A	FUSE	1			0.007	30A
130	T1060-30520	SICHERUNG 40A	FUSE,SLOW BLOW(40A)	1			0.007	40A
140	T1060-30530	SICHERUNG	FUSE,SLOW-BLOW(50A)	1			0.007	50A
150	3C081-75810	GLUEHBIRNE	BULB	2			0.025	60/55W
160	3C081-75820	GLUEHBIRNE	BULB	2			0.006	21W
170	TA049-30030	GLUEHBIRNE	BULB	2			0.010	10W
180	TA049-30040	GLUEHBIRNE	BULB	4			0.010	12W
190	TA049-30030	GLUEHBIRNE	BULB	1			0.010	10W
200	HH1C0-32430	OELFILTERPATRONE	FILTER (CARTRIDGE, OIL)	1			0.550	
210	16631-43560	FILTEREINSAATZ	ELEMENT,FUEL FILTER	1			0.420	
210	HH166-43560	FILTEREINSAATZ	FILTER(FUEL CARTRIDGE)	1	>>		0.390	

Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
220	15831-43380	KRAFTSTOFF VORFILTERE INSATZ	ELEMENT	1			0.040	
230	HH330-82630	HYDR.- FILTER	HYDR.- FILTER	2			0.700	
240	55231-26150	LUFTFILTERE INSATZ (INNEN)	ELEMENT,IN NER	1			0.370	
250	59700-26112	LUFTFILTERE INSATZ (AUSSEN)	ASSY ELEMENT,A/C	1			1.100	
260	1G541-97010	KEILRIEMEN	BELT,V	1			0.140	
270	3C001-17110	KUEHLERVE RSCHLUSS	ASSY CAP,RADIAT OR	1			0.040	
280	3C081-17460	WASSERSCH LAUCH OBEN	HOSE,WATE R UPPER	1			0.275	
290	3C081-17450	WASSERSCH LAUCH UNTEN	HOSE,WATE R LOWER	1			0.510	
300	3C092-12310	AUSPUFFTO PF	MUFFLER,UN DER	1			7.100	




Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J597-01010	KOMP.KURBELGEHAEUSE	COMP.CRANKCASE	1		<=2DFZ999	72.000	
010	1J597-01014	KOMP.KURBELGEHAEUSE	COMP.CRANKCASE	1	>>	>=2DG0001	72.000	
020	15521-96020	STOPFEN	PLUG	2		<=BHZ999	0.003	
020	15521-96020	STOPFEN	PLUG	3		>=BJ0001	0.003	
030	1C010-96010	STOPFEN	PLUG	1			0.012	
040	16683-96020	STOPFEN	PLUG	1			0.088	
050	15261-03370	STOEPSEL, ABDICHTUNG	CAP, SEALING	4			0.005	
060	15221-03380	STOPFEN	CAP, SEALING	5			0.017	
065	15221-03380	STOPFEN	CAP, SEALING	2			0.017	
070	15221-03390	STOPFEN	CAP, SEALING	1			0.030	
080	1C010-96160	STOPFEN	PLUG, EXPANSION	1			0.050	
090	05012-00820	ZYLINDERSTIFT	PIN, STRAIGHT	1			0.008	
100	05012-01016	ZYLINDERSTIFT	PIN STRAIGHT	2			0.010	
110	15221-33650	ROHRSTIFT	PIN, PIPE	2			0.004	
120	1C010-33640	STIFT	PIN, GEAR CASE	1		<=9Y2374	0.019	
120	1C010-33643	STIFT	PIN, STRAIGHT	1	>>	>=AA0001	0.019	
130	1C010-04560	BOLZEN	BOLT, BEARING CASE	10			0.130	
140	1G513-36550	STOPFEN, OELMESSSTAB	PLUG, OIL GAUGE	1			0.004	
150	1C040-33212	STIFT	PIPE, OIL	1			0.025	
155	1J574-71362	ADAPTER	JOINT, PIPE	1		<=8S4317	0.210	
155	1J550-71350	ROHRSCHALTUNG	JOINT, PIPE	1	>>	>=8U0001	0.100	BESTELLEN SIE BITTE POS.155 NEUE TEILE
155	1J550-71352	ROHRSCHALTUNG	JOINT, PIPE	1	>>	>=9E0001	0.100	
160	1C010-37114	ADAPTER, WASSERROHR	JOINT, WATER PIPE	1			0.020	

Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
170	06311-55030	STOPFEN	PLUG	1			0.050	
180	04724-00170	DICHTUNGSP LATTE	GASKET	1			0.005	
190	1C012-01120	KURBELGHA EUSE	CRANKCASE	1		<=2DFZ999	44.050	
190	1C012-01124	KURBELGHA EUSE	CRANKCASE	1	>>	>=2DG0001	44.050	
200	1C010-33650	STIFT	PIN,STRAIGH T (CASE,GEAR)	1		<=AQ2757	0.037	
200	1C010-33653	STIFT	PIN,STRAIGH T	1	>>	>=AS0001	0.037	
205	1C011-94510	ZYLINDERSTI FT	PIN,STRAIGH T	2			0.040	
210	1C010-33080	BLINDSTOPF EN	ASSY PLUG,O/FILL ER	1			0.018	
220	E9151-33140	OELEINFUEL LSTOPFEN	PLUG(OIL FILLER)	1			0.017	
230	04817-50300	O RING	O RING	1			0.001	
240	15602-33110	EINFUELLFLA NSCH	FLANGE,OIL FILLER	1			0.100	
250	15625-32890	DICHTUNGSP LATTE	GASKET	1			0.001	
260	01754-50820	SCHRAUBE	BOLT,FLANG E	2			0.015	
270	1C011-91012	SCHRAUBE	BOLT,FLANG E	2			0.100	




BKIDK5033 >> M9540DTHL >> MOTOR / ENGINE >> 201000 OELWANNE / OIL PAN

Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1G511-01605	KOMP. OELWANNE	PAN,OIL,KIT	1			2.430	
020	15707-33750	ENTLEERUN GSSTOPFEN	PLUG(DRAIN)	2			0.095	
030	16265-96670	DICHTUNG	PACKING	2			0.010	
040	1C011-91012	SCHRAUBE	BOLT,FLANG E	18			0.100	
050	1C010-91100	BOLZEN	BOLT,OILPAN	6			0.020	
060	1C011-32110	OELFILTER	FILTER(OIL)	1			0.280	
070	04814-00220	O RING	O RING	1			0.001	
080	01754-50814	SCHRAUBE	BOLT,FLANG E	2		<=AQ2757	0.012	
080	01754-50812	SCHRAUBE	BOLT,FLANG E	2	>>	>=AS0001	0.010	
090	1C010-36422	FUEHRUNG, OELMESSST AB	GUIDE,OIL GAUGE	1			0.014	
100	1C010-36412	OELMESSST AB	GAUGE,OIL	1			0.040	
110	1G513-36550	STOPFEN, OELMESSST AB	PLUG,OIL GAUGE	1			0.004	

Update Date : 29-06-2018 Print Date : 11-04-2022



BKIDK5033 >> M9540DTHL >> MOTOR / ENGINE >> 202000 ZYLINDERKOPF / CYLINDER HEAD


Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J574-01740	MOTORAUFH AENGUNG	HOOK,ENGINE	1		<=9N1404	0.430	
010	1J574-01743	MOTORAUFH AENGUNG	HOOK,ENGINE	1	NI	>=9Q0001	0.430	
015	15471-01740	MOTORHAKE N	HOOK,ENGINE	1			0.180	
020	01754-50814	SCHRAUBE	BOLT,FLANGE	2			0.012	
025	01754-50818	SCHRAUBE	BOLT,FLANGE	1		<=CFZ999	0.011	
025	1J500-91020	SCHRAUBE	BOLT,FLANGE	1	>>	>=CG0001	0.012	
030	15221-91530	STEBOLZEN	BOLT,STUD	1		<=CBZ999	0.011	
030	1J542-91632	STEBOLZEN	STUD	1	>>	>=CC0001	0.011	
040	02751-50080	MUTTER	NUT,FLANGE	1			0.006	
050	1C020-03027	GRP.ZYLINDERKOPF	HEAD,CYLINDER ASSY	1		<=AG2611	26.000	
050	1C020-03029	GRP.ZYLINDERKOPF	ASSY CYLINDER HEAD	1	>>	>=AJ0001	26.000	
050	1C050-03020	GRP.ZYLINDERKOPF	HEAD,CYLINDER ASSY	1	>>	>=2EN0001	25.000	
060	15221-03370	STOPFEN	PLUG,CUP TYPE	5			0.010	
070	15221-03490	STOPFEN	CAP,SEALING	1			0.020	
080	15521-96020	STOPFEN	PLUG	1			0.003	
090	1C010-03450	ZYLINDERKOPFSCHRAUBE	BOLT,CYLINDER HEAD	18			0.100	
100	1G514-03310	ZYLINDERKOPFDICHTUNG	GASKET,CYLINDER HEAD	1		<=CHZ999	0.230	STD/ 2 KERBEN
100	1G514-03313	ZYLINDERKOPFDICHTUNG	GASKET (HEAD,CYL)	1	>>	>=CJ0001	0.230	STD/ 2 KERBEN
100	1G514-03314	ZYLINDERKOPFDICHTUNG	GASKET,CYL. HEAD	1	>>	>=2DC0001	0.230	STD/ 2 KERBEN
100	1G514-03602	ZYLINDERKOPFDICHTUNG	GASKET,CYL. HEAD	1		<=CHZ999	0.260	VERWENDUNG / 1 KERBE
100	1G514-03603	ZYLINDERKOPFDICHTUNG	GASKET (HEAD,CYL)	1	>>	>=CJ0001	0.260	VERWENDUNG / 1 KERBE

Update Date : 29-06-2018 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
100	1G514-03604	ZYLINDERKO PFDICHTUNG	GASKET,CYL. HEAD	1	>>	>=2DC0001	0.260	VERWENDUN G / 1 KERBE
100	1G514-03612	ZYLINDERKO PFDICHTUNG	GASKET,CYL. HEAD	1		<=CHZ999	0.270	VERWENDUN G / KEINE KERBE
100	1G514-03613	ZYLINDERKO PFDICHTUNG	GASKET (HEAD,CYL)	1	>>	>=CJ0001	0.270	VERWENDUN G / KEINE KERBE
100	1G514-03614	ZYLINDERKO PFDICHTUNG	GASKET,CYL. HEAD	1	>>	>=2DC0001	0.270	VERWENDUN G / KEINE KERBE
110	15841-96020	STOPFEN	PLUG	1			0.020	

Update Date : 29-06-2018 Print Date : 11-04-2022



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com