

Update Date : 11-07-2019 Print Date : 11-04-2022

M95GX-3













FUTM 355 10



Item	Capacity	Change Interval
Engine Oil	10.5 L	after the first 50 hours of operation.Every 500 hours
Engine Oil Filter		after the first 50 hours of operation.Every 500 hours

Kubota

ELECTRICAL PARTS


 010	 020	 030	 040	 050	 060
 070	 075	 076	 070	 075	 070
 110	 100	 080	 090	 100	 110
 130	 135	 140	 150	 160	 170
 180	 190	 200	 210	 220	 230
 240	 250	 260	 270	 280	 290

FILTERS/ELEMENTS

 250	 260	 270	 280	 290	 300
 310	 320	 330	 340	 350	 360

BELT

OTHERS

 360	 370	 380	 390	 400	 410
--	---	--	--	--	--

Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	T0270-81810	ZUENDSCHL OSS KOMP.	ASSY KEY,MAIN SWITCH	1			0.255	
020	3C001-75040	WARNBLINKS CHALTER	SWITCH,HAZ ARD	1			0.015	
030	T0270-81840	GRP.SCHLUE SSEL	ASSY KEY,MAIN SWITCH	1			0.023	
040	3S203-32072	SCHALTER	SWITCH,CON BI	1			0.272	
050	1C011-73010	GRP.THERM OSTAT	THERMOSTA T,ASSY	1			0.090	
060	11521-39013	OELDRUCKS CHALTER	OIL SWITCH (F)	1			0.040	
070	T1060-30460	SICHERUNG 20A	FUSE,MINI (20A)	3			0.002	20A
075	T1060-30440	SICHERUNG 10A	FUSE,MINI (10A)	3			0.005	10A
076	T1060-30470	SICHERUNG 30A	FUSE,MINI (30A)	1			0.005	30A
080	T1060-30510	SICHERUNG 30A	FUSE	3			0.007	30A
090	T1060-30520	SICHERUNG 40A	FUSE,SLOW BLOW(40A)	1			0.007	40A
100	3W999-00060	SICHERUNG	FUSE	3			0.006	40A
110	3N300-75560	SICHERUNG	FUSE	1			0.006	120A
120	3S205-77780	SICHERUNG	FUSE (MEGAVAL,15 0A)	1			0.018	150A
130	T1060-30430	SICHERUNG 5A	FUSE,MINI (5A)	11			0.005	5A
135	T1150-30480	SICHERUNG	FUSE	1			0.002	7.5A
140	T1060-30440	SICHERUNG 10A	FUSE,MINI (10A)	12			0.005	10A
150	T1060-30450	SICHERUNG 15A	FUSE,MINI (15A)	13			0.005	15A
160	T1060-30460	SICHERUNG 20A	FUSE,MINI (20A)	2			0.002	20A
170	T1060-30470	SICHERUNG 30A	FUSE,MINI (30A)	2			0.005	30A


Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
180	T1275-91060	GLUEHBIRNE 35W	BULB	4			0.010	35W
190	3Y205-75830	GLUEHBIRNE	VALVE,ASSY (H3,35W)	2			0.007	35W
200	3C081-75810	GLUEHBIRNE	BULB	2			0.025	60/55W
210	T1880-99110	GLUEHBIRNE	BULB (12V21W)	1			0.020	21W
220	T1880-99140	GLUEHBIRNE	BULB(12V5W)	1			0.010	5W
230	T1880-99110	GLUEHBIRNE	BULB (12V21W)	1			0.020	21W
240	T1880-99120	GLUEHBIRNE	BULB (12V21/5W)	1			0.020	21/5W
250	3C581-54220	GLUEHBIRNE	BULB,ROOM LIGHT	1			0.002	5W
260	HH1C0-32430	OELFILTERP ATRONE	FILTER (CARTRIDGE, OIL)	1			0.550	
270	HH166-43560	FILTEREINSA TZ	FILTER(FUEL CARTRIDGE)	1			0.390	
280	1G410-52300	GRP.DRUCKF ILTER	FILTER	1			0.025	
290	V0521-51940	ELEMENT,KO MP.	ELEMENT,AS SY	1			0.038	
300	1J508-05810	ELEMENT,KIT	ELEMENT,KIT	1			0.050	
310	HH3Y0-82590	HYDR.- FILTER	HYDR.- FILTER	1			1.680	
320	55231-26150	LUFTFILTERE INSATZ (INNEN)	ELEMENT,IN NER	1			0.370	
330	59700-26112	LUFTFILTERE INSATZ (AUSSEN)	ASSY ELEMENT,A/C	1			1.100	
340	6A671-75090	DRUCKFILTE R	FILTER	2			0.080	
350	T1855-71600	KABINENFILT ER	FILTER	1			0.270	
360	3S205-15782	KEILRIEMEN	BELT(V RIBBED-4)	1			0.100	
370	3S205-79320	KEILRIEMEN	BELT (RPF2620)	1			0.120	

Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
380	17214-72020	KUEHLERVE RSCHLUSS	CAP,ASSY (RADIATOR)	1			0.050	
390	3S205-17462	SCHLAUCH	HOSE (WATER UPPER)	1			0.420	
400	3S205-17452	SCHLAUCH	HOSE (WATER,LOW ER)	1			0.530	

Update Date : 11-07-2019 Print Date : 11-04-2022




Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J583-01012	KOMP.KURBELGEHAEUSE	CRANKCASE, COMP	1			72.000	
020	15521-96020	STOPFEN	PLUG	3			0.003	
025	15841-96020	STOPFEN	PLUG	1			0.020	
030	1C010-96010	STOPFEN	PLUG	1			0.012	
040	16683-96020	STOPFEN	PLUG	1			0.088	
050	15261-03370	STOEPSEL, ABDICHTUNG	CAP, SEALING	4			0.005	
060	1J550-03380	STOEPSEL, ABDICHTUNG	PLUG, CUP TYPE	6			0.017	
065	15221-03380	STOPFEN	CAP, SEALING	2			0.017	
070	15221-03390	STOPFEN	CAP, SEALING	1			0.030	
080	1C010-96160	STOPFEN	PLUG, EXPANSION	1			0.050	
090	05012-00820	ZYLINDERSTIFT	PIN, STRAIGHT	1			0.008	
100	05012-01016	ZYLINDERSTIFT	PIN STRAIGHT	2			0.010	
110	15221-33650	ROHRSTIFT	PIN, PIPE	2			0.004	
120	1C010-33643	STIFT	PIN, STRAIGHT	1			0.019	
130	1C010-04560	BOLZEN	BOLT, BEARING CASE	10			0.130	
140	1C040-33212	STIFT	PIPE, OIL	1			0.025	
150	1J550-71352	ROHRSCHALTUNG	JOINT, PIPE	1			0.100	
160	1C010-37114	ADAPTER, WASSERROHR	JOINT, WATER PIPE	1			0.020	
170	06311-55030	STOPFEN	PLUG	1			0.050	
180	04724-00170	DICHTUNGSPLATTE	GASKET	1			0.005	
190	1C012-01124	KURBELGEHAEUSE	CRANKCASE	1			44.050	
200	1C010-33653	STIFT	PIN, STRAIGHT	1			0.037	
205	1C011-94510	ZYLINDERSTIFT	PIN, STRAIGHT	2			0.040	


Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
210	1C010-33080	BLINDSTOPFEN	ASSY PLUG,O/FILLER	2			0.018	
220	E9151-33140	OELEINFUELLSTOPFEN	PLUG(OIL FILLER)	2			0.017	
230	04817-50300	O RING	O RING	2			0.001	
240	15602-33110	EINFUELLFLANSCH	FLANGE,OIL FILLER	1			0.100	
250	15625-32890	DICHTUNGSPLATTE	GASKET	1			0.001	
260	01754-50820	SCHRAUBE	BOLT,FLANGE	2			0.015	
270	1C011-91012	SCHRAUBE	BOLT,FLANGE	2			0.100	



Update Date : 11-07-2019 Print Date : 11-04-2022


No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	1J584-01600	OELWANNE,KIT	PAN,OIL,KIT	1			2.540	
020	15707-33750	ENTLEERUNGSTOPFEN	PLUG(DRAIN)	2			0.095	
030	16265-96670	DICHTUNG	PACKING	2			0.010	
040	1C011-91012	SCHRAUBE	BOLT,FLANGE	18			0.100	
050	1C010-91100	BOLZEN	BOLT,OILPAN	6			0.020	
060	1C011-32110	OELFILTER	FILTER(OIL)	1			0.280	
070	04814-00220	O RING	O RING	1			0.001	
080	01754-50812	SCHRAUBE	BOLT,FLANGE	2			0.010	
090	1C010-36422	FUEHRUNG, OELMESSSTAB	GUIDE,OIL GAUGE	1			0.014	
100	1C042-36410	OELMESSSTAB	GAUGE,OIL	1			0.030	
110	1J540-05840	ROHR,KOMP.	PIPE,COMP (OIL RETURN)	1			0.067	



Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
010	3Y205-12602	HALTER	BRACKET,FRONT	1			0.460	
030	1J500-91020	SCHRAUBE	BOLT,FLANGE	2			0.012	
040	1J574-03026	GRP.ZYLINDERKOPF	ASSY CYLINDER HEAD	1			26.000	
050	15221-03370	STOPFEN	PLUG,CUP TYPE	5			0.010	
060	15221-03490	STOPFEN	CAP,SEALING	1			0.020	
070	15521-96020	STOPFEN	PLUG	1			0.003	
080	1J574-03410	STEBOLZEN	STUD	4			0.050	
090	1J500-17610	ROHRVERBINDUNG	JOINT,PIPE (WATER)	1			0.025	
100	1C010-03450	ZYLINDERKOPFSCHRAUBE	BOLT,CYLINDER HEAD	18			0.100	
110	1G514-03314	ZYLINDERKOPFDICHTUNG	GASKET,CYL. HEAD	1			0.230	STD/2 KERBEN
110	1G514-03604	ZYLINDERKOPFDICHTUNG	GASKET,CYL. HEAD	1			0.260	VERWENDUNG / 1 KERBE
110	1G514-03614	ZYLINDERKOPFDICHTUNG	GASKET,CYL. HEAD	1			0.270	VERWENDUNG / KEINE KERBE


Update Date : 11-07-2019 Print Date : 11-04-2022



Update Date : 11-07-2019 Print Date : 11-04-2022

No.	Part Number	Part Name (POL)	Part Name (ENG)	QTY	IC	Serial No./PIN	Kg	Remarks
005	1J574-03026	GRP.ZYLINDERKOPF	ASSY CYLINDER HEAD	1			26.000	
020	16261-13560	AUSLASSVENTILFUEHRUNG	GUIDE,EXHAUST VALVE	16			0.019	
030	1C020-13112	EINLASSVENTIL	VALVE,INLET	8			0.050	
040	1C020-13122	AUSLASSVENTIL	VALVE,EXHAUST	8			0.050	
050	1C010-13240	VENTILFEDER	SPRING,VALVE	16			0.020	
060	16261-13330	HALTER,VENTILFEDER	RETAINER,VALVE SP.	16			0.015	
070	15261-13980	KLEMMSCHEIBE	COLLET (VALVE SPRING)	16			0.002	SET
080	1C010-13150	VENTILDICHTUNG	SEAL,VALVE STEM	16			0.002	
090	1C010-13482	VENTILFUEHRUNG	SHAFT,VALVE BURIGE	8			0.020	
100	1C020-13463	HUBARM, VENTIL	ARM,VALVE BURI.	8			0.062	
110	1C010-13490	PUFFER	PAD	8			0.003	

Update Date : 11-07-2019 Print Date : 11-04-2022



1J574-010-13

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com