


John Deere > Agriculture >TRACTOR >9520RT - TRACTOR >9520RT Tractor (S.N. 906000-)(Worldwide Edition) >20 ENGINE 6135RW203-RE553209 >ST132522 - 4606 CYLINDER BLOCK WITH LINERS


| John Deere > Agriculture > Invieror > 3520K1 Tractor (5.1%, 500000) (Worldwide Edition) > 20 Ending of 535KW203 KE333203 > 31132322 + 4000 CTEMPER DEOCR WITH EINERS | | | | | | |
|---|----------|------------------|-----|----------------------|--|--|
| KEY | PART NO. | PART NAME | QTY | Engine Serial | REMARKS | |
| | | | | No. | | |
| 1 | | CYLINDER LINER | 1 | | ORDER RE530808 | |
| 2 | RE559262 | PISTON-LINER KIT | 1 | | SUB FOR RE530808 | |
| 3 | RE547712 | O-RING KIT | 6 | | | |
| 4 | | CALINDED BI OCK | 1 | 025020 | ORDER RE536259; MARKED R524714; USE WITH | |
| 4 | | CYLINDER BLOCK | | 025930 | RE530817 200 mm | |
| 4 | | CYLINDER BLOCK | 1 | 025024 | ORDER RE536259; MARKED R524714; USE WITH | |
| | | | | 025931 | RE541424 225 mm | |
| 5 | T21937 | PLUG | 2 | | | |
| 6 | 15H690 | PIPE PLUG | 1 | | 3/4", SUB FOR RE501736 | |
| 7 | R502753 | PLUG | 2 | | | |
| 8 | 15H685 | PIPE PLUG | 2 | | 1/4" | |
| 9 | AT107509 | PLUG | 1 | | | |
| 10 | R518501 | BEARING CAP | 6 | | (Main) | |
| 11 | R518579 | CAP SCREW | 14 | | | |
| 12 | R518573 | BEARING CAP | 1 | | (Thrust) | |
| 13 | R116466 | PLUG | 1 | | | |
| 14 | R535114 | SHIM | 6 | | | |




4702_RE524029_PCD

John Deere > Agriculture >TRACTOR >9520RT - TRACTOR >9520RT Tractor (S.N. 906000-)(Worldwide Edition) >20 ENGINE 6135RW203-RE553209 >ST313344 - 4702 CRANKSHAFT AND BEARINGS

| <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | |
|---|----------|--------------------|-----|----------------------------|--|
| KEY | PART NO. | PART NAME | QTY | REMARKS | |
| 1 | RE530786 | BEARING KIT | 1 | MARKED R517069 AND R517070 | |
| 2 | RE530885 | WASHER KIT | 1 | MARKED R520586 | |
| 3 | RE530785 | BEARING KIT | 6 | MARKED R517068 AND R517065 | |
| 4 | RE522871 | CRANKSHAFT | 1 | | |
| 4 | SE501664 | CRANKSHAFT REMAN | 1 | REMAN FOR RE522871 | |
| 5 | 26M4224 | SHAFT KEY | 1 | 4 X 16 mm | |
| 6 | 34M7129 | SPRING PIN | 1 | 3 X 16 mm | |
| 7 | R122377 | WHEEL SPEED SENSOR | 1 | | |
| 8 | R529684 | GEAR | 1 | | |
| 4 | | | | | |



| KEY | PART NO. | PART NAME | QTY | Engine Serial No. | REMARKS |
|-----|----------|-----------------------------|-----|----------------------|--------------------|
| 1 | R545594 | SPIDER | 1 | | SUB FOR R502027 |
| 2 | R117021 | COUPLING | 1 | | |
| 3 | R117020 | SHAFT | 1 | | |
| 4 | R523162 | CAMSHAFT | 1 | | |
| 4 | SE502274 | CAMSHAFT REMAN | 1 | | REMAN FOR R523162 |
| 5 | R541154 | GASKET | 2 | | SUB FOR R500211 |
| 6 | R62976 | O-RING | 1 | | |
| 7 | R119158 | RING | 1 | | |
| 8 | 19M7867 | SCREW | 6 | | M8 X 25 |
| 9 | R529655 | GEAR | 1 | | SUB FOR R116526 |
| 10 | R526517 | SPACER | 1 | | |
| 11 | R114083 | SCREW | 6 | | |
| 12 | RE530817 | BOLT KIT | 1 | 025930 | LGTH = 200 mm |
| 12 | RE541424 | BOLT KIT | 1 | 025931 | LGTH = 225 mm |
| 13 | RE542776 | CYLINDER HEAD | 1 | | MARKED R525711 |
| 13 | SE502698 | CYLINDER HEAD REMAN | 1 | | REMAN FOR RE542776 |
| 14 | RE531334 | SLEEVE | 1 | | |
| 15 | T122075 | O-RING | 1 | | |
| 16 | R516443 | O-RING | 1 | | |
| 17 | T21937 | PLUG | 6 | | |
| 18 | N102039 | PLUG | 6 | | |
| 19 | R520798 | RETAINER | 48 | | |
| 20 | RE505499 | SPRING KIT | 24 | | |
| 21 | RE523985 | SEAL | 24 | | |
| 22 | R517011 | SLEEVE | 24 | | |
| 23 | R532008 | BUSHING | 4 | | SUB FOR R522284 |
| 24 | AT107509 | PLUG | 1 | | |
| 25 | R524857 | PLUG | 3 | | |
| 26 | R518327 | VALVE SEAT INSERT | 24 | | |
| 27 | R518328 | VALVE | 24 | | |
| 28 | M1206T | PLUG | 5 | | |
| 29 | 15H690 | PIPE PLUG | 1 | | 3/4" |
| 30 | DZ107052 | ENGINE CYLINDER HEAD GASKET | 1 | | SUB FOR RE522278 |
| 31 | R116716 | BUSHING | 2 | | |



4803_RE521101_PCD

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com