






KEY	PART NO.	PART NAME	QTY	REMARKS	
1	R495R	O-RING	1		
2	R60890	LINE	1	OUTLET	
3	R40791	CLAMP	1		
4	24H1685	WASHER	1	11/32" X 47/64" X 0.083"	
5	19H1813	CAP SCREW	1	5/16" X 5/8"	
6	AT18016	VALVE COVER	1	(SUB RE44202 AND (6) RE32140)	
7	T24151	CLAMP	1		
8	AR45530	SCREW WITH WASHER	6	(SUB AR103811)	
9	T20111	GASKET	1	(SUB R75729)	
10	A3910R	PLUG	2	(SUB N102039)	
11	AR70583	CYLINDER HEAD	1	(SUB FOR AR70582) (SUB RE56309)	
12	CD13979	VALVE SEAT INSERT	3	(SUB R97778)	
13	R97356	ENGINE CYLINDER HEAD GASKET	1	STD, (SUB FOR R64151, R59447 OR R80241)	
14	T20168	WASHER	14		
15	R53223	CAP SCREW	14	1/2" X 4"	
16	RE51774	SENSOR	1	WATER TEMPERATURE GAUGE, (SUB RE51774)	



L 50063



KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
1	AR70582	CYLINDER HEAD	1		(SUB FOR AT21799) (SUB RE56309)	
2	A3910R	PLUG	2			
3	15H559	PIPE PLUG	1	____-XXXXXX	1/4"	
4	R52789	GASKET	1		(SUB FOR T20039) (SUB R98460)	
5	T20183	CAP SCREW	14	____-114526		
5	R53223	CAP SCREW	14	114527-____		
6	T20168	WASHER	14			
7	AT18016	VALVE COVER	1		(SUB RE44202 AND (6) RE32140)	
8	T20111	GASKET	1		(SUB R75729)	
9	AR45530	SCREW WITH WASHER	6		(SUB FOR AR27702) (SUB AR103811)	
10	T24151	CLAMP	1			
11	T20074	TUBE	1			
12	R495R	O-RING	1			
13	R40791	CLAMP	1		(SUB FOR A4656R)	
14	19H1813	CAP SCREW	1		5/16" X 5/8"	
15	24H1685	WASHER	1		11/32" X 47/64" X 0.083"	



L 57216


KEY	PART NO.	PART NAME	QTY	REMARKS	
1	AT18053	CAMSHAFT	1	(MARKED T20071) (SUB FOR AT18055) (SUB R119707 AND R81513)	
2	T20072	PLATE	1		
3	19H1731	CAP SCREW	2	3/8" X 1"	
4	T20070	HELICAL GEAR	1	(48 TEETH)	
5	T28041	SHAFT KEY	1		
6	T23468	ROCKER ARM SHAFT	1	(ORDER DD12119 AND (2) R54565)	
7	T20316	WASHER	2		
8	T20314	SPRING	2		
9	RE31973	ROCKER ARM	6	(SUB FOR AT22665, AR103769, AT31250, RE19031 OR AR103769)	
10		SCREW	6	(ORDER RE31973)	
11	T20315	SUPPORT	3		
12	19H1733	CAP SCREW	3	3/8" X 2-1/2"	
13	R42729	WASHER	3		
14	T23469	PLUG	2		
15	T20310	PIN	6	(SUB R82896)	
16	T20073	TAPPET	6		
17	R79623	INTAKE VALVE	3	STD, (SUB FOR T20174 OR R52251)	
17	R57332	INTAKE VALVE	3	0.076MM (.003") OS STEM, (SUB FOR T23546 OR CDX7284) (SUB R79628)	
17	R79629	INTAKE VALVE	3	0.381MM (.015") OS STEM, (SUB FOR T23547, CDX7285 OR R57334)	
17	R79630	INTAKE VALVE	3	0.762MM (.030") OS STEM, (SUB FOR T23548, CDX7286 OR R57336) (NLA)	
18	R52252	EXHAUST VALVE	3	STD, (SUB FOR T20175) (SUB R79624)	
18	R57333	EXHAUST VALVE	3	0.076MM (.003") OS STEM, (SUB FOR T23549 OR CDX7290) (SUB R79625)	
18	R79626	EXHAUST VALVE	3	0.381MM (.015") OS STEM, (SUB FOR T23550, CDX7291 OR R57335)	
18	R79627	EXHAUST VALVE	3	0.762MM (.030") OS STEM, (SUB FOR T23551, CDX7292 OR R57337) (NLA)	
19	T20129	CAP	6		
20	R26125	SPRING	6		
21	T20176	RETAINER	6	(SUB RE11410)	

KEY	PART NO.	PART NAME	QTY	REMARKS	
22	T20077	RETAINER	12		
23	T20071	DRIVE SHAFT	1	(USE WHEN AT18053 PREVIOUSLY INSTALLED)	
23	R81513	DRIVE SHAFT	1	(USE WITH R82819)	
24	T20304	WASHER	1		
25	CD13979	VALVE SEAT INSERT	3		



RWP4104


KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
1	AT19509	COVER	1		(SUB AR58196)	
2	T20155	GASKET	1		(SUB R97454)	
3	T20294	CAP	1			
4	T20328	GASKET	1			
5	T20336	GASKET	1		(SUB R97352)	
6	T23614	FILLER NECK	1			
7	24M7106	WASHER	21		10 X 18 X 2.500 MM	
8	19H2665	CAP SCREW	1		3/8" X 1-5/8"	
9	19H2128	CAP SCREW	3		3/8" X 3"	
10	R69260	GASKET	1		(SUB FOR T20364) (SUB R78366)	
11	T20362	COVER	1			
12	19H2284	CAP SCREW	5		3/8" X 7/8"	
13	19H1726	CAP SCREW	1		3/8" X 2-1/4"	
14	T20272	COVER	1			
15	T20273	GASKET	1			
16	15H275	PIPE PLUG	1		1/4"	
17	T20069	CAP SCREW	1	____-042640	(SUB T27658, T27657 AND R83169, THIS APPLICATION)	
17	T27657	FITTING PLUG	1	042641-____		
18	A4827R	WASHER	1			
19	24H1290	WASHER	AR		21/64" X 3/4" X 0.035"	
20	T20303	SPRING	1	____-031311		
20	T24964	SPRING	1	031312-042640	(SUB T27658 AND T27657, THIS APPLICATION)	
20	T27658	SPRING	1	042641-____		
21	R83169	VALVE	1		(SUB FOR T20067 OR R51516)	
22	19H1801	CAP SCREW	9		3/8" X 2"	
23	19H1733	CAP SCREW	2		3/8" X 2-1/2"	



L 50388

KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
1	AT18031	CRANKSHAFT	1		(SUB RE46896)	
2	T26565	DOWEL PIN	1		(SUB FOR C1220R)	
3	T20094	HELICAL GEAR	1		(24 TEETH)	
4	26H72	SHAFT KEY	1		1/8" X 5/8"	
5	T23604	SHAFT KEY	1			
6	T25366	PULLEY	1		(SUB R59915)	
7	T20046	OIL SLINGER	1			
8	19H1721	CAP SCREW	1		1/2" X 1-1/2"	
9	T20217	WASHER	1			
10	AT18009	GEAR	1		(55 TEETH) (SUB AR91660)	
11	T20034	BUSHING	1			
12	AT18039	GEAR	1	____-037142	(45 TEETH) (SUB AT24252)	
12	AT24252	GEAR	1	037143-____	(45 TEETH)	
13	T20034	BUSHING	1	____-037142		
13	T26321	BUSHING	1	037143-____		
14	T20036	SHAFT	2	____-037142	(SUB T26323)	
15	T26323	SHAFT	2	037143-____		
16	34H283	SPRING PIN	1	037143-____	3/16" X 1-1/8"	
17	34H286	SPRING PIN	1	037143-____	3/16" X 1-1/2"	
18	19H2644	CAP SCREW	1	____-037142	1/2" X 2-1/2"	
18	T26325	SCREW	2	037143-____		
19	19H1990	CAP SCREW	1	____-037142	1/2" X 2-1/4"	
19	T26327	SCREW	2	037143-____		
20	T20290	SHIM	2	____-037142		
21	T20291	WEAR PLATE	2	____-037142		
22	T20038	THRUST WASHER	2	____-037142	(SUB T26326)	
22	T26326	THRUST WASHER	2	037143-____		
23	T20037	THRUST WASHER	2	____-037142	(SUB T26324)	
23	T26324	THRUST WASHER	2	037143-____		
24	T20136	FITTING	1	____-037142		
25	24H1890	WASHER	1	037143-____	19/32" X 1" X 1/4"	
26	AT21140	BEARING	3		STD (2 HALVES)	
26	AT21108	BEARING	3		0.051MM (.002") US, PLAIN (2 HALVES)	
26	AT21110	BEARING	3		0.254MM (.010") US, PLAIN (2 HALVES)	


KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
26	AT21112	BEARING	3		0.508MM (.020") US, PLAIN (2 HALVES)	
26	AT21114	BEARING	3		0.762MM (.030") US, PLAIN (2 HALVES)	
27	AT21139	BEARING	1		STD (2 HALVES)	
27	AT21130	BEARING	1		0.051MM (.002") US (2 HALVES)	
27	AT21132	BEARING	1		0.254MM (.010") US (2 HALVES)	
27	AT21134	BEARING	1		0.508MM (.020") US (2 HALVES)	
27	AT21136	BEARING	1		0.762MM (.030") US (2 HALVES)	
28	AR67942	SEAL	1		(SUB FOR AT21608)	
29	T20445	PLUG	1			




RWP6161

KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
1	14H1039	NUT	1	102060-____	5/8"	
2	R70268	WASHER	1		(SUB FOR R42363)	
3	R53790	STUD	1	102060-____		
4	15H665	PIPE PLUG	1		3/4"	
5	AT13740	DRAIN VALVE	1			
6	15H275	PIPE PLUG	1		1/4"	
7	R26241	DOWEL PIN	2			
8	T20173	STUD	2	____-068403	(SUB T33279 AND 24M7096)	
8	T33279	STUD	2	068404-____		
9	T25701	STUD	1			
10	T18891	PLUG	2	____-XXXXXX		
10	T18891	PLUG	1	XXXXXX-____		
11	R26493	BUSHING	1			
12	R26650	DOWEL PIN	2			
13	T20330	BUSHING	1	____-XXXXXX		
14	T23670	SHIM	AR		0.076MM (.003") (NLA)	
14	T23671	SHIM	AR		0.05MM (.002") (NLA)	
15	AR82295	BEARING CAP	1		(SUB FOR AT21227) (SUB R79089)	
16	AR82294	BEARING CAP	3		(SUB FOR AT21226) (SUB R65215)	
17	T20168	WASHER	8			
18	T23474	CAP SCREW	8			
19	R48685	DOWEL PIN	2		(SUB FOR A120R)	
20	T23435	THREADED NIPPLE	1			
21	AR64721	CYLINDER BLOCK	1	____-XXXXXX	(MARKED R55100 OR R52340) (SUB FOR AT31582, AT18105, AT24999 OR AR59055) (SUB AR97025, R46625, R73139 AND R90648)	
21	AR97025	CYLINDER BLOCK	1	XXXXXX-____	(MARKED R72967)	
22	T19044	OIL FILTER	1			
23	AT21534	DIPSTICK	1			
24	T24409	THREADED NIPPLE	1		(SUB R55299 AND R10093)	
25	14H826	NUT	1		1/2"	
26	24M7106	WASHER	2	____-068403	10 X 18 X 2.500 MM	
26	24M7096	WASHER	2	068404-____	10.500 X 18 X 1.600 MM	
27	14H1076	NUT	4		3/8"	

KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
28	12H304	LOCK WASHER	3		3/8"	
29	R90648	GASKET	1		(SUB FOR T24965 OR R73140) (SUB R131794)	
30	AT21191	SET SCREW	8			
30	AT22919	SET SCREW	2			
31	R56736	PLATE	1		(SUB FOR T24531, T20295 OR AT29928) (SUB (8) AT21191, (2) AT22919 AND RE16149)	
32	12H324	WASHER	5		3/8"	
33	T20166	SCREW	5			
34	15H255	PIPE PLUG	2	031312-____	3/8"	
35	R46625	SPRING	1	XXXXXX-____		
36	R73139	FLOW CONTROL HYD. VALVE	1	XXXXXX-____		



KEY	PART NO.	PART NAME	QTY	REMARKS	
1	DD12093	DIESEL ENGINE	1	(SUB FOR DD11408) (NLA)	
1	AR97032	SHORT BLOCK ASSEMBLY	1	(SUB RE19842 AND R81513)	



L 59705

KEY	PART NO.	PART NAME	QTY	REMARKS	
1	T24534	GASKET	1	(SUB R119359)	
2	AT18180	OIL PAN	1	(SUB FOR AT18178)	
2	15H624	PIPE PLUG	1	1/2"	
2	15H665	PIPE PLUG	1	3/4"	
3	24M7106	WASHER	24	10 X 18 X 2.500 MM, (SUB FOR T23200 OR T30726)	
4	12H304	LOCK WASHER	24	3/8"	
5	19H1732	CAP SCREW	3	3/8" X 1-1/4"	
6	19H1801	CAP SCREW	1	3/8" X 2"	
7	19H1732	CAP SCREW	2	3/8" X 1-1/4"	
8	T13213	WASHER	1		
9	T20098	DRAIN PLUG	1		
10	19H1936	CAP SCREW	18	3/8" X 3/4"	

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.
You can download the most
perfect and complete manual in
the world immediately.

Our support email:
ebooklibonline@outlook.com