






RWP4960

KEY	PART NO.	PART NAME	QTY	REMARKS	
1	T20074	TUBE	1		
2	R40791	CLAMP	1		
3	24H1685	WASHER	1	11/32" X 47/64" X 0.083"	
4	19H1813	CAP SCREW	1	5/16" X 5/8"	
5	AR45530	SCREW WITH WASHER	6	(SUB AR103811)	
6	AT18016	VALVE COVER	1		
7	T24151	CLAMP	1		
8	R75729	GASKET	1	(SUB FOR T20111 OR AR102261)	
9	N102039	PLUG	2	(SUB FOR A3910R)	
10	AR70582	CYLINDER HEAD	1	(MARKED R58685) (SUB FOR AT21799) (SUB FOR AT21799) (SUB AR70583)	
10	AR70583	CYLINDER HEAD	1	(MARKED R58686) (SUB FOR RE56306 AND R97356)	
11	R98460	ENGINE CYLINDER HEAD GASKET	1	(USE WITH AR70583)	
11	R97356	ENGINE CYLINDER HEAD GASKET	1	(USE WITH AR70582)	
12	T20168	WASHER	14		
13	R53223	CAP SCREW	14		
14	R495R	O-RING	1		





L 57216

KEY	PART NO.	PART NAME	QTY	REMARKS	
1	AT18053	CAMSHAFT	1	(MARKED T20016 OR T20015) (SUB FOR AT18055 OR R81516) (SUB R82819 AND R81513)	
2	T20072	PLATE	1		
3	19H1731	CAP SCREW	2	3/8" X 1"	
4	T20070	HELICAL GEAR	1	(48 TEETH)	
5	T28041	SHAFT KEY	1		
6	T23468	ROCKER ARM SHAFT	1	(SUB DD12119 AND (2) R54565)	
7	T20316	WASHER	2		
8	T20314	SPRING	2		
9	RE19031	ROCKER ARM	6	(SUB FOR AR103769 OR AT31250)	
10		SCREW	6	(ORDER RE19031) (SUB FOR T23521 OR T32213)	
11	T20315	SUPPORT	3		
12	19H1733	CAP SCREW	3	3/8" X 2-1/2"	
13	24M7106	WASHER	3	10 X 18 X 2.500 MM	
14	T23469	PLUG	2	(USE WITH T23468)	
14	R54565	PLUG	2	(USE WITH DD12119)	
15	T20310	PIN	6	(SUB R82896)	
16	T20073	TAPPET	6		
17	R52251	INTAKE VALVE	3	(SUB R79623)	
17	R57332	INTAKE VALVE	3	0.076MM (.003") OVERSIZE STEM, (SUB R79628)	
17	R57334	INTAKE VALVE	3	0.381MM (.015") OVERSIZE STEM, (SUB R79629)	
17	R57336	INTAKE VALVE	3	0.762MM (.030") OVERSIZE STEM, (SUB R79630)	
18	R52252	EXHAUST VALVE	3	(SUB R79624)	
18	R57333	EXHAUST VALVE	3	0.076MM (.003") OVERSIZE STEM, (SUB R79625)	
18	R57335	EXHAUST VALVE	3	0.381MM (.015") OVERSIZE STEM, (SUB R79626)	
18	R57337	EXHAUST VALVE	3	0.762MM (.030") OVERSIZE STEM, (SUB R79627)	
19	T20129	CAP	6		
20	R26125	SPRING	6		
21	T20176	RETAINER	6	(SUB R41412)	
22	T20077	RETAINER	12		
23	T20071	DRIVE SHAFT	1	SPEED HOUR METER, (USE WITH T20016 OR T20015) (NOT AS ILLUSTRATED)	
23	R81513	DRIVE SHAFT	1	(USE WITH R81516 OR R82819)	
24	T20304	WASHER	1		
25	CD13979	VALVE SEAT INSERT	3		




KEY	PART NO.	PART NAME	QTY	REMARKS	
1	R51734	VALVE SEAT INSERT	3		
2	CD16284	PLUG	2		
3	T20077	RETAINER	12		
4	R41412	CAP	6	(SUB FOR T20176)	
5	R26125	SPRING	6		
6	R79624	EXHAUST VALVE	3		
7	R79623	INTAKE VALVE	3		
8	RE56306	CYLINDER HEAD	1	(MARKED R58686) (SUB FOR AR70583)	




RWP4104

KEY	PART NO.	PART NAME	QTY	REMARKS	
1	AR58196	COVER	1		
2	T20155	GASKET	1		
3	T20294	CAP	1		
4	T20328	GASKET	1		
5	T20336	GASKET	1		
6	T23614	FILLER NECK	1		
7	24M7106	WASHER	21	10 X 18 X 2.500 MM	
8	19H2665	CAP SCREW	1	3/8" X 1-5/8"	
9	19H2128	CAP SCREW	3	3/8" X 3"	
10	R69260	GASKET	1	(SUB FOR T20364)	
11	T20362	COVER	1	(SUB R126041)	
12	19H2284	CAP SCREW	5	3/8" X 7/8"	
13	19H1726	CAP SCREW	1	3/8" X 2-1/4"	
14	T20272	COVER	1		
15	T20273	GASKET	1		
16	15H275	PIPE PLUG	1	1/4"	
17	T27657	FITTING PLUG	1		
18	A4827R	WASHER	1		
19	24H1290	WASHER	AR	21/64" X 3/4" X 0.035"	
20	T27658	SPRING	1		
21	R51516	VALVE	1	(SUB R83169)	
22	19H1801	CAP SCREW	9	3/8" X 2"	
23	19H1733	CAP SCREW	2	3/8" X 2-1/2"	




KEY	PART NO.	PART NAME	QTY	REMARKS	
1	T26324	THRUST WASHER	2	INNER	
2	T26323	SHAFT	2	(SUB R109863, P42337 AND 19H3011)	
3	34H283	SPRING PIN	1	3/16" X 1-1/8"	
4	T20034	BUSHING	1		
5	AR91660	GEAR	1	UPPER, (SUB FOR AT18009)	
6	T26326	THRUST WASHER	2	OUTER	
7	T26327	SCREW	1		
8	T26565	DOWEL PIN	1		
9	26H72	SHAFT KEY	1	1/8" X 5/8"	
10	T20094	HELICAL GEAR	1		
11	AT18031	CRANKSHAFT	1		
12	T23604	SHAFT KEY	1		
13	T20046	OIL SLINGER	1		
14	AT21608	SEAL	1	(SUB AR67942)	
15	T25366	PULLEY	1	(SUB R59915)	
16	T20217	WASHER	1		
17	19H1721	CAP SCREW	1	1/2" X 1-1/2"	
18	T26325	SCREW	2		
19	T26321	BUSHING	1		
20	AT24252	GEAR	1	LOWER	
21	34H286	SPRING PIN	1	3/16" X 1-1/2"	
22	24H1890	WASHER	1	19/32" X 1" X 1/4"	
23	AT21140	BEARING	3	STD PLAIN (2 HALVES)	
23	AT21108	BEARING	3	0.05MM (.002") U.S. PLAIN (2 HALVES)	
23	AT21110	BEARING	3	0.25MM (.010") U.S. PLAIN (2 HALVES)	
23	AT21112	BEARING	3	0.51MM (.020") U.S. PLAIN (2 HALVES)	
23	AT21114	BEARING	3	0.76MM (.030") U.S. PLAIN (2 HALVES)	
24	AT21139	BEARING	1	STD (2 HALVES)	
24	AT21130	BEARING	1	0.05MM (.002") U.S. (2 HALVES)	
24	AT21132	BEARING	1	0.25MM (.010") U.S. (2 HALVES)	
24	AT21134	BEARING	1	0.51MM (.020") U.S. (2 HALVES)	
24	AT21136	BEARING	1	0.76MM (.030") U.S (2 HALVES)	
25	T20445	PLUG	1		




RXP6435

KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
1	14H1039	NUT	1		5/8"	
2	R70268	WASHER	1		(SUB FOR R42363)	
3	R53790	STUD	1		(SUB L29854)	
4	AT13740	DRAIN VALVE	1			
4	15H562	PIPE PLUG	1		1"	
5	15H690	PIPE PLUG	1		3/4"	
6	R48685	DOWEL PIN	2			
7	15H275	PIPE PLUG	1		1/4"	
8	R39741	DRAIN PLUG	1			
9	U13639	O-RING	1			
10	T33279	STUD	2			
11	T25701	STUD	1			
12	T18891	PLUG	2	____-XXXXXX		
12	T18891	PLUG	1	XXXXXX-____		
13	R26493	BUSHING	1			
14	R26650	DOWEL PIN	2			
15	R54802	ORIFICE	3			
16	T23670	SHIM	AR		0.076MM (.003") (NO LONGER AVAILABLE)	
16	T23671	SHIM	AR		0.05MM (.002") (NO LONGER AVAILABLE)	
17	R65215	BEARING CAP	3		(SUB FOR AT21226 OR AR82294)	
18	R79089	CAP	1		(SUB FOR AT21227 OR AR82295)	
19	T20168	WASHER	8			
20	T23474	CAP SCREW	8			
21	15H666	PIPE PLUG	1			
22	R75893	FITTING	1			
23	R75892	O-RING	1			
24	R48685	DOWEL PIN	2			
25	AR64721	CYLINDER BLOCK	1	____-XXXXXX	(MARKED R55100) (SUB AR97025, R46625, R73139 AND R90648)	
25	AR97025	CYLINDER BLOCK	1	XXXXXX-____	(MARKED R72967)	
26	T19044	OIL FILTER	1			
27	T23435	THREADED NIPPLE	1			
28	AT21534	DIPSTICK	1			
29	R55299	DIPSTICK TUBE	1			

KEY	PART NO.	PART NAME	QTY	Engine Serial No.	REMARKS	
29	R10093	O-RING	1			
30	14H826	NUT	1		1/2"	
31	24M7096	WASHER	2		10.500 X 18 X 1.600 MM	
32	14H1076	NUT	4		3/8"	
33	12H304	LOCK WASHER	3		3/8"	
34	AT21191	SET SCREW	5			
34	AT22919	SET SCREW	2			
35	R56736	PLATE	1		(ALSO ORDER (5) AT21191 AND (2) AT22919) (SUB FOR T20295)	
36	12H324	WASHER	5		3/8"	
37	T20166	SCREW	5			
38	R46625	SPRING	1	XXXXXX-____		
39	R73139	FLOW CONTROL HYD. VALVE	1	XXXXXX-____		
40	R90648	GASKET	1		(SUB FOR T24965 OR R73140) (SUB R131794)	




KEY	PART NO.	PART NAME	QTY	REMARKS	
1	AR97032	SHORT BLOCK ASSEMBLY	1	(SUB FOR AR64728) (SUB RE19842 AND R81513)	



RXP6434

KEY	PART NO.	PART NAME	QTY	REMARKS	
1	R82819	CAMSHAFT	1		
2	T20073	TAPPET	6		
3	T28041	SHAFT KEY	1		
4	T20072	PLATE	1		
5	19H218	CAP SCREW	2		
6	T20070	HELICAL GEAR	1		
7	AR55760	PISTON RING KIT	3		
8	M41029	SNAP RING	6		
9	R125754	PISTON PIN	3	(SUB FOR R51731)	
10	AR77762	PISTON	3		
11	R55647	BUSHING	3		
12	R80033	CAP SCREW	6		
13	RE21076	PITMAN	3		
14	R54802	ORIFICE	3		
15	T23435	THREADED NIPPLE	1		
16	AT21138	BEARING	3		
17	T32343	CYLINDER LINER	3		
18	R48768	WASHER	3		
19	T32344	O-RING	3		
20	AR71618	HYDRAULIC CYLINDER KIT	3		
21	T20166	SCREW	5		
22	12H324	WASHER	5	3/8"	
23	RE16149	PLATE	1		
24	AT21191	SET SCREW	8		
24	AT22919	SET SCREW	2		
25	R90648	GASKET	1	(SUB R131794)	
26	T25701	STUD	1		
27	T33279	STUD	2		
28	T18891	PLUG	1		
29	R26493	BUSHING	1		
30	R26650	DOWEL PIN	1		
31	R73139	FLOW CONTROL HYD. VALVE	1		
32	R46625	SPRING	1		
33	34H283	SPRING PIN	1	3/16" X 1-1/8"	
34	T26324	THRUST WASHER	2		

KEY	PART NO.	PART NAME	QTY	REMARKS	
35	T26323	SHAFT	2		
36	T26326	THRUST WASHER	2		
37	T26327	SCREW	1	1/2" X 2-1/4"	
38	T26325	SCREW	2	9/16" X 3/4"	
39	34H286	SPRING PIN	1	3/16" X 1-1/2"	
40	R76126	WASHER	2		
41	T23474	CAP SCREW	8		
42	T20168	WASHER	8		
43	R79089	CAP	1		
44	R65215	BEARING CAP	3		
45	AT21140	BEARING	3		
46	AT21139	BEARING	1		
47	T26565	DOWEL PIN	1		
48	26H72	SHAFT KEY	1	1/8" X 5/8"	
49	T20094	HELICAL GEAR	1		
50	AT18031	CRANKSHAFT	1	(MARKED T23516)	
51	15H666	PIPE PLUG	1	3/8"	
52	R75893	FITTING	1		
53	R75892	O-RING	1		
54	R48685	DOWEL PIN	1		
55	15H562	PIPE PLUG	1	1"	
56	R48685	DOWEL PIN	2		
57	15H275	PIPE PLUG	1	1/4"	
58	U13639	O-RING	1		
59	R39741	DRAIN PLUG	1		
60	T27658	SPRING	1		
61	RE19842	SHORT BLOCK ASSEMBLY	1	(MARKED R80408) (ALSO ORDER R81513)	



L 59705

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com