





010 COMPLETE ENGINE


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 9800 010 4	ENGINE		1	1)
1	77 9800 010 4	ENGINE		1	2)
1	77 9800 010 8	ENGINE		1	3)
1	77 9800 010 8	ENGINE		1	4)
2	77 9800 010 5	ENGINE		1	5)
2	77 9800 010 5	ENGINE		1	6)
2	77 9800 010 6	ENGINE		1	7)
2	77 9800 010 6	ENGINE		1	8)
1)	Homologationtype		+ 3235		
2)	Homologationtype		+ 3237		
3)	Homologationtype		+ 3285		
4)	Homologationtype		+ 3287		
5)	Homologationtype		+ 3255		
6)	Homologationtype		+ 3257		
7)	Homologationtype		+ 3275		
8)	Homologationtype		+ 3277		



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 367 9	CRANKCASE		1	
2	60 0500 055 2	BEARING		4	2)
2	60 0500 057 2	BEARING		4	3)
2	60 0500 057 3	BEARING		4	4)
2	60 0500 057 4	BEARING		4	5)
2	60 0500 057 5	BEARING		4	6)
2	60 0500 057 6	BEARING		4	7)
2	60 0500 057 7	BEARING		4	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 085 1	SCREW		8	
5	60 0500 055 4	WASHER		8	
6	60 0500 055 1	SLEEVE		8	
7	60 0500 056 2	FLANGE		1	9)
7	60 0500 057 8	FLANGE		1	10)
7	60 0500 058 0	FLANGE		1	11)
7	60 0500 058 1	FLANGE		1	12)
7	60 0500 058 2	FLANGE		1	13)

1)	Homologationtype	+ 3235 + 3237 + 3285 + 3287
2)	Remarks	Di. 70,00 mm
3)	Remarks	Di. 69,75 mm
4)	Remarks	Di. 69,50 mm
5)	Remarks	Di. 69,25 mm
6)	Remarks	Di. 69,00 mm
7)	Remarks	Di. 68,75 mm
8)	Remarks	Di. 68,50 mm
9)	Remarks	ép. 3,00 mm
10)	Remarks	ép. 3,25 mm
11)	Remarks	ép. 3,50 mm
12)	Remarks	ép. 3,75 mm
13)	Remarks	ép. 4,00 mm



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 6	SHAFT SEAL		1	2)
2	60 0502 621 8	SEALING RING		1	3)
3	60 0500 055 8	RING		1	
4	60 0500 055 3	LOCK		2	
5	60 0500 056 0	BUSHING		2	
6	60 0500 056 3	SUPPORT		1	
7	60 0500 085 5	PIN		2	
8	60 0500 055 5	LOCK		4	
9	60 0500 085 6	LOCK		4	
10	60 0500 085 7	GASKET		4	
11	60 0500 055 9	BLANKING COVER		1	
12	60 0500 085 9	GASKET		2	
13	60 0500 059 9	NOZZLE		3	
14	60 0500 085 8	WASHER	A8	8	
1)	Homologationtype			+ 3235 + 3237 + 3285 + 3287	
2)	Motor	F3L912 F3L913		up to 8531259 up to 8531259	
3)	Motor	F3L912 F3L913		from 8531260 from 8531260	




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 368 0	CRANKCASE		1	
2	60 0500 055 2	BEARING		5	2)
2	60 0500 057 2	BEARING		5	3)
2	60 0500 057 3	BEARING		5	4)
2	60 0500 057 4	BEARING		5	5)
2	60 0500 057 5	BEARING		5	6)
2	60 0500 057 6	BEARING		5	7)
2	60 0500 057 7	BEARING		1	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 057 1	PIN		2	
5	60 0500 085 1	SCREW		10	
6	60 0500 055 4	WASHER		10	
7	60 0500 055 1	SLEEVE		10	
8	60 0500 056 2	FLANGE		1	9)
8	60 0500 057 8	FLANGE		1	10)
8	60 0500 058 0	FLANGE		1	11)
8	60 0500 058 1	FLANGE		1	12)
8	60 0500 058 2	FLANGE		1	13)
1)	Homologation	type	+ 3255 + 3257 + 3275 + 3277		
2)	Remarks		Di. 70,00 mm		
3)	Remarks		Di. 69,75 mm		
4)	Remarks		Di. 69,50 mm		
5)	Remarks		Di. 69,25 mm		
6)	Remarks		Di. 69,00 mm		
7)	Remarks		Di. 68,75 mm		
8)	Remarks		Di. 68,50 mm		
9)	Remarks		ép. 3,00 mm		
10)	Remarks		ép. 3,25 mm		
11)	Remarks		ép. 3,50 mm		
12)	Remarks		ép. 3,75 mm		
13)	Remarks		ép. 4,00 mm		


100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 8	SEALING RING		1	
3	60 0500 056 6	SHAFT SEAL		1	2)
3	60 0502 621 8	SEALING RING		1	3)
4	60 0500 055 8	RING		1	
5	60 0500 057 0	LOCK		2	
6	60 0500 056 0	BUSHING		2	
7	60 0500 056 3	SUPPORT		1	
8	60 0500 085 5	PIN		2	
9	60 0500 055 5	LOCK		5	
10	60 0500 085 6	LOCK		4	
11	60 0500 085 7	GASKET		4	
12	60 0500 055 9	BLANKING COVER		1	
13	60 0500 057 9	GASKET		1	
14	60 0500 060 0	NOZZLE		4	
15	60 0502 638 8	O-RING	9X1,5	4	
16	60 0500 086 1	LOCK		1	
17	60 0500 086 3	SEALING RING		1	
18	60 0500 086 2	LOCK		1	
19	60 0502 825 5	SEALING RING		1	
1)	Homologation	type		+ 3255 + 3257 + 3275 + 3277	
2)	Motor	F4L912 F4L913		up to 8531259 up to 8531259	
3)	Motor	F4L912 F4L913		from 8531260 from 8531260	




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 053 9	TUBE		1	1)
1	60 0500 053 9	TUBE		1	2)
2	60 0500 054 0	TUBE		1	3)
2	60 0500 054 0	TUBE		1	4)
3	60 0502 368 1	TUBE		1	5)
4	60 0500 054 2	TUBE		1	6)
5	60 0500 054 1	PLATE		1	1)
5	60 0500 054 1	PLATE		1	2)
6	60 0500 053 8	PLATE		1	7)
1)	Homologationtype		+ 3235		
2)	Homologationtype		+ 3237		
3)	Homologationtype		+ 3285		
4)	Homologationtype		+ 3287		
5)	Homologationtype		- 3235		
			- 3237		
			- 3285		
			- 3287		
6)	Homologationtype		- 3285		
			- 3287		
7)	Homologationtype		- 3235		
			- 3237		



120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 918 3	HOUSING		1	
2	60 0500 053 3	LOCK		1	
3	60 0500 053 4	SHAFT SEAL		1	
4	60 0500 054 7	SHAFT SEAL		1	1)
4	60 0502 621 9	SEALING RING		1	2)
5	60 0500 053 6	O-RING		1	
6	60 0500 060 7	COVER		1	
7	60 0500 053 6	O-RING		1	
8	60 0500 060 7	COVER		1	
9	60 0500 073 7	PIN		1	
10	60 0500 086 0	WASHER	A10	2	
11	60 0500 085 8	WASHER	A8	2	
12	60 0500 053 7	STUD BOLT		3	
13	60 0500 081 2	LOCK		1	
14	60 0502 393 4	GASKET		1	3)
1)	Motor	F3L912		up to 8534999	
		F3L913		up to 8534999	
		F4L912		up to 8534999	
		F4L913		up to 8534999	
2)	Motor	F3L912		from 8535000	
		F3L913		from 8535000	
		F4L912		from 8535000	
		F4L913		from 8535000	
3)	Remarks			[SR]	




160 OIL PAN

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 061 0	HOUSING		1	1)
1	60 0502 621 6	OIL SUMP		1	2)
2	60 0500 061 1	HOUSING		1	3)
2	60 0502 621 7	OIL SUMP		1	4)
3	60 0500 060 8	GASKET		1	5)
4	60 0500 060 9	GASKET		1	6)
5	60 0503 060 1	LOCK		1	
6	60 0500 087 5	SEALING RING		1	
7	60 0500 085 8	WASHER	A8	19	5)
8	60 0500 086 5	SCREW		3	7)
9	60 0500 086 5	SCREW		3	8)
10	60 0500 054 4	GAUGE		1	
11	60 0500 054 5	O-RING	4,3 X 2,4	1	
12	60 0500 060 6	BUSHING		1	
13	60 0010 236 1	TUBE		1	9)
14	60 0012 823 5	SCREW		1	9)
15	60 0012 327 0	SEALING RING		2	9)
1)	Homologationtype		- 3255 - 3257 - 3275 - 3277		
	Motor	F3L912 F3L913 F4L912 F4L913	up to 8574194 up to 8575903 up to 8571412 up to 8571482		
2)	Homologationtype		- 3255 - 3257 - 3275 - 3277		
	Motor	F3L912 F3L913 F4L912 F4L913	from 8574195 from 8575904 from 8571413 from 8571483		
3)	Homologationtype		- 3235 - 3237 - 3285 - 3287		
	Motor	F3L912 F3L913 F4L912 F4L913	up to 8574194 up to 8575903 up to 8571412 up to 8571482		
4)	Homologationtype		- 3235 - 3237 - 3285 - 3287		
	Motor	F3L912 F3L913 F4L912 F4L913	from 8574195 from 8575904 from 8571413 from 8571483		
5)	Homologationtype		- 3255 - 3257 - 3275 - 3277		
6)	Homologationtype		- 3235 - 3237 - 3285 - 3287		

160 OIL PAN

7) Homologationtype	- 3255
	- 3257
	- 3275
	- 3277
	HM 8 X1.25-110
8) Homologationtype	- 3235
	- 3237
	- 3285
	- 3287
	HM 8 X1.25-110
9) Homologationtype	- 3235
	- 3255
	- 3275
	- 3285



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com