





010 COMPLETE ENGINE


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 9800 010 4	ENGINE		1	1)
1	77 9800 010 8	ENGINE		1	2)
1	77 9800 010 8	ENGINE		1	3)
2	77 9800 010 5	ENGINE		1	4)
2	77 9800 010 5	ENGINE		1	5)
2	77 9800 010 6	ENGINE		1	6)
2	77 9800 010 6	ENGINE		1	7)
1)	Homologationtype		+ 3246		
2)	Homologationtype		+ 3286		
3)	Homologationtype		+ 3288		
4)	Homologationtype		+ 3266		
5)	Homologationtype		+ 3268		
6)	Homologationtype		+ 3276		
7)	Homologationtype		+ 3278		



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 367 9	CRANKCASE		1	
2	60 0500 055 2	BEARING		4	2)
2	60 0500 057 2	BEARING		4	3)
2	60 0500 057 3	BEARING		4	4)
2	60 0500 057 4	BEARING		4	5)
2	60 0500 057 5	BEARING		4	6)
2	60 0500 057 6	BEARING		4	7)
2	60 0500 057 7	BEARING		4	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 085 1	SCREW		8	
5	60 0500 055 4	WASHER		8	
6	60 0500 055 1	SLEEVE		8	
7	60 0500 056 2	FLANGE		1	9)
7	60 0500 057 8	FLANGE		1	10)
7	60 0500 058 0	FLANGE		1	11)
7	60 0500 058 1	FLANGE		1	12)
7	60 0500 058 2	FLANGE		1	13)


1)	Homologationtype	+ 3246 + 3286 + 3288
2)	Remarks	Di. 70,00 mm
3)	Remarks	Di. 69,75 mm
4)	Remarks	Di. 69,50 mm
5)	Remarks	Di. 69,25 mm
6)	Remarks	Di. 69,00 mm
7)	Remarks	Di. 68,75 mm
8)	Remarks	Di. 68,50 mm
9)	Remarks	ép. 3,00 mm
10)	Remarks	ép. 3,25 mm
11)	Remarks	ép. 3,50 mm
12)	Remarks	ép. 3,75 mm
13)	Remarks	ép. 4,00 mm



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 6	SHAFT SEAL		1	2)
2	60 0502 621 8	SEALING RING		1	3)
3	60 0500 055 8	RING		1	
4	60 0500 055 3	LOCK		2	
5	60 0500 056 0	BUSHING		2	
6	60 0500 056 3	SUPPORT		1	
7	60 0500 085 5	PIN		2	
8	60 0500 055 5	LOCK		4	
9	60 0500 085 6	LOCK		4	
10	60 0500 085 7	GASKET		4	
11	60 0500 055 9	BLANKING COVER		1	
12	60 0500 085 9	GASKET		2	
13	60 0500 059 9	NOZZLE		3	
14	60 0500 085 8	WASHER	A8	8	

1)	Homologationtype		+ 3246 + 3286 + 3288
2)	Motor	F3L912 F3L913	up to 8531259 up to 8531259
3)	Motor	F3L912 F3L913	from 8531260 from 8531260



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 368 0	CRANKCASE		1	
2	60 0500 055 2	BEARING		5	2)
2	60 0500 057 2	BEARING		5	3)
2	60 0500 057 3	BEARING		5	4)
2	60 0500 057 4	BEARING		5	5)
2	60 0500 057 5	BEARING		5	6)
2	60 0500 057 6	BEARING		5	7)
2	60 0500 057 7	BEARING		1	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 057 1	PIN		2	
5	60 0500 085 1	SCREW		10	
6	60 0500 055 4	WASHER		10	
7	60 0500 055 1	SLEEVE		10	
8	60 0500 056 2	FLANGE		1	9)
8	60 0500 057 8	FLANGE		1	10)
8	60 0500 058 0	FLANGE		1	11)
8	60 0500 058 1	FLANGE		1	12)
8	60 0500 058 2	FLANGE		1	13)
1)	Homologationtype	+ 3266 + 3268 + 3276 + 3278			
2)	Remarks	Di. 70,00 mm			
3)	Remarks	Di. 69,75 mm			
4)	Remarks	Di. 69,50 mm			
5)	Remarks	Di. 69,25 mm			
6)	Remarks	Di. 69,00 mm			
7)	Remarks	Di. 68,75 mm			
8)	Remarks	Di. 68,50 mm			
9)	Remarks	ép. 3,00 mm			
10)	Remarks	ép. 3,25 mm			
11)	Remarks	ép. 3,50 mm			
12)	Remarks	ép. 3,75 mm			
13)	Remarks	ép. 4,00 mm			



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 8	SEALING RING		1	
3	60 0500 056 6	SHAFT SEAL		1	2)
3	60 0502 621 8	SEALING RING		1	3)
4	60 0500 055 8	RING		1	
5	60 0500 057 0	LOCK		2	
6	60 0500 056 0	BUSHING		2	
7	60 0500 056 3	SUPPORT		1	
8	60 0500 085 5	PIN		2	
9	60 0500 055 5	LOCK		5	
10	60 0500 085 6	LOCK		4	
11	60 0500 085 7	GASKET		4	
12	60 0500 055 9	BLANKING COVER		1	
13	60 0500 057 9	GASKET		1	
14	60 0500 060 0	NOZZLE		4	
15	60 0502 638 8	O-RING	9X1,5	4	
16	60 0500 086 1	LOCK		1	
17	60 0500 086 3	SEALING RING		1	
18	60 0500 086 2	LOCK		1	
19	60 0502 825 5	SEALING RING		1	

1)

Homologationtype

+ 3266
+ 3268
+ 3276
+ 3278

2)

Motor

F4L912
F4L913


up to 8531259
up to 8531259

3)

Motor


F4L912
F4L913

from 8531260
from 8531260




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 053 9	TUBE		1	1)
2	60 0500 054 0	TUBE		1	2)
2	60 0500 054 0	TUBE		1	3)
3	60 0502 368 1	TUBE		1	4)
4	60 0500 054 2	TUBE		1	5)
5	60 0500 054 1	PLATE		1	1)
6	60 0500 053 8	PLATE		1	6)
1)	Homologationtype		+ 3246		
2)	Homologationtype		+ 3286		
3)	Homologationtype		+ 3288		
4)	Homologationtype		- 3246 - 3286 - 3288		
5)	Homologationtype		- 3286 - 3288		
6)	Homologationtype		- 3246		



120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 918 3	HOUSING		1	
2	60 0500 053 3	LOCK		1	
3	60 0500 053 4	SHAFT SEAL		1	
4	60 0500 054 7	SHAFT SEAL		1	1)
4	60 0502 621 9	SEALING RING		1	2)
5	60 0500 053 6	O-RING		1	
6	60 0500 060 7	COVER		1	
7	60 0500 053 6	O-RING		1	
8	60 0500 060 7	COVER		1	
9	60 0500 073 7	PIN		1	
10	60 0500 086 0	WASHER	A10	2	
11	60 0500 085 8	WASHER	A8	2	
12	60 0500 053 7	STUD BOLT		3	
13	60 0500 081 2	LOCK		1	
14	60 0502 393 4	GASKET		1	3)
1)	Motor	F3L912		up to 8534999	
		F3L913		up to 8534999	
		F4L912		up to 8534999	
		F4L913		up to 8534999	
2)	Motor	F3L912		from 8535000	
		F3L913		from 8535000	
		F4L912		from 8535000	
		F4L913		from 8535000	
3)	Remarks			[SR]	




160 OIL PAN

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 061 0	HOUSING	A8 <		

160 OIL PAN

7)	- 3278 HM 8x1.25-110
8) Homologationtype	- 3246 - 3286 - 3288 HM 8x1.25-110
9) Homologationtype	- 3246 - 3266 - 3276 - 3286



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com