





010 COMPLETE ENGINE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 096 0	ENGINE		1	1)
1	60 0503 096 0	ENGINE		1	2)
1	60 0503 096 1	ENGINE		1	3)
1	60 0503 096 1	ENGINE		1	4)
1	60 0503 096 3	ENGINE		1	5)
1	60 0503 096 3	ENGINE		1	6)


1)	Homologationtype	+ 9511 ATMO 3 CYL 56CH
2)	Homologationtype	+ 9512 ATMO 3 CYL 56CH
3)	Homologationtype	+ 9521 TURBO 3CYL 68CH
4)	Homologationtype	+ 9522 TURBO 3CYL 68CH
5)	Homologationtype	+ 9531 TURBO 3CYL 79CH
6)	Homologationtype	+ 9532 TURBO 3CYL 79CH



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 097 9	CRANKCASE		1	
2	60 0503 098 0	PLUG		3	
3	60 0503 098 1	BUSHING		1	2)
4	60 0503 098 2	PLUG		2	
5	60 0503 098 3	PLUG		1	3)
6	60 0503 098 4	O-RING		1	
7	60 0503 098 5	SCREW		8	4)
8	60 0503 098 6	CENTRING PIN		8	
9	60 0503 098 7	CENTRING PIN		2	
10	60 0503 098 8	NOZZLE		1	5)
11	60 0503 098 9	NOZZLE		3	5)
12	60 0503 099 0	PLUG		2	
13	60 0503 099 1	PLUG		1	
14	60 0503 099 2	BLANKING COVER		6	
15	60 0503 099 3	PLUG		1	6)
16	60 0503 099 4	O-RING		1	

1)	Homologationtype	+ 9511 + 9512
2)	Remarks	->ARBRE A CAME
3)	Remarks	M10X1.50
4)	Remarks	M12X120mm
5)	Remarks	-->HUILE
6)	Remarks	M18X1,50



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 097 9	CRANKCASE		1	
2	60 0503 098 0	PLUG		3	
3	60 0503 098 1	BUSHING		1	2)
4	60 0503 098 2	PLUG		2	
5	60 0503 098 3	PLUG		1	3)
6	60 0503 098 4	O-RING		1	
7	60 0503 098 5	SCREW		8	4)
8	60 0503 098 6	CENTRING PIN		8	
9	60 0503 098 7	CENTRING PIN		2	
10	60 0503 098 8	NOZZLE		1	5)
11	60 0503 098 9	NOZZLE		3	5)
12	60 0503 099 0	PLUG		2	
13	60 0503 099 2	BLANKING COVER		6	
14	60 0503 099 3	PLUG		1	6)
15	60 0503 099 4	O-RING		1	
1)	Homologationtype	+ 9521 + 9522			
2)	Remarks	->ARBRE A CAMES			
3)	Remarks	M10X1,50			
4)	Remarks	M12X120mm			
5)	Remarks	HUILE			
6)	Remarks	M 18 X 1,50			



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 099 5	CRANKCASE		1	
2	60 0503 098 0	PLUG		3	
3	60 0503 098 1	BUSHING		1	2)
4	60 0503 098 2	PLUG		2	
5	60 0503 098 3	PLUG		1	3)
6	60 0503 098 4	O-RING		1	
7	60 0503 098 5	SCREW		8	4)
8	60 0503 098 6	CENTRING PIN		8	
9	60 0503 098 8	NOZZLE		1	5)
10	60 0503 099 7	SCREW		3	
11	60 0503 099 8	NOZZLE		3	5)
12	60 0503 098 7	CENTRING PIN		2	
13	60 0503 099 0	PLUG		2	
14	60 0503 099 2	BLANKING COVER		6	
15	60 0503 099 3	PLUG		1	6)
16	60 0503 099 4	O-RING		1	

1)	Homologationtype	+ 9531 + 9532
2)	Remarks	->ARBRE A CAMES
3)	Remarks	M 10 X 1,50
4)	Remarks	M 12 X 120mm
5)	Remarks	->HUILE
6)	Remarks	M 18 X 1,50



120 TIMING CASE


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 100 4	HOUSING		1	
2	60 0503 100 5	SEALING RING		1	
3	60 0503 100 6	COVER		1	
4	60 0503 100 7	O-RING		1	
5	60 0503 100 8	CENTRING PIN		2	



160 OIL PAN


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 100 9	OIL SUMP		1	1)
2	60 0503 101 0	SCREW PLUG		2	2)
3	60 0503 101 1	O-RING		2	
4	60 0503 101 2	LOCK		1	
5	00 1151 669 0	GASKET		1	3)
6	60 0503 101 4	ENGINE OIL FILTER		1	
7	60 0503 101 5	LOCK		1	
8	77 0102 690 5	O-RING	23,47X2,62 NBR 80 SH	2	4)
9	60 0503 101 6	TUBE		1	
10	60 0503 101 7	GAUGE		1	
11	60 0503 101 8	O-RING		2	5)
12	60 0503 101 9	GASKET		1	

1)	Remarks	-> 3 CYLINDRES
2)	Remarks	M 22 X 1,50
3)	Remarks	ø16x24-1,5
4)	Remarks	ø 23,4 X 2,6
5)	Remarks	ø 21,95 x 1,78




100 CYLINDER LINER, PISTON 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 107 7	ENGINE PISTON		3	
1	60 0503 107 8	ENGINE PISTON		3	2)
2	60 0503 107 9	SET OF PISTON RINGS		3	
2	60 0503 108 0	SET OF PISTON RINGS		3	2)
3	60 0503 108 1	AXLE		3	
4	60 0503 108 2	INT RETAINING RING		6	
1)	Homologationtype		+ 9511 + 9512		
2)	Remarks		+ 0,4		




100 CYLINDER LINER, PISTON 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 108 3	ENGINE PISTON		3	
1	60 0503 108 4	ENGINE PISTON		3	2)
2	60 0503 108 5	SET OF PISTON RINGS		3	
2	60 0503 108 6	SET OF PISTON RINGS		3	3)
3	60 0503 108 1	AXLE		3	
4	60 0503 108 2	INT RETAINING RING		6	
1)	Homologation	type	+ 9521 + 9522 + 9531 + 9532		
2)	Remarks		DE + 0,4		
3)	Remarks		+ 0,4		



120 CONNECTING ROD, CONNECTING ROD BEARINGS

Pos.	Part No.	Description	Dimension		Quantity	Conditions
1	60 0503 108 7	ROD (ENGINE)			3	
2	60 0503 108 8	RING			3	1)
3	60 0503 108 9	SCREW			6	
4	60 0503 109 0	BEARING BUSH	LONG 9CM	LARG 5CM HAUT	3	2)
1)	Remarks	PIED DE BIELLE				
2)	Remarks	TETE DE BIELLE				



140 CRANKSHAFT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1131 366 0	CRANKSHAFT		1	
2	60 0503 109 6	BEARING		3	
2	60 0503 109 7	BEARING		3	1)
2	60 0503 109 8	BEARING		3	2)
3	60 0503 110 0	BEARING		1	
3	60 0503 110 2	BEARING		1	1)
3	60 0503 110 3	BEARING		1	2)
4	60 0503 110 4	CENTRING PIN		1	
5	60 0503 110 7	WHEEL		1	
1)	Remarks				-0,250
2)	Remarks				-0,500

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com