





010 COMPLETE ENGINE


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 9800 010 4	ENGINE		1	1)
1	77 9800 010 4	ENGINE		1	2)
2	77 9800 010 5	ENGINE		1	3)
2	77 9800 010 5	ENGINE		1	4)
2	77 9800 010 6	ENGINE		1	5)
1)	Homologationtype		+ 3221		
2)	Homologationtype		+ 3222		
3)	Homologationtype		+ 3241		
4)	Homologationtype		+ 3242		
5)	Homologationtype		+ 3272		



100 CRANKCASE 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 367 9	CRANKCASE		1	
2	60 0500 055 2	BEARING		4	2)
2	60 0500 057 2	BEARING		4	3)
2	60 0500 057 3	BEARING		4	4)
2	60 0500 057 4	BEARING		4	5)
2	60 0500 057 5	BEARING		4	6)
2	60 0500 057 6	BEARING		4	7)
2	60 0500 057 7	BEARING		4	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 085 1	SCREW		8	
5	60 0500 055 4	WASHER		8	
6	60 0500 055 1	SLEEVE		8	
7	60 0500 056 2	FLANGE		1	9)
7	60 0500 057 8	FLANGE		1	10)
7	60 0500 058 0	FLANGE		1	11)
7	60 0500 058 1	FLANGE		1	12)
7	60 0500 058 2	FLANGE		1	13)

1)	Homologationtype	+ 3221 + 3222
2)	Remarks	Di. 70,00 mm
3)	Remarks	Di. 69,75 mm
4)	Remarks	Di. 69,50 mm
5)	Remarks	Di. 69,25 mm
6)	Remarks	Di. 69,00 mm
7)	Remarks	Di. 68,75 mm
8)	Remarks	Di. 68,50 mm
9)	Remarks	ép. 3,00 mm
10)	Remarks	ép. 3,25 mm
11)	Remarks	ép. 3,50 mm
12)	Remarks	ép. 3,75 mm
13)	Remarks	ép. 4,00 mm




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 6	SHAFT SEAL		1	2)
2	60 0502 621 8	SEALING RING		1	3)
3	60 0500 055 8	RING		1	
4	60 0500 055 3	LOCK		2	
5	60 0500 056 0	BUSHING		2	
6	60 0500 056 3	SUPPORT		1	
7	60 0500 085 5	PIN		2	
8	60 0500 055 5	LOCK		4	
9	60 0500 085 6	LOCK		4	
10	60 0500 085 7	GASKET		4	
11	60 0500 055 9	BLANKING COVER		1	
12	60 0500 085 9	GASKET		2	
13	00 1132 118 0	NOZZLE		3	
14	60 0500 085 8	WASHER	A8	8	
1)	Homologationtype			+ 3221 + 3222	
2)	Motor	F3L912		up to 8531259	
3)	Motor	F3L912		from 8531260	




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 368 0	CRANKCASE		1	
2	60 0500 055 2	BEARING		5	2)
2	60 0500 057 2	BEARING		5	3)
2	60 0500 057 3	BEARING		5	4)
2	60 0500 057 4	BEARING		5	5)
2	60 0500 057 5	BEARING		5	6)
2	60 0500 057 6	BEARING		5	7)
2	60 0500 057 7	BEARING		1	8)
3	60 0500 056 4	FLANGE		1	9)
3	60 0500 058 3	FLANGE		1	10)
3	60 0500 058 5	FLANGE		1	11)
3	60 0500 058 7	FLANGE		1	12)
3	60 0500 058 9	FLANGE		1	13)
4	60 0500 057 1	PIN		2	
5	60 0500 085 1	SCREW		10	
6	60 0500 055 4	WASHER		10	
7	60 0500 055 1	SLEEVE		10	
8	00 1139 394 0	FLANGE		1	9)
8	60 0500 057 8	FLANGE		1	10)
8	60 0500 058 0	FLANGE		1	11)
8	60 0500 058 1	FLANGE		1	12)
8	60 0500 058 2	FLANGE		1	13)
1)	Homologation	type	+ 3241 + 3242 + 3272		
2)	Remarks		Di. 70,00 mm		
3)	Remarks		Di. 69,75 mm		
4)	Remarks		Di. 69,50 mm		
5)	Remarks		Di. 69,25 mm		
6)	Remarks		Di. 69,00 mm		
7)	Remarks		Di. 68,75 mm		
8)	Remarks		Di. 68,50 mm		
9)	Remarks		ép. 3,00 mm		
10)	Remarks		ép. 3,25 mm		
11)	Remarks		ép. 3,50 mm		
12)	Remarks		ép. 3,75 mm		
13)	Remarks		ép. 4,00 mm		



100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 056 5	COVER		1	
2	60 0500 056 8	SEALING RING		1	
3	60 0500 056 6	SHAFT SEAL		1	2)
3	60 0502 621 8	SEALING RING		1	3)
4	60 0500 055 8	RING		1	
5	60 0500 057 0	LOCK		2	
6	60 0500 056 0	BUSHING		2	
7	60 0500 056 3	SUPPORT		1	
8	60 0500 085 5	PIN		2	
9	60 0500 055 5	LOCK		5	
10	60 0500 085 6	LOCK		4	
11	60 0500 085 7	GASKET		4	
12	60 0500 055 9	BLANKING COVER		1	
13	60 0500 057 9	GASKET		1	
14	60 0500 060 0	NOZZLE		4	
15	60 0502 638 8	O-RING	9X1,5	4	
16	60 0500 086 1	LOCK		1	
17	60 0500 086 3	SEALING RING		1	
18	60 0500 086 2	LOCK		1	
19	60 0502 825 5	SEALING RING		1	
1)	Homologationtype			+ 3241 + 3242 + 3272	
2)	Motor	F4L912 F4L913		up to 8531259 up to 8531259	
3)	Motor	F4L912 F4L913		from 8531260 from 8531260	




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 053 9	TUBE		1	1)
1	60 0500 053 9	TUBE		1	2)
3	60 0502 368 1	TUBE		1	3)
4	60 0500 054 2	TUBE		1	
5	60 0500 054 1	PLATE		1	1)
5	60 0500 054 1	PLATE		1	2)
6	60 0500 053 8	PLATE		1	3)
1)	Homologationtype		+ 3221		
2)	Homologationtype		+ 3222		
3)	Homologationtype		- 3221		
			- 3222		

120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 918 3	HOUSING		1	
2	60 0500 053 3	LOCK		1	
3	60 0500 053 4	SHAFT SEAL		1	
4	60 0500 054 7	SHAFT SEAL		1	1)
4	60 0502 621 9	SEALING RING		1	2)
5	60 0500 053 6	O-RING		1	
6	60 0500 060 7	COVER		1	
7	60 0500 053 6	O-RING		1	
8	60 0500 060 7	COVER		1	
9	60 0500 073 7	PIN		1	
10	60 0500 086 0	WASHER	A10	2	
11	60 0500 085 8	WASHER	A8	2	
12	60 0500 053 7	STUD BOLT		3	
13	60 0500 081 2	LOCK		1	
14	60 0502 393 4	GASKET		1	3)
1)	Motor	F3L912		up to 8534999	
		F4L912		up to 8534999	
		F4L913		up to 8534999	
2)	Motor	F3L912		from 8535000	
		F4L912		from 8535000	
		F4L913		from 8535000	
3)	Remarks			[SR]	




160 OIL PAN

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0500 061 0	HOUSING		1	1)
1	60 0500 061 0	HOUSING		1	2)
1	60 0502 621 6	OIL SUMP		1	3)
1	60 0502 621 6	OIL SUMP		1	4)
2	60 0500 061 1	HOUSING		1	5)
2	60 0502 621 7	OIL SUMP		1	6)
3	60 0500 060 8	GASKET		1	7)
3	60 0500 060 8	GASKET		1	8)
4	60 0500 060 9	GASKET		1	9)
5	60 0503 060 1	LOCK		1	
6	60 0500 087 5	SEALING RING		1	
7	60 0500 085 8	WASHER	A8	19	7)
7	60 0500 085 8	WASHER	A8	19	8)
8	60 0500 086 5	SCREW		3	10)
8	60 0500 086 5	SCREW		3	11)
9	60 0500 086 5	SCREW		3	12)
10	60 0500 054 4	GAUGE		1	
11	60 0500 054 5	O-RING	4,3 X 2,4	1	
12	60 0500 060 6	BUSHING		1	
13	60 0010 236 1	TUBE		1	13)
14	60 0012 823 5	SCREW		1	13)
15	60 0012 327 0	SEALING RING		2	13)
1)	Homologationtype Motor	F3L912 F4L912 F4L913		+ 3221 up to 8574194 up to 8571412 up to 8571482	
2)	Homologationtype Motor	F3L912 F4L912 F4L913		+ 3222 up to 8574194 up to 8571412 up to 8571482	
3)	Homologationtype Motor	F3L912 F4L912 F4L913		+ 3221 from 8574195 from 8571413 from 8571483	
4)	Homologationtype Motor	F3L912 F4L912 F4L913		+ 3222 from 8574195 from 8571413 from 8571483	
5)	Homologationtype Motor	F3L912 F4L912 F4L913		- 3221 - 3222 up to 8574194 up to 8571412 up to 8571482	
6)	Homologationtype Motor	F3L912 F4L912 F4L913		- 3221 - 3222 from 8574195 from 8571413 from 8571483	
7)	Homologationtype			+ 3221	
8)	Homologationtype			+ 3222	
9)	Homologationtype			- 3221 - 3222	
10)	Homologationtype			+ 3221 HM 8X 1.25-110	


160 OIL PAN

11) Homologationtype	+ 3222 HM 8X 1.25-110
12) Homologationtype	- 3221 - 3222 HM 8X 1.25-110
13) Homologationtype	- 3221 - 3241



100 CYLINDER LINER, PISTON 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 766 4	LINER		3	
2	60 0500 061 4	WASHER		9	2)
2	60 0502 766 3	WASHER		1	3)
2	60 0500 061 6	WASHER		1	4)
2	00 1143 885 0	WASHER		1	5)
3	60 0502 228 6	ENGINE PISTON		3	6)
3	60 0502 228 7	ENGINE PISTON		3	7)
4	60 0502 229 0	ENGINE PISTON RING		3	6)
4	60 0502 229 1	ENGINE PISTON RING		3	7)
5	60 0500 066 9	AXLE		3	
6	60 0500 333 5	INT RETAINING RING		6	
7	60 0502 589 3	PISTON-LINER		3	6)
1)	Homologationtype	+ 3221 + 3222			
2)	Remarks	ép. 0,2			
3)	Remarks	ép. 0,5			
4)	Remarks	ép. 0,8			
5)	Remarks	ép. 1			
6)	Remarks	Di. 100			
7)	Remarks	Di. 100,5			



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com