




010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1602 783 0	ENGINE	COMPLETE	1	
2	00 1139 304 0	BAG OF SEALS		1	
3	00 1602 489 0	ENGINE VALVE	S GRIND SET	1	

1) Equipment


Type/Subtype

TO_P02_0030

FPT F5C-T 4cyl 71hp, ISO TR 14396

A39/120

+ TALOS 210



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1602 773 0	ENGINE	COMPLETE	1	
2	00 1139 304 0	BAG OF SEALS		1	
3	00 1602 489 0	ENGINE VALVE	S GRIND SET	1	

1) Equipment



Type/Subtype

TO_P02_0040

FPT F5C-T 4cyl 78hp, ISO TR 14396


A39/220

+ TALOS 220



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1602 774 0	ENGINE	COMPLETE	1	
2	00 1139 304 0	BAG OF SEALS		1	
3	00 1602 489 0	ENGINE VALVE	S GRIND SET	1	
1)	Equipment				
	Type/Subtype	TO_P02_0050	FPT F5C-TI 4cyl 87hp, ISO TR 14396		
		A39/320	+ TALOS 230		




010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1146 328 0	ENGINE		1	
2	60 0503 097 2	SEAL KIT		1	
3	00 1146 329 0	VALVE		1	
1)	Equipment				
	Type/Subtype	TO_P02_0060	FPT NEF-TI 4cyl 95 hp, ISO TR 14396		
		A39/420	+ TALOS 240		


100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1139 388 0	HOUSING		1	
2	60 0503 098 5	SCREW		10	
3	00 1139 576 0	BUSHING		14	
4	60 0503 098 1	BUSHING		1	
5	00 1139 577 0	PLUG		3	
6	00 1139 396 0	PLUG		4	
7	60 0502 536 5	PLUG		6	
8	00 1139 579 0	PLUG		1	
9	00 1139 580 0	PLUG		1	
10	00 1602 766 0	OIL PUMP	OIL NOZZLE	4	
11	00 1602 769 0	SCREW	CONNECTOR	4	
12	00 1602 764 0	UNION		1	
13	00 1139 581 0	SEALING RING		1	
1)	Equipment				
		TO_P02_0030	FPT F5C-T 4cyl 71hp, ISO TR 14396		
		TO_P02_0040	FPT F5C-T 4cyl 78hp, ISO TR 14396		
		TO_P02_0050	FPT F5C-TI 4cyl 87hp, ISO TR 14396		




100 CRANKCASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 100 2	LOCK		1	
2	00 1139 588 0	NOZZLE		1	
3	00 1139 589 0	SEALING RING		1	
4	60 0503 098 3	PLUG		2	
5	60 0503 098 4	O-RING		2	
6	60 0503 099 3	PLUG		2	
7	60 0503 099 4	O-RING		2	
8	60 0503 098 7	CENTRING PIN		2	
9	00 1131 978 0	CRANKCASE		1	
10	60 0503 098 6	CENTRING PIN		10	
11	60 0503 099 0	PLUG		1	
12	60 0503 098 0	PLUG		4	
13	60 0503 098 2	PLUG		2	
14	60 0503 098 5	SCREW		10	
15	60 0503 098 1	BUSHING		1	
16	60 0503 099 2	BLANKING COVER		8	
17	60 0503 098 9	NOZZLE		4	
1)	Equipment	TO_P02_0060	FPT NEF-TI 4cyl 95 hp, ISO TR 14396		





120 TIMING CASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1602 785 0	HOUSING	TIMINGGEAR	1	
2	00 1602 483 0	BUSHING		2	
3	00 1139 396 0	PLUG		3	
4	00 1139 397 0	NOZZLE		1	
5	00 1602 786 0	COVER	FRONT CASE COVER	1	
6	00 1602 788 0	GASKET	GKT	1	
7	00 1139 409 0	SCREW		4	
8	00 1139 401 0	SCREW	M08X35	15	
9	60 0503 298 1	SCREW		2	
10	00 1139 413 0	BUSHING		4	
11	00 1139 410 0	SCREW	M8X23	5	
12	00 1139 400 0	SCREW	HM08X50	6	
13	00 1602 279 0	GASKET	GKT	1	
14	60 0503 207 7	COVER		1	
15	00 1602 749 0	HEXAGON HEAD SCREW	M8X1,25X18 MM	4	
16	60 0503 120 7	GASKET		1	
17	60 0503 120 8	PLATE		1	
18	00 1139 408 0	SCREW PLUG		1	
19	00 1140 737 0	HEXAGON HEAD BOLT	M6X16	4	
20	00 1139 407 0	SEALING RING		1	
21	00 1602 723 0	GLUE	ADHESIVE	1	
1)	Equipment				
		TO_P02_0030	FPT F5C-T 4cyl 71hp, ISO TR 14396		
		TO_P02_0040	FPT F5C-T 4cyl 78hp, ISO TR 14396		
		TO_P02_0050	FPT F5C-TI 4cyl 87hp, ISO TR 14396		




120 TIMING CASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1141 376 0	COVER		1	
2	00 1602 757 0	O-RING	98,84 MM SP=3,53 MM	1	
3	00 1602 743 0	HEXAGON HEAD SCREW	M6X18 MM	3	
1)	Equipment				
		TO_P02_0030	FPT F5C-T 4cyl 71hp, ISO TR 14396		
		TO_P02_0040	FPT F5C-T 4cyl 78hp, ISO TR 14396		
		TO_P02_0050	FPT F5C-TI 4cyl 87hp, ISO TR 14396		



120 TIMING CASE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1167 869 0	CASING		1	
2	60 0503 100 5	SEALING RING		1	
3	00 1139 460 0	SCREW		2	
4	00 1139 457 0	SCREW		3	
5	00 1139 461 0	SCREW		2	
6	00 1139 458 0	SCREW		14	
7	60 0503 100 8	CENTRING PIN		2	
8	00 1139 452 0	COVER		1	
9	00 1139 454 0	O-RING		1	
10	00 1139 456 0	SCREW		1	
11	00 1139 461 0	SCREW		1	
1)	Equipment	TO_P02_0060	FPT NEF-TI 4cyl 95 hp, ISO TR 14396		



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com