






010 COMPLETE ENGINE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 0005 297 7	ENGINE		1	1)
1	77 0005 297 8	ENGINE		1	2)
1	77 0005 297 9	ENGINE		1	3)
1	77 0005 298 1	ENGINE		1	4)
1	77 0005 298 2	ENGINE		1	5)
1	77 0005 298 3	ENGINE		1	6)
1)	Equipment				
	Homologationtype	0M0020 0M0024	B13 SL - 30KM/H MECHANICAL SPLITTER + 3922		
2)	Equipment				
	Homologationtype	0M0026	TRACTONIC + 3922		
3)	Equipment				
	Homologationtype	0M0020 0M0024	B13 SL - 30KM/H MECHANICAL SPLITTER + 3932		
4)	Equipment				
	Homologationtype	0M0026	TRACTONIC + 3932		
5)	Equipment				
	Homologationtype	0M0020 0M0024	B13 SL - 30KM/H MECHANICAL SPLITTER + 3942		
6)	Equipment				
	Homologationtype	0M0026	TRACTONIC + 3942		




100 CRANKCASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1136 306 0	HOUSING		1	1)
1	60 0502 560 4	CRANKCASE		1	2)
2	60 0502 560 5	SCREW		14	
3	60 0502 560 7	PIN		2	
4	60 0502 560 8	STUD BOLT		1	3)
5	60 0502 560 9	STUD BOLT		1	4)
6	60 0502 561 0	STUD BOLT		1	4)
7	60 0502 561 2	STUD BOLT		2	5)
8	60 0502 561 3	PIN		1	
9	60 0502 561 4	PIN		1	6)
1)	Homologationtype	+ 3922			
2)	Homologationtype	- 3922			
3)	Remarks	M8X60			
4)	Remarks	M10X1,25			
5)	Remarks	M14			
6)	Remarks	DE.5X10			




120 TIMING CASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 538 2	COVER		1	
2	60 0502 538 3	STUD BOLT		4	
3	60 0502 538 4	SEALING RING		1	
4	60 0502 538 5	COVER		1	
5	60 0502 538 6	HOUSING		1	
6	60 0502 538 7	SEALING RING		1	
7	60 0502 538 8	GASKET		1	
8	60 0502 538 9	SEALING RING		1	
9	60 0502 539 0	BUSHING		3	
10	60 0502 560 7	PIN		2	
11	60 0502 539 2	NOZZLE		1	
12	60 0502 568 9	SCREW		3	
13	60 0502 539 1	STUD BOLT		4	1)
1)	Remarks	M8X20			




140 FLYWHEEL HOUSING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 539 3	SEALING RING		1	
2	60 0502 539 4	COVER		1	
3	60 0502 539 5	SEALING RING		1	
4	60 0502 539 6	HOUSING		1	
5	60 0502 539 7	SEALING RING		1	
6	60 0502 539 8	COVER		1	
7	60 0502 539 9	INDICATOR		1	
8	60 0502 540 0	SEALING RING		1	2)
9	60 0502 540 1	LOCK		1	
10	60 0502 540 2	SCREW		2	
11	60 0502 569 0	SCREW		2	
1)	Equipment	0M0014 0M0024	B13 4X4 - 30KM/H MECHANICAL SPLITTER		
2)	Remarks		20X26X1,5		



140 FLYWHEEL HOUSING 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 539 3	SEALING RING		1	
2	60 0502 539 4	COVER		1	
3	60 0502 539 5	SEALING RING		1	
4	60 0502 539 6	HOUSING		1	
5	60 0502 539 7	SEALING RING		1	
6	60 0502 539 8	COVER		1	
7	60 0502 539 9	INDICATOR		1	
8	60 0502 541 0	SEALING RING		1	2)
9	60 0502 541 1	TRANSMITTER		1	
10	60 0502 540 2	SCREW		2	
11	60 0502 569 0	SCREW		2	
1)	Equipment	0M0026	TRACTONIC		
2)	Remarks		20X26X1,5		



160 OIL PAN


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 561 6	OIL SUMP		1	1)
1	60 0502 561 6	OIL SUMP		1	2)
1	60 0502 561 5	OIL SUMP		1	3)
2	60 0502 561 7	SEALING RING		1	
3	60 0502 561 8	SEALING RING		1	
4	60 0502 561 9	SEALING RING		1	
5	60 0502 562 0	SEALING RING		1	
6	60 0502 562 1	LOCK		1	
7	60 0502 562 2	SEALING RING		1	4)
8	60 0502 541 3	GAUGE		1	
9	60 0502 569 1	WASHER		31	
10	60 0502 569 2	SCREW		2	5)
11	60 0502 589 5	SCREW		2	6)
11	00 1138 437 0	SCREW		5	7)
11	60 0502 589 7	SCREW		20	8)
11	60 0502 589 8	SCREW		2	9)
12	60 0502 659 7	GREASE NIPPLE		1	1)
12	60 0502 659 7	GREASE NIPPLE		1	2)

1)	Homologationtype	+ 3932
2)	Homologationtype	+ 3942
3)	Homologationtype	+ 3922
4)	Remarks	DE.2,62X21,89
5)	Remarks	M10X125-170
6)	Remarks	M?X?-?
7)	Remarks	M10X125-200
8)	Remarks	M10X125-90
9)	Remarks	M?X?




180 PLUGS

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 536 2	LOCK		5	1)
2	60 0502 536 4	LOCK		1	2)
2	60 0502 537 2	LOCK		2	3)
3	60 0502 536 5	PLUG		2	4)
4	60 0502 536 6	SEALING RING		1	5)
5	60 0502 536 7	PLUG		1	6)
6	60 0502 536 8	SEALING RING		1	
7	60 0502 536 9	COVER		1	
8	60 0502 537 0	WASHER		1	
9	60 0502 537 1	SCREW		1	7)
10	60 0502 537 2	LOCK		2	8)
11	60 0502 537 3	LOCK		3	9)
12	60 0502 537 4	LOCK		1	10)
13	60 0502 537 5	O-RING	142-59,99X2,62-N	1	11)
14	60 0502 537 6	LOCK		1	
15	60 0502 537 7	GASKET		1	
16	60 0502 537 8	COVER		1	
17	60 0502 537 9	LOCK		1	
18	60 0502 538 0	SEALING RING		1	12)
19	60 0502 538 1	LOCK	Ø 36	6	13)
1)	Remarks	M10X1,25			
2)	Homologationtype	- 3922 M10			
3)	Homologationtype	+ 3922 M14X150			
4)	Remarks	DE.40			
5)	Remarks	12X18X1,5			
6)	Remarks	M12X150			
7)	Remarks	M8X40			
8)	Remarks	M14X150			
9)	Remarks	DE.16			
10)	Remarks	DE.60			
11)	Remarks	2,62X58,42			
12)	Remarks	DE.49X42X1,5			
13)	Remarks	DE.36			




100 CYLINDER LINER, PISTON

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0503 153 6	LINER		6	1)
1	60 0502 541 9	LINER		6	2)
2	60 0502 569 3	CYLINDER PISTON		6	3)
2	60 0502 569 4	CYLINDER PISTON		6	4)
2	60 0502 569 5	ENGINE PISTON		6	5)
2	60 0502 569 6	CYLINDER PISTON		6	6)
2	60 0502 569 7	CYLINDER PISTON		6	7)
2	60 0502 569 8	CYLINDER PISTON		6	8)
3	60 0502 569 9	SET OF PISTON RINGS		6	3)
3	60 0502 570 0	SET OF PISTON RINGS		6	4)
3	60 0502 570 1	SET OF PISTON RINGS		6	5)
3	60 0502 570 2	SET OF PISTON RINGS		6	6)
3	60 0502 570 3	SET OF PISTON RINGS		6	7)
3	60 0502 570 4	SET OF PISTON RINGS		6	8)
4	60 0502 570 5	AXLE		6	9)
4	60 0502 570 6	AXLE		6	10)
5	60 0502 570 7	INT RETAINING RING		12	
1)	Remarks	STD			
2)	Remarks	+ 0,20			
3)	Homologationtype	+ 3922 STD			
4)	Homologationtype	+ 3942 STD			
5)	Homologationtype	+ 3932 STD			
6)	Homologationtype	+ 3922 + 0,60			
7)	Homologationtype	+ 3942 + 0,60			
8)	Homologationtype	+ 3932 + 0,60			
9)	Homologationtype	+ 3922			
10)	Homologationtype	- 3922			



120 CONNECTING ROD, CONNECTING ROD BEARINGS


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 542 1	ROD (ENGINE)		6	1)
1	60 0502 542 3	ROD (ENGINE)		6	2)
2	60 0502 542 4	SCREW		12	
3	60 0502 542 6	BEARING		6	1)
3	60 0502 542 8	BEARING		6	2)
4	60 0502 568 6	BEARING		6	3)
4	60 0502 568 7	BEARING		6	4)
4	60 0502 568 8	BEARING		6	5)
1)	Homologationtype	+ 3922			
2)	Homologationtype	- 3922			
3)	Remarks	STD			
4)	Homologationtype	+ 3922 (-0,254)			
5)	Homologationtype	- 3922 (-0,254)			



140 CRANKSHAFT


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 542 9	CRANKSHAFT		1	
2	60 0502 543 0	HUB		1	
3	60 0502 543 1	WHEEL		1	
4	60 0502 543 2	WHEEL		1	
5	60 0502 543 3	KEY		2	
6	60 0502 543 4	LOCK		6	1)
6	60 0502 543 5	LOCK		6	2)
7	60 0502 567 9	BEARING		7	3)
7	60 0502 568 0	BEARING		7	4)
8	60 0502 568 2	ADJUSTING DISC		1	3)
8	60 0502 568 3	ADJUSTING DISC		1	5)
9	60 0502 939 5	RETAINER		1	
10	60 0502 939 4	NUT		1	

1)	Remarks	d.8
2)	Remarks	d.7
3)	Remarks	STD
4)	Remarks	(-0,254)
5)	Remarks	(+0,254)



161 CRANKSHAFT PULLEY WHEEL

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	60 0502 559 6	CRANKSHAFT PULLEY		1	
2	60 0502 559 7	ANTI-VIBRATION WHEEL		1	1)
2	60 0502 559 8	ANTI-VIBRATION WHEEL		1	2)
3	60 0502 559 9	SCREW		6	
4	60 0502 540 3	WASHER		6	3)
1)	Homologationtype	+ 3922			
2)	Homologationtype	- 3922			
3)	Remarks	(DE.20x10x2,3)			



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com