




## 9802/9730 F2-2-31 BRAKES, AXLE 450/43850




| Item | Part #    | Change No | Description                         | Usage Code | QTY |
|------|-----------|-----------|-------------------------------------|------------|-----|
| 1    | 458/20371 |           | Piston Brake 139.4 bore (was 130mm) |            | 2   |
| 2    | 813/50012 |           | Seal Brake Piston                   |            | 2   |

|    |           |  |                                    |  |    |
|----|-----------|--|------------------------------------|--|----|
| 3  | 813/50026 |  | Seal Brake Piston (square section) |  | 2  |
| 4  | 450/10213 |  | Pin reaction                       |  | 6  |
| 5  | 458/20285 |  | Plate brake counter                |  | 12 |
| 6  | 458/20353 |  | Plate brake friction               |  | 10 |
| 7  | 450/10215 |  | Carrier Brake Plate                |  | 2  |
| 8  | 2203/0071 |  | Circlip External                   |  | 4  |
| 11 | 816/60040 |  | Nipple Screw                       |  | 2  |
| 12 | 835/00017 |  | Cap Grease Nipple                  |  | 2  |
| 13 | 450/18204 |  | Pin Brake Back-Off                 |  | 6  |
| 14 | 814/00365 |  | Spring Compression                 |  | 6  |
| 15 | 448/16905 |  | Bush Tension Flanged - External    |  | 6  |
| 17 | 2203/1020 |  | Circlip                            |  | 6  |



# 9802/9730 F2-3-11 DIFFERENTIAL 2WS ASSEMBLY, 15.78:1 35KPH C/W L.S.D. 450/43860




| Item | Part #    | Change No | Description                                         | Usage Code | QTY |
|------|-----------|-----------|-----------------------------------------------------|------------|-----|
| 1    | 458/10544 |           | Differential assembly pad mount 2.923:1 ratio LSD-3 |            | 1   |

|    |            |                                                                        |   |
|----|------------|------------------------------------------------------------------------|---|
| 2  | :450/17101 | Casing differential                                                    | 1 |
| 3  | ****       | 'See Remark'<br><i>Differential assembly see F2-3-20 &amp; F2-3-30</i> | 1 |
| 4  | :458/20365 | Housing Brake Piston Controlled Back-Off                               | 2 |
| 5  | :4102/1212 | Gasket Multigasket                                                     | 0 |
| 6  | :826/00919 | Dowel                                                                  | 4 |
| 7  | :450/10403 | Nut Side Differential                                                  | 2 |
| 8  | :445/03005 | Spacer collapsible                                                     | 1 |
| 9  | :907/08300 | Bearing Taper Roller                                                   | 1 |
| 10 | :904/50023 | Seal Triple Lip, To Suit 55.0/54.81 Shaft Blue                         | 1 |
| 11 | :450/27200 | Yoke                                                                   | 1 |
| 12 | ::N.S.P.   | None serviced part                                                     | 1 |
| 13 | ****       | 'See Remark'<br><i>Not fitted</i>                                      | 0 |
| 14 | :826/01483 | Nut stake and washer M24                                               | 1 |
| 15 | :826/00818 | Pin Tension                                                            | 2 |
| 16 | :1392/3407 | Capscrew M10 x 25mm                                                    | 8 |
| 17 | :4101/0202 | Sealant Locking                                                        | 0 |



## 9802/9730 F2-3-31 BRAKES, AXLE 450/43860




| Item | Part #    | Change No | Description                         | Usage Code | QTY |
|------|-----------|-----------|-------------------------------------|------------|-----|
| 1    | 458/20371 |           | Piston Brake 139.4 bore (was 130mm) |            | 2   |
| 2    | 813/50012 |           | Seal Brake Piston                   |            | 2   |

|    |           |  |                                    |  |    |
|----|-----------|--|------------------------------------|--|----|
| 3  | 813/50026 |  | Seal Brake Piston (square section) |  | 2  |
| 4  | 450/10213 |  | Pin reaction                       |  | 6  |
| 5  | 458/20285 |  | Plate brake counter                |  | 12 |
| 6  | 458/20353 |  | Plate brake friction               |  | 10 |
| 7  | 450/10215 |  | Carrier Brake Plate                |  | 2  |
| 8  | 2203/0071 |  | Circlip External                   |  | 4  |
| 11 | 816/60040 |  | Nipple Screw                       |  | 2  |
| 12 | 835/00017 |  | Cap Grease Nipple                  |  | 2  |
| 13 | 450/18204 |  | Pin Brake Back-Off                 |  | 6  |
| 14 | 814/00365 |  | Spring Compression                 |  | 6  |
| 15 | 448/16905 |  | Bush Tension Flanged - External    |  | 6  |
| 17 | 2203/1020 |  | Circlip                            |  | 6  |



9802/9730 F2-5-1 AXLE ASSEMBLY 2WS REAR DRIVE  
13.7:1 40KPH 450/39900, 450/43220, 450/43970

---




| Item | Part #    | Change No | Description                              | Usage Code | QTY |
|------|-----------|-----------|------------------------------------------|------------|-----|
| 1    | 450/39900 | <APR-1999 | Axle assembly 13.7:1 ratio               |            | 1   |
| 1    | 450/43220 | <JUN-2001 | Axle assembly 2ws 40kph                  |            | 1   |
| 1    | 450/43970 |           | Axle assy PD70 pad mount 13.7:1 max-trac |            | 1   |
| 1    | 450/43120 | <APR-1999 | Axle assembly 2ws 40kph Black            |            | 1   |
| 1    | 450/43270 | <JUN-2001 | Axle assembly (black) 40kph 13.7:1 ratio |            | 1   |

|    |             |            |                                          |   |    |
|----|-------------|------------|------------------------------------------|---|----|
| 1  | 450/43990   |            | Axle assy PD70 pad mount 13.7:1 max-trac |   | 1  |
| 2  | :450/36801  |            | Casing axle arm pad thickness 164mm      |   | 2  |
| 3  | :450/10209  | Superseded | Driveshaft                               |   | 2  |
| 3  | :M.S.S.     |            | Multi Supersession                       |   | 1  |
| 3  | :450/10228  |            | Driveshaft                               | A | 2  |
| 3  | ::821/00494 |            | Circlip External                         | A | 2  |
| 3  | :450/43191  | >APR-1999  | Driveshaft                               |   | 2  |
| 4  | :821/00216  |            | Circlip external                         |   | 2  |
| 4  | :821/00494  | >G         | Circlip External                         |   | 2  |
| 5  | :450/13302  |            | Plug Breather                            |   | 1  |
| 7  | :826/00425  |            | Plug tapered 3/4"-14PTF                  |   | 2  |
| 8  | :450/10216  | Superseded | Carrier planetary hub 5 stud             |   | 2  |
| 8  | :450/12401  |            | Carrier planetary hub                    |   | 2  |
| 9  | :907/50200  |            | Bearing Roller, Double Row               |   | 6  |
| 10 | :821/00209  |            | Circlip                                  |   | 12 |
| 11 | :2203/0054  |            | Circlip                                  |   | 6  |
| 12 | :450/10206  |            | Gear Planet                              |   | 6  |
| 13 | :454/07401  |            | Gear sun 45mm long                       |   | 2  |
| 14 | :450/10208  |            | Pad Thrust                               |   | 2  |
| 15 | :450/10205  |            | Gear Annulus Ring                        |   | 2  |
| 16 | :821/00210  |            | Circlip Internal Square Section          |   | 2  |
| 17 | :450/12702  |            | Carrier Annulus                          |   | 2  |
| 18 | :4102/1200  | Superseded | Sealant                                  |   | 0  |
| 18 | :4102/1201  |            | Gasket multi                             |   | 0  |
| 19 | :450/12703  |            | Dowel Hollow                             |   | 16 |
| 20 | :826/01060  |            | Bolt M14 x 70mm long                     |   | 16 |
| 21 | :828/00196  |            | O Ring                                   |   | 2  |
| 22 | ::450/10221 |            | Hub without studs 5 stud                 |   | 1  |
| 23 | ::826/00923 |            | Stud Wheel                               |   | 5  |
| 24 | :1321/0407Z |            | Bolt Coated M10 x 25                     |   | 4  |
| 25 | :904/50033  |            | Seal - Cassette                          |   | 1  |
| 27 | :1321/3716Z |            | Bolt                                     |   | 32 |
| 28 | :4102/1200  | Superseded | Sealant                                  |   | 0  |
| 28 | :4102/1201  |            | Gasket multi                             |   | 0  |
| 29 | :907/52200  |            | Bearing Taper                            |   | 4  |
| 30 | 826/01206   |            | Bolt                                     |   | 4  |
| 31 | 826/01207   |            | Nut                                      |   | 4  |
| 32 | 453/00303   |            | Breather Nylon Black                     |   | 1  |



# 9802/9730 F2-5-10 DIFFERENTIAL 2WS ASSEMBLY, 13.7:1 40KPH 450/39900, 450/43220




| Item | Part #    | Change No | Description           | Usage Code | QTY |
|------|-----------|-----------|-----------------------|------------|-----|
| 1    | 453/17300 | <APR-1999 | Differential assembly |            | 1   |

|    |            |            |                                                              |  |   |
|----|------------|------------|--------------------------------------------------------------|--|---|
| 1  | 450/43230  | >APR-1999  | Differential assembly                                        |  | 1 |
| 2  | :450/17102 |            | Housing                                                      |  | 1 |
| 3  | ****       |            | 'See Remark'<br><i>Differential assembly see F2-5-20</i>     |  | 1 |
| 4  | :450/10409 | <A4312/197 | Housing<br><i>Part is NLA use 458/20235 x2, 458/20236 x2</i> |  | 2 |
| 4  | :458/20235 |            | Housing brake piston                                         |  | 2 |
| 5  | :4102/1200 | Superseded | Sealant                                                      |  | 0 |
| 5  | :4102/1201 |            | Gasket multi                                                 |  | 0 |
| 6  | :826/00919 |            | Dowel                                                        |  | 4 |
| 7  | :450/10403 |            | Nut Side Differential                                        |  | 2 |
| 8  | :445/03005 |            | Spacer collapsible                                           |  | 1 |
| 9  | :907/08300 |            | Bearing Taper Roller                                         |  | 1 |
| 10 | :904/50023 |            | Seal Triple Lip, To Suit 55.0/54.81 Shaft Blue               |  | 1 |
| 11 | :450/27200 | <APR-1999  | Yoke                                                         |  | 1 |
| 11 | 454/13100  | >APR-1999  | Yoke                                                         |  | 1 |
| 12 | ****       |            | None serviced part                                           |  | 1 |
| 13 | ****       |            | 'See Remark'<br><i>Required</i>                              |  | 1 |
| 14 | :826/01483 |            | Nut stake and washer M24                                     |  | 1 |
| 15 | :826/00818 |            | Pin Tension<br><i>5mm</i>                                    |  | 2 |
| 16 | :1392/3407 |            | Capscrew M10 x 25mm                                          |  | 8 |
| 17 | :4101/0202 | Superseded | Sealant Locking                                              |  | 0 |
| 17 | :4101/0251 |            | Sealant Threadlock 50ml                                      |  | 0 |
| 18 | 816/80037  |            | Plug Filler 33mm Head, see TI GEN245                         |  | 1 |
| 19 | 1406/0021  |            | Washer Bonded                                                |  | 2 |
| 20 | 816/80012  |            | Plug Magnetic 3/4"BSP                                        |  | 1 |



# 9802/9730 F2-5-11 DIFFERENTIAL 2WS ASSEMBLY, 13.7:1 40KPH 450/43970




| Item | Part #    | Change No | Description                                   | Usage Code | QTY |
|------|-----------|-----------|-----------------------------------------------|------------|-----|
| 1    | 458/10546 |           | Differential assembly pad mount 2.538:1 ratio |            | 1   |

|    |            |                                                          |   |
|----|------------|----------------------------------------------------------|---|
| 2  | :450/17101 | Casing differential                                      | 1 |
| 3  | ****       | 'See Remark'<br><i>Differential assembly see F2-5-20</i> | 1 |
| 4  | :458/20365 | Housing Brake Piston Controlled Back-Off                 | 2 |
| 5  | :4102/1212 | Gasket Multigasket                                       | 0 |
| 6  | :826/00919 | Dowel                                                    | 4 |
| 7  | :450/10403 | Nut Side Differential                                    | 2 |
| 8  | :445/03005 | Spacer collapsible                                       | 1 |
| 9  | :907/08300 | Bearing Taper Roller                                     | 1 |
| 10 | :904/50023 | Seal Triple Lip, To Suit 55.0/54.81 Shaft Blue           | 1 |
| 11 | :454/13100 | Yoke                                                     | 1 |
| 12 | ::N.S.P.   | None serviced part                                       | 1 |
| 13 | ****       | 'See Remark'<br><i>Required</i>                          | 1 |
| 14 | :826/01483 | Nut stake and washer M24                                 | 1 |
| 15 | :826/00818 | Pin Tension<br><i>5mm</i>                                | 2 |
| 16 | :1392/3407 | Capscrew M10 x 25mm                                      | 8 |
| 17 | :4101/0202 | Sealant Locking                                          | 0 |
| 18 | 816/80037  | Plug Filler 33mm Head, see TI GEN245                     | 1 |
| 19 | 1406/0021  | Washer Bonded                                            | 2 |
| 20 | 816/80012  | Plug Magnetic 3/4"BSP                                    | 1 |



# 9802/9730 F2-5-20 CROWN WHEEL & PINION 2WS, 13.7:1 40KPH 450/39900, 450/43220, 450/43970



099040

| Item | Part #    | Change No | Description           | Usage Code | QTY |
|------|-----------|-----------|-----------------------|------------|-----|
| 1    | 450/10900 |           | Differential Assembly |            | 1   |

Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.  
You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:  
[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)