




## 9802/9600 A3-21-1 BREAKER HAMMERMASTER JCB 380



064803


| Item | Part #     | Change No | Description                       | Usage Code | QTY |
|------|------------|-----------|-----------------------------------|------------|-----|
| 1    | ****       |           | 'See Remark'<br><i>See Note 1</i> |            | 1   |
| 2    | :903/00301 |           | Screw                             |            | 10  |

|    |             |  |                                                             |    |
|----|-------------|--|-------------------------------------------------------------|----|
| 3  | :903/00302  |  | Accumulator assembly                                        | 1  |
| 3A | ::903/00343 |  | Diaphragm                                                   | 1  |
| 3B | ::903/00445 |  | Plug                                                        | 1  |
| 3C | ::903/00446 |  | O Ring                                                      | 1  |
| 4  | :903/00303  |  | Housing                                                     | 1  |
| 5  | :903/00304  |  | O Ring                                                      | 1  |
| 6  | :903/00305  |  | O Ring                                                      | 4  |
| 7  | :903/00306  |  | O Ring                                                      | 2  |
| 8  | :903/00307  |  | O Ring                                                      | 2  |
| 9  | ****        |  | 'See Remark'<br><i>Not Required Adjusting Rod</i>           | 1  |
| 10 | :903/00309  |  | Coupling Body Swivel                                        | 1  |
| 11 | :903/00310  |  | Coupling Body Swivel                                        | 1  |
| 12 | :903/00311  |  | Plug                                                        | 2  |
| 13 | :903/00312  |  | Cover distributor                                           | 1  |
| 14 | :903/00313  |  | Dowel                                                       | 1  |
| 15 | :903/00314  |  | Plunger                                                     | 1  |
| 16 | :903/00315  |  | Distributor                                                 | 1  |
| 17 | :903/00316  |  | Piston                                                      | 1  |
| 18 | :903/00317  |  | Seal lip                                                    | 2  |
| 19 | :903/00318  |  | O Ring                                                      | 3  |
| 20 | :903/00319  |  | Cylinder                                                    | 1  |
| 21 | :903/00318  |  | O Ring                                                      | 1  |
| 22 | :903/00320  |  | Housing chuck                                               | 1  |
| 23 | :903/00321  |  | Pin                                                         | 2  |
| 24 | :903/00322  |  | Ring                                                        | 2  |
| 25 | :903/00323  |  | Pin locking                                                 | 2  |
| 26 | :903/00324  |  | Spring                                                      | 2  |
| 27 | :903/00325  |  | Nipple grease                                               | 1  |
| 28 | :903/00326  |  | Bush                                                        | 1  |
| 29 | :903/00327  |  | Pin                                                         | 2  |
| 30 | :903/00328  |  | Plug                                                        | 2  |
| 31 | :903/00329  |  | Rod tie                                                     | 4  |
| 32 | :903/00330  |  | Nut                                                         | 4  |
| 33 | 903/00331   |  | Tool standardmoil 26in. long<br><i>Alternative Tool</i>     | 1  |
| 33 | 903/00338   |  | Toolmoil 30in (762mm) long<br><i>Alternative Tool</i>       | 1  |
| 33 | 903/00332   |  | Tool longmoil 38in<br><i>Alternative Tool</i>               | 1  |
| 33 | 903/00333   |  | Tool blunt<br><i>Alternative Tool</i>                       | 1  |
| 33 | 903/00334   |  | Tool chisel 26in long<br><i>Alternative Tool</i>            | 1  |
| 33 | 903/00336   |  | Tool chisel 30in long<br><i>Alternative Tool</i>            | 1  |
| 33 | 903/00341   |  | Tool chisel (crosswise)<br><i>Alternative Tool</i>          | 1  |
| 33 | 903/00335   |  | Tool asphalt cutter 2.3/4in.wide<br><i>Alternative Tool</i> | 1  |
| 33 | 903/00340   |  | Tool asphalt cutter 9in.wide<br><i>Alternative Tool</i>     | 1  |
| 34 | 903/00342   |  | Kit-seal breaker                                            | 1  |
| 35 | 903/00348   |  | Capscrew                                                    | 10 |

*Note 1: Breaker is only available complete with side plates see frame A3-20-1*



# 9802/9600 A3-21-2 BREAKER HAMMERMASTER JCB 480




| Item | Part #       | Change No | Description                           | Usage Code | QTY |
|------|--------------|-----------|---------------------------------------|------------|-----|
| 1    | 903/00400    |           | Breaker Hammermaster JCB 480          |            | 1   |
| 2    | :903/00442   |           | Head assembly back                    |            | 1   |
| 3    | ::903/00403  |           | Head                                  |            | 1   |
| 4    | ::903/00404  |           | Accumulator                           |            | 1   |
| 4A   | :::903/00643 |           | Diaphragm                             |            | 1   |
| 4B   | :::903/00445 |           | Plug                                  |            | 1   |
| 4C   | :::903/00446 |           | O Ring                                |            | 1   |
| 5    | ::903/00405  |           | Washer nylon                          |            | 1   |
| 6    | ::903/00406  |           | O Ring                                |            | 1   |
| 7    | ::903/00407  |           | O Ring                                |            | 2   |
| 8    | ::903/00408  |           | Screw                                 |            | 8   |
| 9    | ::903/00409  |           | Spring                                |            | 8   |
| 10   | ::903/00410  |           | Seat spring                           |            | 8   |
| 11   | ::903/00411  |           | Washer                                |            | 8   |
| 12   | :903/00309   |           | Coupling Body Swivel<br><i>Feed</i>   |            | 1   |
| 13   | :903/00310   |           | Coupling Body Swivel<br><i>Return</i> |            | 1   |
| 14   | :903/00311   |           | Plug                                  |            | 1   |
| 15   | :903/00307   |           | O Ring                                |            | 1   |
| 16   | :903/00305   |           | O Ring                                |            | 2   |
| 17   | 903/00412    |           | Slide Type C                          |            | 1   |
| 18   | 903/00413    |           | Rod spring                            |            | 1   |
| 19   | 903/00414    |           | Barrel                                |            | 1   |
| 20   | :903/00415   |           | Shim                                  |            | 1   |
| 21   | :903/00416   |           | Spring                                |            | 1   |
| 22   | :903/00441   |           | Cylinder assembly                     |            | 1   |
| 23   | ::903/00417  |           | Cylinder                              |            | 1   |
| 24   | ::903/00418  |           | Plunger type C                        |            | 1   |
| 25   | :903/00313   |           | Dowel                                 |            | 1   |
| 26   | ::903/00407  |           | O Ring                                |            | 1   |
| 27   | ::903/00420  |           | Box distribution                      |            | 1   |
| 28   | ::903/00421  |           | Cover                                 |            | 1   |
| 29   | ::903/00422  |           | Piston                                |            | 3   |
| 30   | ::903/00423  |           | Distributor                           |            | 1   |
| 31   | ::903/00424  |           | Seal 'U'                              |            | 2   |
| 32   | ::903/00425  |           | Piston type C                         |            | 1   |
| 33   | :903/00443   |           | Housing chuck assembly                |            | 1   |
| 34   | ::903/00426  |           | Housing                               |            | 1   |
| 35   | ::903/00427  |           | Pin retaining                         |            | 2   |
| 36   | ::903/00323  |           | Pin locking                           |            | 2   |
| 37   | ::903/00324  |           | Spring                                |            | 2   |
| 38   | ::903/00322  |           | Ring                                  |            | 2   |
| 39   | ::903/00428  |           | Bush                                  |            | 1   |
| 40   | ::903/00325  |           | Nipple grease                         |            | 1   |
| 41   | ::903/00429  |           | Pin                                   |            | 1   |
| 42   | ::903/00430  |           | Plug nylon                            |            | 3   |
| 43   | ::903/00431  |           | O Ring                                |            | 1   |
| 44   | :903/00432   |           | Screw                                 |            | 4   |
| 45   | :903/00433   |           | Nut                                   |            | 4   |
| 46   | :903/00434   |           | Plate                                 |            | 1   |

|    |            |  |                                     |  |   |
|----|------------|--|-------------------------------------|--|---|
| 47 | :903/00435 |  | Buffer                              |  | 1 |
| 48 | :903/00436 |  | Cradle                              |  | 1 |
| 49 | :903/00437 |  | Stop                                |  | 2 |
| 50 | :903/00438 |  | Plate wear                          |  | 4 |
| 51 | :823/00256 |  | Washer self lock                    |  | 4 |
| 52 | :903/00440 |  | Screw                               |  | 8 |
| 53 | 903/00401  |  | Toolmoil                            |  | 1 |
| 53 | 903/00402  |  | Tool chisel                         |  | 1 |
| 54 | 123/01287  |  | Bracket carrier                     |  | 1 |
| 55 | 903/00444  |  | Kit-seal breaker                    |  | 1 |
| 56 | 816/15044  |  | Adapter<br><i>1in x 3/4in BSP</i>   |  | 1 |
| 56 | 1611/0018  |  | Adapter<br><i>1.1/4in x 1in BSP</i> |  | 1 |



# 9802/9600 A3-22-1 PATCH PLANER, JCB




| Item | Part #      | Change No | Description                                    | Usage Code | QTY |
|------|-------------|-----------|------------------------------------------------|------------|-----|
| 1    | 122/55100   |           | Attachment JCB patch planer<br><i>Asphalt</i>  |            | 1   |
| 1    | 993/25500   |           | Attachment JCB patch planer<br><i>Concrete</i> |            | 1   |
| 4    | :903/01131  |           | Carriage                                       |            | 1   |
| 5    | ::903/01130 |           | Plate outer                                    |            | 1   |
| 6    | ::1391/3708 |           | Screw cap                                      |            | 6   |
| 9    | :1606/0012  |           | Adaptor                                        |            | 1   |
| 10   | :1406/0026  |           | Washer Seal                                    |            | 2   |
| 11   | :903/01158  |           | Adapter 'T' 1in x 1in x 1/2 BSP                |            | 1   |
| 12   | :903/01152  |           | Hose                                           |            | 1   |
| 13   | :20/901000  |           | Motor                                          |            | 1   |
| 14   | ::20/900108 |           | Kit-seal<br><i>Use with motor 20/901000</i>    |            | 1   |
| 14   | ::20/900103 |           | Plug core                                      |            | 1   |
| 14   | ::20/900104 |           | O Ring<br><i>Use with 20/900103</i>            |            | 1   |
| 14   | ::20/900105 |           | Spring                                         |            | 1   |
| 14   | ::20/900106 |           | Washer                                         |            | 1   |
| 14   | ::20/900107 |           | Circlip                                        |            | 1   |
| 15   | :903/01162  |           | Key                                            |            | 1   |
| 16   | :1315/0812  |           | Bolt                                           |            | 4   |
| 17   | :903/01160  |           | Bearing                                        |            | 6   |
| 18   | :903/01127  |           | Retainer bearing                               |            | 2   |
| 19   | :903/01149  |           | Bolt                                           |            | 16  |
| 20   | ****        |           | 'See Remark'<br><i>Drum See A3-6-2</i>         |            | 1   |
| 23   | :903/01169  |           | Seal                                           |            | 2   |
| 24   | :903/01125  |           | Shaft drive                                    |            | 1   |
| 25   | :903/01142  |           | Bolt                                           |            | 8   |
| 26   | :903/01124  |           | Guard outer                                    |            | 1   |
| 27   | :903/01120  |           | Guard rubber                                   |            | 1   |
| 28   | :903/01147  |           | Bolt                                           |            | 12  |
| 29   | 903/01123   |           | Guard inner                                    |            | 1   |
| 30   | 903/01122   |           | Cover                                          |            | 1   |
| 31   | 903/01129   |           | Carrier axle                                   |            | 2   |
| 32   | 903/01126   |           | Collar                                         |            | 2   |
| 33   | 903/01119   |           | Axle                                           |            | 1   |
| 34   | 903/01161   |           | Bearing                                        |            | 8   |
| 35   | 903/01118   |           | Wheel                                          |            | 4   |
| 36   | 903/01138   |           | Pin split                                      |            | 2   |
| 37   | 903/01113   |           | Spacer 5.0mm                                   |            | 4   |
| 37   | 903/01114   |           | Spacer 15mm                                    |            | 2   |
| 37   | 903/01112   |           | Shim 0.5                                       |            | 8   |
| 38   | 903/01128   |           | Carrier axle                                   |            | 2   |
| 39   | :903/01116  |           | Axle stub                                      |            | 2   |
| 40   | :903/01109  |           | Guard side                                     |            | 1   |
| 41   | :903/01110  |           | Guard side                                     |            | 1   |
| 42   | :903/01137  |           | Bolt                                           |            | 2   |
| 43   | :903/01107  |           | Beam adjusting                                 |            | 1   |
| 44   | :903/01108  |           | Beam adjusting                                 |            | 1   |
| 45   | :903/01115  |           | Pin pivot                                      |            | 2   |

|    |            |  |                          |  |   |
|----|------------|--|--------------------------|--|---|
| 46 | :903/01144 |  | Bolt                     |  | 4 |
| 47 | :903/01106 |  | Bolt adjusting           |  | 1 |
| 48 | :1305/4726 |  | Bolt                     |  | 2 |
| 48 | 1340/0117  |  | Nut                      |  | 1 |
| 49 | :903/01111 |  | Guard rubber             |  | 2 |
| 50 | :903/01121 |  | Clamp                    |  | 1 |
| 51 | :1604/0004 |  | Adaptor Male             |  | 1 |
| 52 | :1406/0018 |  | Washer Bonded (1/2" BSP) |  | 1 |
| 53 | :828/00173 |  | O Ring                   |  | 4 |
| 54 | :903/01148 |  | Screw grub               |  | 2 |
| 55 | :903/01105 |  | Washer thrust            |  | 1 |
| 56 | :903/01145 |  | Bolt                     |  | 4 |
| 57 | :903/01145 |  | Bolt                     |  | 4 |
| 58 | 903/01170  |  | Circlip                  |  | 2 |
| 59 | 903/01171  |  | Circlip                  |  | 2 |
| 60 | 903/01165  |  | Bearing                  |  | 6 |
| 61 | 903/01166  |  | Sleeve bearing           |  | 2 |
| 62 | 903/01167  |  | Spacer 4mm               |  | 4 |
| 62 | 903/01168  |  | Spacer 10mm              |  | 4 |
| 63 | 903/01169  |  | Seal                     |  | 2 |



## 9802/9600 A3-22-2 PATCH PLANER, JCB MOUNTING CRADLE DRUM & DISC CUTTERS

---




076961

| Item | Part #     | Change No | Description                                  | Usage Code | QTY |
|------|------------|-----------|----------------------------------------------|------------|-----|
| 1    | 903/01173  |           | Cradle                                       |            | 1   |
| 2    | 1391/3712  |           | Screw cap                                    |            | 4   |
| 3    | 903/01104  |           | Drum<br><i>Asphalt 45 picks x 400mm wide</i> |            | 1   |
| 4    | :903/01102 |           | Holder tool                                  |            | 45  |
| 5    | :903/01101 |           | Tool asphalt pick                            |            | 45  |

|    |            |  |                                               |  |    |
|----|------------|--|-----------------------------------------------|--|----|
| 6  | 903/01133  |  | Disc cutting (45mm max. width)                |  | 1  |
| 7  | :903/01136 |  | Holder tool                                   |  | 12 |
| 8  | :903/01135 |  | Tool pick                                     |  | 12 |
| 9  | :903/01103 |  | Tooth tip                                     |  | 4  |
| 10 | 903/01134  |  | Disc cutting (60mm max. width)                |  | 1  |
| 11 | :903/01102 |  | Holder tool                                   |  | 16 |
| 12 | :903/01101 |  | Tool asphalt pick<br><i>Asphalt</i>           |  | 16 |
| 13 | 903/01172  |  | Drum<br><i>Concrete 80 picks x 400mm wide</i> |  | 1  |
| 14 | :903/01102 |  | Holder tool                                   |  | 80 |
| 15 | :993/25501 |  | Tool concrete pick Pick holder = 980/13416    |  | 80 |



## 9802/9600 A3-22-3 PATCH PLANER, 400MK2




| Item | Part #      | Change No  | Description                 | Usage Code | QTY |
|------|-------------|------------|-----------------------------|------------|-----|
| 1    | 903/03800   | Superseded | Attachment patch planer     |            | 1   |
| 1    | 980/13400   |            | Attachment patch planer     |            | 1   |
| 2    | :903/03814  |            | Bracket                     |            | 1   |
| 2    | :980/13401  |            | Bracket hanger              |            | 1   |
| 3    | :1450/0002  |            | Nipple Grease, Straight 1/4 |            | 4   |
| 4    | :G65/0      |            | Bush Pivot                  |            | 4   |
| 5    | :1315/3814Z |            | Bolt M20 x 60mm             |            | 8   |
| 6    | :1425/0012  |            | Washer locking              |            | 8   |
| 7    | :1370/0703Z |            | Nut LOCK NUT (M20)          |            | 8   |
| 8    | :903/03815  |            | Housing bush                |            | 2   |
| 8    | :980/13402  |            | Bracket carriage            |            | 2   |
| 9    | :903/03816  |            | Bush                        |            | 2   |
| 9    | :980/13403  |            | Bush                        |            | 2   |
| 10   | :903/03817  |            | Bush                        |            | 2   |
| 10   | :980/13404  |            | Pin pivot                   |            | 2   |
| 11   | :1315/3825Z |            | Bolt M20x150mm              |            | 2   |
| 12   | :1370/0703Z |            | Nut LOCK NUT (M20)          |            | 2   |
| 13   | :903/03801  |            | Housing                     |            | 1   |
| 13   | :980/13405  |            | Body                        |            | 1   |
| 14   | :903/03820  |            | Bar rear shear              |            | 1   |
| 16   | :903/03803  |            | Guard front flap            |            | 1   |
| 17   | :903/03806  |            | Bracket skid left hand      |            | 1   |
| 18   | :903/03802  |            | Bracket skid right hand     |            | 1   |
| 18   | :980/13406  |            | Bracket skid, right hand    |            | 1   |
| 19   | :903/03805  |            | Bracket skid tie            |            | 1   |
| 20   | :903/03807  |            | Beam adjusting lower        |            | 1   |
| 20   | :980/13407  |            | Beam adjusting, lower       |            | 1   |
| 21   | :903/03810  |            | Beam adjuster upper         |            | 1   |
| 21   | :980/13408  |            | Beam adjusting, upper       |            | 1   |
| 22   | :903/03809  |            | Bush                        |            | 4   |
| 23   | :903/03808  |            | Pin adjusting beam          |            | 4   |
| 23   | :980/13409  |            | Pin adjusting beam          |            | 4   |
| 24   | :903/03812  |            | Screw adjusting             |            | 1   |
| 24   | :980/13412  |            | Screw adjusting             |            | 1   |
| 25   | :903/03804  |            | Collar                      |            | 1   |
| 25   | :980/13410  |            | Collar                      |            | 1   |
| 26   | :903/03822  |            | Pin tension                 |            | 1   |
| 26   | :980/13411  |            | Pin                         |            | 1   |
| 27   | :903/03811  |            | Lever locking               |            | 1   |
| 27   | :980/13413  |            | Handle locking              |            | 1   |
| 28   | :903/03813  |            | Handle adjusting screw      |            | 1   |
| 28   | :980/13414  |            | Handle                      |            | 1   |
| 30   | :903/03823  |            | Pin tension                 |            | 1   |
| 30   | :980/13411  |            | Pin                         |            | 1   |
| 31   | :1315/3314Z |            | Bolt (M8 x 60)              |            | 4   |
| 32   | :1370/0203Z |            | Nut Nut M8                  |            | 4   |
| 35   | :1315/0711Z |            | Bolt M16 x 45mm             |            | 4   |
| 36   | :903/03819  |            | Wheel                       |            | 4   |
| 36   | :980/99048  |            | Wheel                       |            | 4   |
| 37   | ::903/03825 |            | Bush                        |            | 1   |
|      |             |            |                             |            |     |

|    |             |  |                                            |  |    |
|----|-------------|--|--------------------------------------------|--|----|
| 38 | :903/03818  |  | Pin axle pivot                             |  | 4  |
| 38 | :980/99049  |  | Pin axle pivot front                       |  | 2  |
| 38 | :980/99050  |  | Pin axle pivot rear                        |  | 2  |
| 39 | :2103/1116  |  | Pin split                                  |  | 4  |
| 40 | :903/03826  |  | Motor hydraulic                            |  | 1  |
| 41 | ::903/03827 |  | Kit-seal                                   |  | 1  |
| 42 | :903/03828  |  | Drum                                       |  | 1  |
| 42 | :980/13415  |  | Drum                                       |  | 1  |
| 43 | :903/01101  |  | Tool asphalt pick                          |  | 45 |
| 43 | 993/25501   |  | Tool concrete pick Pick holder = 980/13416 |  | 45 |
| 43 | :980/13416  |  | Holder pick                                |  | 45 |
| 44 | :1305/2214Z |  | Screw set                                  |  | 16 |
| 44 | :1391/3410  |  | Screw Cap                                  |  | 20 |
| 45 | :1425/0012Z |  | Washer spring M20                          |  | 16 |



## 9802/9600 A3-22-4 CIRCUIT PATCH PLANER 400 MK2



144961

| Item | Part #     | Change No | Description                   | Usage Code | QTY |
|------|------------|-----------|-------------------------------|------------|-----|
| 1    | 903/03829  |           | Valve anti cavitation         |            | 1   |
| 2    | :903/03839 |           | Kit-seal valve anticavitation |            | 1   |
| 3    | 1315/3419Z |           | Bolt M10x90mm                 |            | 2   |

|     |            |            |                                      |  |   |
|-----|------------|------------|--------------------------------------|--|---|
| 4   | 1425/0008Z |            | Spring Washer                        |  | 2 |
| 5   | 1420/0008Z |            | Washer (M10)                         |  | 2 |
| 6   | 1604/0006  |            | Adaptor 3/4" Bsp mm                  |  | 4 |
| 7   | 1606/0012  | <M TBA     | Adaptor                              |  | 1 |
| 8   | 1406/0021  |            | Washer Bonded                        |  | 5 |
| 9   | 1606/0010  | <M TBA     | Adapter                              |  | 1 |
| 10  | 903/03830  | <M TBA     | Adapter tee                          |  | 1 |
| 10A | 816/50003  | >M TBA     | Adapter Tee                          |  | 1 |
| 11  | 1604/0008  |            | Adaptor                              |  | 1 |
| 12  | 903/03831  | Superseded | Hose                                 |  | 1 |
| 12  | 617/01700  |            | Hose                                 |  | 1 |
| 13  | 903/03832  | Superseded | Hose                                 |  | 1 |
| 13  | 620/00100  |            | Hose                                 |  | 1 |
| 14  | 1406/0026  |            | Washer Seal                          |  | 1 |
| 15  | 45/904400  | Superseded | Coupling male 3/4"                   |  | 1 |
| 15  | 45/910200  |            | Coupling 1"BSP male quick release    |  | 1 |
| 16  | 45/904600  | Superseded | Coupling male 1" BSP quick release   |  | 1 |
| 16  | 45/910300  |            | Coupling 3/4" BSP male quick release |  | 1 |
| 17  | 903/03833  | Superseded | Hose                                 |  | 1 |
| 17  | 615/20800  |            | Hose 890mm                           |  | 1 |
| 18  | 903/03833  | Superseded | Hose                                 |  | 1 |
| 18  | 615/20800  |            | Hose 890mm                           |  | 1 |
| 19  | 903/03834  | Superseded | Hose                                 |  | 1 |
| 19  | 613/43900  |            | Hose 1205mm                          |  | 1 |
| 20  | 903/03835  |            | Adapter c/w O Ring                   |  | 2 |
| 21  | 903/03835  |            | Adapter c/w O Ring                   |  | 1 |
| 22  | 903/03836  |            | Adapter                              |  | 1 |
| 23  | 903/03837  |            | O Ring                               |  | 1 |
| 24  | 816/20013  | >M TBA     | Adapter 1" x 3/4"                    |  | 1 |
| 25  | 200/77109  |            | Tie Cable L=272mm x W=7.6mm          |  | 2 |

This technical drawing is an exploded view of a mechanical assembly, likely a fuel or oil injection system. The components are numbered as follows:

- 1**: A circular cap or plug at the top of the main housing.
- 2**: A long, thin cylindrical rod or pin.
- 3**: A small, dark, triangular-shaped component.
- 4**: A small, dark, square-shaped component.
- 5**: A small, dark, cylindrical component.
- 6**: A small, dark, cylindrical component.
- 7**: A small, dark, cylindrical component.
- 8**: A small, dark, cylindrical component.
- 9**: A rectangular block or plate.
- 10**: A small, dark, triangular-shaped component.
- 11**: A small, dark, circular component.
- 12**: A small, dark, cylindrical component.
- 13**: A long, thin cylindrical rod or pin.
- 14**: A small, dark, cylindrical component.
- 15**: A small, dark, cylindrical component.
- 16**: A rectangular block or plate.
- 17**: The main housing or body of the assembly.

076930

Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.

You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)