

# *Operator's Manual*

**INSTALLING INSTRUCTIONS**

## **Protective Frame**

(528 960 R91 and 528 961 R91)

for

**INTERNATIONAL<sup>®</sup>**

**706, 756, 806, 856,**

**1206 and 1256**

**Tractors**

1082822R1

Reprinted

## ORDERING NUMBERS

528 960 R91 Protective Frame for International 706, 756, 806, 856, 1206 Diesel and 1256 Diesel Tractors without vertically adjustable drawbar.

528 961 R91 Protective Frame for International 706, 756, 806, 856, 1206 Diesel and 1256 Diesel Tractors with vertically adjustable drawbar.

**Note:** International 706 and 806 Tractors must also be equipped with Exhaust Pipe Extension Parts Accessory (403 532 R91).

**Note:** International 756 and 856 Tractors must also be equipped with Exhaust Pipe Extension Parts Accessory (403 422 R91).

**Note:** International 1206 Diesel and 1256 Diesel Tractors must also be equipped with Exhaust Pipe Extension (402 986 R1) ordered from stock.

**Note:** Tractors equipped with Protective Frame and Lo-No-Sag Seat must also be equipped with Seat Retainer Belt Attachment (404 227 R1).

**Note:** Tractors equipped with Protective Frame and Vertical Acting Seat must also be equipped with Seat Retainer Belt Attachment (404 228 R1).


## GENERAL PRECAUTIONS

The protective frame is provided to protect the operator in the event of an accidental tractor roll-over or upset. When used, it is mandatory that the operator ALWAYS fasten the seat belts furnished. **Note:** The use of seat belts without a protective frame IS NOT recommended.

**Caution!** Care must be exercised in operating the tractor, particularly on rough or hilly land, to minimize the possibility of an upset.

After an upset, no attempt should be made to straighten, weld, or otherwise repair the protective frame for further service. It must be replaced in its entirety.

**Note:** Do not operate the tractor or run the engine until a thorough inspection has been made to determine that all components, controls, systems, etc. are operating correctly. The tractor must be inspected for other damage, preferably by your International Harvester Dealer, and all necessary corrections made.



Side View International 856  
Tractor with Protective Frame

**Buy Now**



Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)