
FORD

FORD NEW HOLLAND

Operator's Manual

8530 8630 8730 8830



DEAR CUSTOMER - PLEASE READ CAREFULLY

The warranty coverage that is extended to your Ford tractor is explained in the Warranty and Limitation of Liability form, a copy of which forms the next leaf of this book. A further copy is provided, which your dealer will remove from the book and ask you to sign after you have read it. Ask your dealer to explain any points that you do not understand.

Do not modify or alter or permit anyone else to modify or alter this tractor or any of its components or any tractor function without first consulting a Ford New Holland Dealer. If you have any questions regarding tractor modifications contact Ford New Holland, Inc., at one of the addresses shown overleaf.

A Roll Over Protective Structure (ROPS) and seat belt were standard equipment for the tractor at time of factory assembly. If the ROPS was deleted by the original purchaser or has been removed, it is recommended that you equip your tractor with a Roll Over Protective Structure (ROPS) and seat belt. ROPS safety cabs are effective in reducing injuries during tractor overturn accidents. Overturning a tractor without a ROPS or safety cab can result in serious injury or death.

Roll Over Protective Structure (ROPS) safety cabs and seat belts are available for your Ford tractor. If your tractor is not equipped with a ROPS or safety cab and seat belt see your Ford New Holland dealer.

Your safety and the safety of those around you depends upon the care and good judgment you use while operating this equipment. Read the safety precautions carefully.

PARTS AND SERVICE CATALOGUES AVAILABLE!

Ford New Holland is pleased to announce to owners of Ford tractors and equipment the availability of numerous parts and service catalogues.

To obtain these catalogues merely fill out the order form available from your local authorised Ford New Holland Dealer.

OWNER ASSISTANCE

We at Ford New Holland and your Ford New Holland dealer want you to be completely satisfied with your investment. Normally any problems with your equipment will be handled by your dealer's Service Department. Sometimes, however, misunderstanding can occur. If your problem has not been handled to your satisfaction, we suggest the following.

- 1. Contact the owner or General Manager of the dealership, explain the problem, and request assistance. When additional assistance is needed, your dealer has direct access to our branch office.
- 2. If you cannot obtain satisfaction by doing this, contact the Ford New Holland branch office in your area and provide them with:
 - Your name, address, and telephone number
 - Machine model and serial number
 - Dealership name and address
 - Machine purchase date and amount of use
 - Nature of problem

Atla	ınta
------	------

2000 Mountain Ind. Blvd. Tucker, GA 30084

New Holland

500 Diller Avenue New Holland, PA 17557

Telephone: (404) 491-3499 Telephone: (717) 355-3951

Calgary

Box 1616, Main P.O. Calgary, AB

CANADA T2P 2M7

Telephone: (403) 273-6771

Dallas

P.O. Box 10227 Dallas, TX 75207 Telephone: (214) 939-4950 CA 94533

Fairfield

P.O. Box 6100 Fairfield.

Telephone: (707) 423-9200

Toronto

P.O. Box 7000 Brampton, ON CANADA L6V 2M9

Telephone: (416) 457-2720

Kansas City

P.O. Box 14550 Lenexa, KS 66219 Troy 1315 Coolidge Avenue

Trov. M1 48084

Telephone: (913) 894-3387 Telephone: (313) 637-9382

Minneapolis

P.O. Box 1342

Minneapolis, MN 55440 Telephone: (612) 887-4232

3. If you need further assistance contact:

Consumer Services Department Mail Station 500 Ford New Holland, Inc. New Holland, PA 17557 Telephone: (717) 355-1545

When contacting Ford New Holland's branch office or Consumer Services Department, be aware that your problem will likely be resolved in the dealership using the dealer's facilities, equipment, and personnel. So it is important that your initial contact be with the dealer.



FORD NEW HOLLAND INC. AND FORD NEW HOLLAND CANADA LTD.

WARRANTY AND LIMITATION OF LIABILITY - 8530 THRU 8830 TRACTORS

COVERAGE PROVIDED

Ford New Holland Inc. or Ford New Holland Canada Ltd., hereinafter called the "Company" warrants to the retail purchaser of each new Ford brand Product (as listed below) that the Selling Dealer will repair or replace any part thereof found to be defective in materials or workmanship within the following periods:

BASIC WARRANTY

Warranty Period

Agricultural Tractor, Models 8530, 8630, 8730, 8830...... 36 Mos./3000 Hrs. (whichever occurs first)

The warranty period will begin on date of original retail sale or date of original use, whichever is earlier.

- The obligation of the Company to the purchaser under this warranty is limited to the repair or replacement of defective parts, which will be made free of charge for both parts and labor using Ford New Holland service parts. Repair or replacement in accordance with this warranty shall constitute fulfillment of all liabilities of the Company and the Selling Dealer in respect to such Products.
- Repairs or replacements will be performed by the Selling Dealer, following delivery of the Product by the purchaser to the Selling Dealer's place of business.
- If the purchaser has moved a long distance from the Selling Dealer, any Ford New Holland dealer authorized to sell and service Ford brand Products may perform the repair at its dealership.
- The Selling Dealer shall review these warranty provisions with the purchaser prior to retail sale, secure his acknowledgement of delivery of this warranty and record the date of original retail sale or date of original use.

WHAT IS NOT COVERED BY THE WARRANTY

- 1. This warranty shall **NOT** apply under the following conditions:
 - (i) With respect to vendor warranty items such as tires, tubes and attachments;
 - (ii) If the unit has been subject to misapplication, abuse, misuse, negligence of proper maintenance or other negligence, fire or other accident;
 - (iii) If parts other than those made or marketed by Ford New Holland, Inc. or Ford New Holland Canada Ltd., have been used in connection with the unit, and in the sole judgement of the Company such use affects its performance, stability or reliability;
 - (iv) If the unit has been altered or repaired outside of a new Ford New Holland dealership in a manner which, in the sole judgment of the Company, affects its performance, stability or reliability;
 - (v) With respect to batteries which are covered by a separate pro rata adjustment warranty.
- This warranty shall **NOT** apply to normal maintenance services (such as tune-ups, fuel injection system cleaning and wheel, brake and clutch adjustments), to normal replacement of service items (such as filters and brake or clutch linings), or to normal deterioration due to use or exposure (such as belts and exterior finish).
- 3. This warranty shall NOT apply to any Product which is distributed by anyone other than Ford New Holland, Inc. or Ford New Holland Canada Ltd., through its authorized dealer. This warranty shall NOT apply to any Product which is normally operated outside of the United States, and/or Canada.

LIMITATIONS, INCLUDING DISCLAIMER OF IMPLIED WARRANTIES AND CONSEQUENTIAL DAMAGES

This warranty gives you specific legal rights and you may also have other rights which may vary according to state and provincial law.

Ford New Holland Inc. or Ford New Holland Canada Ltd. does not authorize any person to create for it any other obligation or liability in connection with these products. TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS APPLICABLE TO THIS PRODUCT IS LIMITED TO THE STATED DURATION OF THIS WRITTEN WARRANTY. NEITHER THE COMPANY NOR THE SELLING DEALER SHALL BE LIABLE FOR LOSS OF THE USE OF THE PRODUCT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR CONSEQUENTIAL DAMAGES.

Some states and/or provinces do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

The remedy of repair or replacement of a defective part during the warranty period herein specified shall be the purchaser's exclusive remedy.

RIGHT TO MAKE DESIGN CHANGES

The Company reserves the right to make changes in the design and other changes in its products at any time and from time to time without notice and without incurring any obligation with respect to any product previously ordered from it, sold or shipped by it.

No □

EXTENDED SERVICE PLAN (E	SP)	
--------------------------	-----	--

An optional Extended Service Plan is available: Yes

When	n available, the Extended Service Plan has been explained to me and I: accept and have signed the completed registration form decline the Extended Service Plan
PRC	TECTIVE EQUIPMENT FOR A SHAW THE TOTAL SHEW A SHAW THE
branc	lover protective structure (ROPS) and seat belt are provided as standard equipment on all Ford diagricultural (except orchard and vineyard) and industrial tractors and we strongly recommend use. Customers who elect to remove or not use this equipment do so at their own risk.
• I	acknowledge the existence of OSHA regulations pertaining to ROPS.
• A	PTO master shield has been furnished with delivery of the machine.
• T	he correct Operator's Manual has been furnished
• S	afety precautions were explained to me by the selling dealer.



FORD NEW HOLLAND INC. AND FORD NEW HOLLAND CANADA LTD.

WARRANTY AND LIMITATION OF LIABILITY - 8530 THRU 8830 TRACTORS

COVERAGE PROVIDED

Ford New Holland Inc. or Ford New Holland Canada Ltd., hereinafter called the "Company" warrants to the retail purchaser of each new Ford brand Product (as listed below) that the Selling Dealer will repair or replace any part thereof found to be defective in materials or workmanship within the following periods:

BASIC WARRANTY

Warranty Period

Agricultural Tractor, Models 8530, 8630, 8730, 8830....... 36 Mos./3000 Hrs. (whichever occurs first)

The warranty period will begin on date of original retail sale or date of original use, whichever is earlier.

- The obligation of the Company to the purchaser under this warranty is limited to the repair or replacement of defective parts, which will be made free of charge for both parts and labor using Ford New Holland service parts. Repair or replacement in accordance with this warranty shall constitute fulfillment of all liabilities of the Company and the Selling Dealer in respect to such Products.
- Repairs or replacements will be performed by the Selling Dealer, following delivery of the Product by the purchaser to the Selling Dealer's place of business.
- If the purchaser has moved a long distance from the Selling Dealer, any Ford New Holland dealer authorized to sell and service Ford brand Products may perform the repair at its dealership.
- The Selling Dealer shall review these warranty provisions with the purchaser prior to retail sale, secure his acknowledgement of delivery of this warranty and record the date of original retail sale or date of original use.

WHAT IS NOT COVERED BY THE WARRANTY

- 1. This warranty shall **NOT** apply under the following conditions:
 - (i) With respect to vendor warranty items such as tires, tubes and attachments:
 - (ii) If the unit has been subject to misapplication, abuse, misuse, negligence of proper maintenance or other negligence, fire or other accident;
 - (iii) If parts other than those made or marketed by Ford New Holland, Inc. or Ford New Holland Canada Ltd., have been used in connection with the unit, and in the sole judgement of the Company such use affects its performance, stability or reliability;
 - (iv) If the unit has been altered or repaired outside of a new Ford New Holland dealership in a manner which, in the sole judgment of the Company, affects its performance, stability or reliability;
 - (v) With respect to batteries which are covered by a separate pro rata adjustment warranty.
- This warranty shall NOT apply to normal maintenance services (such as tune-ups, fuel injection system cleaning and wheel, brake and clutch adjustments), to normal replacement of service items (such as filters and brake or clutch linings), or to normal deterioration due to use or exposure (such as belts and exterior finish).
- This warranty shall NOT apply to any Product which is distributed by anyone other than Ford New Holland, Inc. or Ford New Holland Canada Ltd., through its authorized dealer. This warranty shall NOT apply to any Product which is normally operated outside of the United States, and/or Canada.

LIMITATIONS, INCLUDING DISCLAIMER OF IMPLIED WARRANTIES AND CONSEQUENTIAL DAMAGES

This warranty gives you specific legal rights and you may also have other rights which may vary according to state and provincial law.

Ford New Holland Inc. or Ford New Holland Canada Ltd. does not authorize any person to create for it any other obligation or liability in connection with these products. TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS APPLICABLE TO THIS PRODUCT IS LIMITED TO THE STATED DURATION OF THIS WRITTEN WARRANTY. NEITHER THE COMPANY NOR THE SELLING DEALER SHALL BE LIABLE FOR LOSS OF THE USE OF THE PRODUCT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR CONSEQUENTIAL DAMAGES.

Some states and/or provinces do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

The remedy of repair or replacement of a defective part during the warranty period herein specified shall be the purchaser's exclusive remedy.

RIGHT TO MAKE DESIGN CHANGES

The Company reserves the right to make changes in the design and other changes in its products at any time and from time to time without notice and without incurring any obligation with respect to any product previously ordered from it, sold or shipped by it.


n dhiù sason e gha ben hi seo a' beadh guille 11 an t-aige a' fa	
EXTENDED SERVICE PLAN (ESP)	
An optional Extended Service Plan is available: Yes □	No 🗆
When available, the Extended Service Plan has been explain accept and have signed the completed registration for decline the Extended Service Plan	
PROTECTIVE EQUIPMENT	
A rollover protective structure (ROPS) and seat belt are pro- brand agricultural (except orchard and vineyard) and indust their use. Customers who elect to remove or not use this equi	rial tractors and we strongly recommend
I acknowledge the existence of OSHA regulations pertain	ning to ROPS.
A PTO master shield has been furnished with delivery of the second	the machine
The correct Operator's Manual has been furnished	
Safety precautions were explained to me by the selling de-	ealer.
ACKNOWLEDGEMENT	
The blank spaces under "Protective Equipment" have acknowledge that I have read and I accept this Warranty and	
Purchaser	Model Model Market Mark
SIGNATURE	z da ykyyy TOM siask cznacze w daffil dal z dany y dafi
Date	Serial No.

ROLL OVER PROTECTIVE STRUCTURES

A roll over protective structure (ROPS) and seat belt were standard equipment for the tractor at time of factory assembly. The seat belt, when used by the operator, maximizes the protection offered by the ROPS. ALWAYS use your seat belt when the ROPS is installed – seat belts save lives when they are used. Do not use your seat belt when the ROPS is not installed on the tractor.

If the ROPS was deleted by the original purchaser or has been removed, it is recommended that you equip your tractor with a Roll Over Protective Structure (ROPS) and seat belt. ROPS are effective in reducing injuries during tractor overturn accidents. Overturning a tractor without a ROPS can result in serious injury or death.

Roll Over Protective Structure (ROPS), and seat belts are available from your Ford Tractor Dealer.



2 Post ROPS



Ford Built Safety Cab (ROPS)

ROPS MAINTENANCE AND INSPECTION

After the first 20 hours of operation and after every 300 hours of operation, or six months, whichever comes first:

1. Check the torque of the ROPS mounting bolts. Tighten if necessary as follows.

		Lbs. Ft.	
Bolt Dia.	Quantity	Torque	Nm
3/4 in.	6	252-308	341-417
1 in.	2	646-714	875-967

Check the operator's seat mounting bolts and the seat belt mounting parts. Tighten bolts to torque and replace worn or damaged parts.

DAMAGE TO THE ROPS

If the tractor has rolled over or the ROPS has been damaged (such as striking an overhead object during transport), the ROPS must be replaced to provide the original amount of protection.

After an accident, check for damage to the (1) ROPS, (2) operator's seat; (3) seat belt and seat belt mountings. Before you operate the tractor, replace all damaged parts.

DO NOT TRY TO WELD OR STRAIGHTEN THE ROPS

warning: Never attach chains, ropes, or cables to the ROPS or Cab for pulling purposes; this may cause the tractor to tip backward. Always pull from the tractor drawbar. Be careful when driving through door openings or under low overhead objects. Make sure there is sufficient overhead clearance for the roll bar.

WARNING: If the ROPS cab is removed or replaced, make certain that the proper hardware is used and the recommended torque values are applied to the attaching bolts.

when the tractor is equipped with a ROPS. Never wear the seat belt if the tractor is not equipped with a ROPS or Safety Cab.

FALLING OBJECT PROTECTIVE STRUCTURES (FOPS)

When tractors are equipped with front-end loaders and are not equipped with safety cabs, it is recommended the tractor be equipped with a FOPS canopy to protect the operator from falling objects.

FOREWORD


This Manual has been prepared to assist you in the correct procedure for running-in, operation and maintenance of your new Ford tractor. The Manual covers tractors with and without cab and where obvious differences occur both versions are illustrated or described in the text.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at factory and by your Ford New Holland dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified in this Manual, are carried out at the recommended intervals.


The upper portion of the following two pages are pre-delivery inspection sheets. The first page is your copy of the service performed. The second page is the dealers' copy and should be removed by the dealer after the inspection has been carried out. **Ensure that you and the dealer sign both copies.** After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50 hour service as listed on the lower portion of the following two pages. **Ensure that you and the dealer sign both copies.**

Read this Manual carefully and keep it in a convenient place for future reference. If at any time you require advice concerning your tractor, do not hesitate to contact your authorised Ford New Holland dealer. He has factory trained personnel, genuine Ford parts and the necessary equipment to carry out your service requirements.

A vehicle identification plate is located on the framework behind the right hand radiator side panel. To gain access to the plate remove the side panel (Ford 8530 or 8630) or slide the panel forward (Ford 8730 or 8830). If your tractor is equipped with four wheel drive transmission, then a similar plate is affixed to the rear of the front axle casing. For convenience, the numbers shown on the plates should be recorded in the panels below and quoted to your Ford New Holland dealer should the tractor require service.



Vehicle Identification Plate



Front Axle Identification Plate

Ford New Holland policy is one of continuous improvement, and the right to change prices, specification or equipment at any time without notice is reserved.

All data given in this book is subject to production variations. Dimensions and weights are approximate only and the illustrations do not necessarily show tractors in standard condition. For exact information about any particular tractor please consult your Ford New Holland dealer.

PRE-DELIVERY INSPECTION – CHECK AND ADJUST AS REQUIRED

INOPERATIVE SERVICE CHECKS:		OPERATIVE SERVICE CHECKS:
1. Tyre pressures and condition	21.Fuel level	All operative checks are to be performed with
2. Lift-rod levelling sleeves for proper	22. Sheet metal and paint condition	the tractor at normal operating temperature.
operation	23. Drain diesel fuel filter and water	 Lights and instruments for proper
3. Radiator coolant level and specific gravity	separator	operation
(1.071–1.083 at 60°F)	24. Lubricate all grease fittings	2. Fluid and oil leaks [
4. Drive belts for tension	25. Air cleaner element and hose	3. Maximum no-load speed and idle speed
5. Engine oil level	connections	adjustments and fuel shut-off [
6. Transmission/rear axle oil level	26. Seat mounting and adjustment	4. P.T.O. operation
7. Front axle differential oil level (4wd)	27. Cab door and lock operation and seal	5. Hydraulic System:
8. Front axle hub oil level (4wd)	condtion	Selector lever for Draft and
9. Power steering reservoir oil level	28. Cab interior upholstery, trim and	Position control operation
10. Upper link, drawbar and pin in	mouldings	Flow control operation
position	29. Cab window operation, window props	Draft Control operation
11. Brake pedal free play and equalisation .	and latches, seal condition	Remote control valves (including flow
12. Clutch pedal free play	30. Cab sun visor operation	control operation)
13. Wheel-to-rim clamp bolts and	31. Cab filter installation	· · · · · · · · · · · · · · · · · · ·
lock nuts for tightness	32. All electrical cables, terminals and	
14. Wheel disc-to-hub nuts for	wires	
tightness	***************************************	PERFORMANCE SERVICE CHECKS:
15. Rear wheel-to-axle wedge bolts for	SAFETY ITEMS CHECKS:	Engine operation including throttle and
		-
tightness	1. Seat belt installed (where applicable) 2. Safety decals installed	governor operation
16. Front end weight clamp bolts for		
tightness	3. Neutral start switch operation	pedal
17. Front axle support bolts for tightness	4. Parking brake operation	3. Steering control
18. Front axle spindle nuts for proper	5. Flashing lights/tail lights operation	Differential lock engagement and
tightness (2wd)	6. Operator's Manual 🔲	disengagement
19. Front wheel toe-in	7.P.T.O. master shield installed	5. Brake action
20. Battery cleanliness, vents, electrolyte level	8. S.M.V. emblem installed	All optional equipment and
***************************************	(where fitted) [accessories
and specific gravity not less than 1.240 .	LAINED TRACTOR MODEL NODATE DEALER'S SIGNATURE	
and specific gravity not less than 1.240 . NSPECTION PERFORMED-WARRANTY EXPLOYER'S SIGNATURE		DATE
and specific gravity not less than 1.240 . NSPECTION PERFORMED-WARRANTY EXPLOYER'S SIGNATURE FIRST 50-HOU	DATE DEALER'S SIGNATURE	DATE T AS REQUIRED
and specific gravity not less than 1.240 . NSPECTION PERFORMED-WARRANTY EXPLOYER'S SIGNATURE FIRST 50-HOUSE INOPERATIVE SERVICE CHECKS:	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST	T AS REQUIRED OPERATIVE SERVICE CHECKS:
and specific gravity not less than 1.240 . NSPECTION PERFORMED-WARRANTY EXPLOYED SIGNATURE FIRST 50-HOUSE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper
and specific gravity not less than 1.240 . INSPECTION PERFORMED-WARRANTY EXPLOYED WINDER'S SIGNATURE FIRST 50-HOU INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A PRESERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND PERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A PRESERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation 2. Fluid and oil leaks 3. Maximum no-load speed and idle speed adjustments and fuel shut-off
AND A PRESSURES AND A CONTRICTION OF THE PROPERTY OF THE PROPE	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A PRESENTE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
INSPECTION PERFORMED-WARRANTY EXPLOWNER'S SIGNATURE FIRST 50-HOU INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A CONTRECTION PERFORMED WARRANTY EXPLOYED WA	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only) 18. Wheel disc-to-hub nuts for tightness 19. Wheel-to-rim clamp bolts or lock nuts for tightness 20. Rear wheel-to-axle wedge bolts for tightness 21. Front end weight clamp bolts for	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
ANOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only) 18. Wheel disc-to-hub nuts for tightness 19. Wheel-to-rim clamp bolts or lock nuts for tightness 20. Rear wheel-to-axle wedge bolts for tightness 21. Front end weight clamp bolts for tightness	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
ANOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	DATE OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A Specific gravity not less than 1.240	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	DATE OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A Specific gravity not less than 1.240	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	TAS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A Specific gravity not less than 1.240	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	DATE OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A SPECTION PERFORMED-WARRANTY EXPLOYED THE SIGNATURE FIRST 50-HOUSE SIGNATURE FIRST 50-HOUSE SIGNATURE NOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	TAS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A SPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOUSE SIGNATURE FIRST 50-HOUSE SIGNATURE NOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
ANOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	DATE DEALER'S SIGNATURE R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A SPECTION PERFORMED-WARRANTY EXPLOYED TO THE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	T AS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
NSPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOU NOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PAS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
NSPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRS'T 50-HOU NOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PERFORMANCE SERVICE CHECKS: 1. Lights and instruments for proper operation
INSPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOUSE SIGNATURE INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
INSPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOUSE SIGNATURE INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PAS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
INSPECTION PERFORMED-WARRANTY EXPLOYER'S SIGNATURE FIRST 50-HOU INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PERFORMANCE SERVICE CHECKS: 1. Engine operation PERFORMANCE SERVICE CHECKS: 1. Lights and instruments for proper operation 2. Fluid and oil leaks 3. Maximum no-load speed and idle speed adjustments and fuel shut-off 4. P.T.O. operation 5. Hydraulic System: Selector lever for Draft and Position Control operation Remote control valves (including flow control operation) PERFORMANCE SERVICE CHECKS: 1. Engine operation including throttle and governor operation 2. Transmission, including clutch/inching pedal 3. Steering control 4. Differential lock engagement and disengagement 5. Brake action
INSPECTION PERFORMED-WARRANTY EXPLOYED SIGNATURE FIRST 50-HOUS SIGNATURE FIRST 50-HOUS SIGNATURE INOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PAS REQUIRED OPERATIVE SERVICE CHECKS: 1. Lights and instruments for proper operation
AND A SPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOUSE NOPERATIVE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PERFORMANCE SERVICE CHECKS: 1. Engine operation PERFORMANCE SERVICE CHECKS: 1. Lights and instruments for proper operation 2. Fluid and oil leaks 3. Maximum no-load speed and idle speed adjustments and fuel shut-off 4. P.T.O. operation 5. Hydraulic System: Selector lever for Draft and Position Control operation Remote control valves (including flow control operation) PERFORMANCE SERVICE CHECKS: 1. Engine operation including throttle and governor operation 2. Transmission, including clutch/inching pedal 3. Steering control 4. Differential lock engagement and disengagement 5. Brake action 6. All optional equipment and
AND A SPECTION PERFORMED-WARRANTY EXPLOYED TOWNER'S SIGNATURE FIRST 50-HOUSE SIGNATURE FIRST 50-HOUSE SIGNATURE SIGNATURE SERVICE CHECKS: 1. Tyre pressures and condition	R SERVICE – CHECK AND ADJUST 17. Perform clutch pack calibration Ford Powershift transmission only)	PERFORMANCE SERVICE CHECKS: 1. Engine operation PERFORMANCE SERVICE CHECKS: 1. Engine operation 2. Fluid and oil leaks 3. Maximum no-load speed and idle speed adjustments and fuel shut-off 4. P.T.O. operation 5. Hydraulic System: Selector lever for Draft and Position Control operation Flow control operation Remote control valves (including flow control operation) PERFORMANCE SERVICE CHECKS: 1. Engine operation including throttle and governor operation 2. Transmission, including clutch/inching pedal 3. Steering control 4. Differential lock engagement and disengagement 5. Brake action 6. All optional equipment and accessories TRACTOR SERIAL NO.

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com