
OPERATOR'S MANUAL

TD3.50

Tractors



Part Number 47376814

Ist edition English May 2012





SECTION SUMMARY

- 1 Introduction and safety measures
- 2 General information, controls and instruments
- 3 Field Operations
- 4 Lubrication and Maintenance
- 5 Troubleshooting
- 6 Vehicle storage
- 7 Accessories
- 8 Specifications and Data
- 9 First 50-Hour Service Forms
- 10 Alphabetical Index

Electro-magnetic Interference (EMC)

This tractor complies with the European Regulations on electro-magnetic emissions. However, interference may arise as a result of add-on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:


... Ensure that each piece of non-New Holland equipment fitted to the tractor bears the CE mark.

CE

- ... The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the tractor.
- ... The electro-magnetic field generated by the add-on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.

Failure to comply with these rules will render the New Holland warranty null and void.

CE DECLARATION OF CONFORMITY DOCUMENT



On page III is provided copy of the "EC" Declaration of Conformity (EC Declaration of Conformity acc to 2006/42/EC).

The EC Declaration of Conformity is the manufacturer's declaration about equipment compliance to relevant EU provisions.

Please keep the original document in a safe place. Local authorities may require you to show this document in order to assure compliance of your equipment.

Translation of this declaration in your own country language is provided on the original document

For your better and easier understanding of the document you will find original text reproduced hereafter together with some notes

Clause of	EN
2006/42/EC	EC Declaration of Conformity According to Directives 2006/42/EC
Annex II	
1.A.1	We, [1]
1.A.2	Represented by Giuseppe Gavioli, CNH Europe Holding S.A. 24, Boulevard Royal L-2449 Luxembourg
1.A.3	declare under our sole responsibility, that the product:
	Agricultural tractor
	Trade Name: [2]
	Model: [3]
	Type: [4]
	Serial Number: [5]
1.A.4	to which this declaration relates, fulfills all the relevant provisions of Directives 2006/42/EC amended by: [6]
1.A.7	For the relevant implementation of the provisions of the Directives, the following (harmonised) standards have been applied:
	ISO 26322-1 part 1 or 2
	Other standards: see Operator's Manual
1.A.9	Place and date of the declaration: [7]
1.A.10	Name and signature of the authorised person: [8]

CONTENTS

Title	Page
CE DECLARATION OF CONFORMITY DOCUMENT	
HEALTH AND SAFETY RELATED STANDARDS APPLIED TO YOUR T	RACTOR III
Section 1 - Introduction and Safety Measures	
To the owner	
Tractor identification	
Ecology and the environment	
Safety messages used in this Manual	
Working safely	
Safety decals	
International symbols	
Section 2 - General Information, Controls and Instruments	
Safety covers and guards	
Controls and instruments	
Instrument panel	
Instrument console controls	
Right-hand side operating controls	
Left-hand side operating controls	
Seats	
Transmission with range gear and shuttle	
Towing the tractor	
Loading the tractor onto a transporter	
Checks before using the tractor	2–21
Section 3 - Field Operations	
Starting the engine with thermostart	
Power take-off	
Hydraulic lift	
Three-point linkage Cat. II	
Remote control valves	
Wheel track adjustment	
Tyres	
Tyre combinations	
Ballasting	
Static weight distribution	

Section 10 - Alphabetical Index	10–1
Section 9 - First 50-hour Service Forms	
Electrical system	
Towing devices	
Bodywork and driving position	
Brakes	
4WD front axle	
Steering	
Front axle	
Three-point linkage	
Hydraulic system	
Power take-off	
Transmission	
Cooling system	
Lubrication	
Fuel system	
Timing	
Engine specifications	
Weights	8-3
General Dimensions	8-2
Section 8 - Specifications and Data	
Drawbars and towing attachments	7–3
Beacon lamp	
Section 7 - Accessories	
Section 6 - Vehicle Storage	6–1
Brakes	
Three-point linkage	
Hydraulic system	
Electrical system	
Engine	
Introduction	5_1
Section 5 - Troubleshooting	, ,
Lubricant capacities and specifications	
Recommendations for bodywork maintenance	
Electrical system	
General maintenance	
1200–hour or every 2 years service	
1200-hour service	
600-hour service	
300-hour service	
50-hour service	
10-hour / daily service	
When the warning light is on	
Flexible maintenance	
Lubrication and maintenance table	
Access for inspection and maintenance	4-5
Section 4 - Lubrication and Maintenance	

METRIC AND IMPERIAL UNITS ABBREVIATIONS

TYPICAL	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
APPLICATIONS	NAME	SYMBOL	NAME	SYMBOL
AREA				
Land area	hectare	ha	acre	ha
	square meter	m^2	square foot	ft^2
	square millimetre	mm^2	square inch	in ² in ²
ELECTRICITY	square millimetre	1111111	square mon	111
ELECTRICITY				
	ampere	A	ampere	A
	volt	V	volt	V
	microfarad	рF	microfarad	рF
	ohm	Z	ohm	Z
FORCE				
	kilonewton	kN	pound	Ib
	Newton	N	pound	Ib
FORCE PER LENG	тн			
	Newton per meter	N/m	pound per inch	Ib/in
FREQUENCY				
	megahertz	MHz	Megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
FREQUENCY - RO	TATIONAL			
	revolution per minute	r/min	revolution per minute	r/min (a)
		rpm		rpm
LENGTH				
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	рm		
MASS				
	kilogram	kg	pound	Ib
	gram	g	ounce	OZ
	milligram	mg		

TYPICAL	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
APPLICATIONS	NAME	SYMBOL	NAME	SYMBOL
POWER				
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour Btu per minute	Btu/hr Btu/min
PRESSURE or STR	ESS (FORCE PER AREA)			
	kilopascal	kPa	pound per square inch inch of mercury	PSI inHg
	pascal	Pa	inch of water	inH ₂ O
	megapascal	Mpa	pound per square inch	PSI
TEMPERATURE (ot	ther than THERMODYNAMIC)			
	degrees Celcius	·C	degrees Fahrenheit	·F
TIME				
	hour	h	hour	h
	minute	min	minute	min
	second	s	second	s
TORQUE (includes	BENDING MOMENT, MOMENT OF	F FORCE, a	and MOMENT OF A COUPLI	≣)
	Newton meter	N m N m	pound foot pound inch	Ib ft Ib in
VELOCITY				
	kilometre per hour	km/h	mile per hour	mph
	meter per second	m/s	foot per second	ft/s
	millimetre per second	mm/s	inch per second	in/s
	meter per minute	m/min	foot per minute	ft/min
VOLUME (includes	CAPACITY)			
	cubic meter	m ³	cubic yard	yd ³ cu yd
	litre	1	cubic inch	in^3
	litre	1	US gallon UK gallon US quart UK quart	US gal UK gal US qt UK qt
	millilitre	ml	fluid ounce	fl oz

TYPICAL APPLICATIONS	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
	NAME	SYMBOL	NAME	SYMBOL
VOLUME PER TIME (includes DISCHARGE and FLOW RATE)				
	cubic meter per minute	m ³ /min	cubic foot per minute	ft ³ /min
	litre per minute	l/min	US gallon per minute	US gal/min
	millilitre per minute	ml/min	UK gallon per minute	UK gal/min
SOUND POWER LEVEL and SOUND PRESSURE LEVEL				
	decibel	dB	decibel	dB

SECTION 1

INTRODUCTION AND SAFETY MEASURES

TO THE OWNER

GENERAL

This Manual has been prepared to assist you in the correct procedure for running—in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your New Holland dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble—free operation, it is important that the routine services, as specified in Section 4 of this Manual, are carried out at the recommended intervals.

CLEANING THE TRACTOR

Your tractor is a state-of-the-art machine with user friendly controls. This should be borne in mind when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electrical components and connections, the pressure generated by some of these machines is such that complete protection against water ingress can not be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

SAFETY

Pages 1–5 to 1–25 inclusive list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered **before** operating the tractor.

FIRST 50 HOUR SERVICE

In Section 9, at the back of this Manual, you will find the 50–hour service reports.

After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50—hour service and complete the service report sheets (pages 9–1 and 9–3). The first sheet (page 9–1) is the dealer's copy and should be removed by the dealer after the service has been carried out. The second sheet (page 9–3) is your copy of the service performed. **Ensure that you and the dealer sign both copies.**

SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation and/or use of 'non-genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect it's safety. The Company is not liable for any damage caused by the use of 'non–genuine' parts and accessories. Only genuine replacement parts should be used. The use of non-genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorised, in writing, by the After Sales Service department of the Company.

WARRANTY

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

SECTION 1 – INTRODUCTION AND SAFETY MEASURES


ABOUT THIS MANUAL

This Manual gives information for use of this tractor, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

- Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for operation and safe practices, as specified by the manufacturer in this Manual and by the signs on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition
 of the field and/or the crop.
- Routine service and maintenance means activities that must be done daily by an operator familiar with the
 tractor characteristics and complying with the information for routine service and safe practices, as specified
 by the manufacturer in this Manual and by signs on the tractor, in order to maintain its proper function. Routine
 service includes activities such as fuelling, cleaning, washing, topping up fluid levels, greasing, replacing of
 consumable articles such as lamp bulbs.
- This Manual is not giving all the information related to periodical service, converting and repairs to be carried
 out by professional service personnel. For some of the latter activities, there may be a need for appropriate
 facilities, technical skills and tools which are not supplied with the tractor, please refer to your dealer or
 authorised workshop.
- Periodical service means activities that must be done at defined intervals by trained personnel familiar with
 the tractor characteristics and which are complying with the information for periodical service and safe
 practices, as partly specified by the manufacturer in this Manual and in other Company literature, in order
 to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this Manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's Workshop Manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

TRACTOR IDENTIFICATION PLATES

Serial numbers identify the tractor and its main components. The identification data must be supplied by the dealer for requests for spare parts or service operations. Identification data is of fundamental importance in the event of theft of the tractor. The location of the various identification data is shown below.



Frame identification data plate

The Product Identification Number plate provides important information on tractor and towed equipment weight combinations. This plate can be found on the left-hand side of the rops support.

The figures shown are the maximum permissible vehicle and towing weights and should not be exceeded, to do so may affect the safe operation of the tractor. See Drawbars and Towing Attachments in Section 7.

CNH EUR	OPE H	OLDING	3 S. A.
TYPE	.		
HOMOLOGATIO	N:		
IDENTIFICATION	N :		
WEIGHTS (Kg) TOTAL PERMISSIBLE MASS	_		
PERMISSIBLE FRONT AXLE LO	DAD		-
PERMISSIBLE REAR AXLE LOA	AD.		-
PERMISSIBLE TOWABLE MASS			
- UNBRAKED TOWABLE MASS	5		
- INDEPENDENTLY BRAKED	TOWABLE MAS	SS	
- INERTIA-BRAKED TOWABLE	MASS		
- TOWABLE MASS FITTED WITH	AN ASSISTED	BRAKING SYSTEM	
Made	in Turke	y	CE

Thank you so much for reading.

Please click the "Buy Now!"

button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com