OPERATOR'S MANUAL

T9.450

T9.505

T9.560

T9.615

T9.670

Tier 2

Tractor

PIN ZEF401001 and above



Contents

		4 4
	Note to the ownerTractor intended use	I-I 1_1
	Electro-Magnetic Compatibility (EMC)	1-2
	CNH Industrial America LLC technical manuals	
	Your tractor	
	Manual storage	1-5
	Product identification	
	Machine orientation	
	Component location	1-11
2	SAFETY INFORMATION	
	Safety alert symbol and signal word definition	2-1
	Safety rules	
	Ecology and the environment	2-13
	Protective structures	
	Hazardous substances	
	Emergency exit	
	Safety signs	
	Articulation cylinder locking blocks	2-29
_		
3	CONTROLS AND INSTRUMENTS	
	ACCESS TO OPERATOR'S PLATFORM Cab access/exit	3-1
	ACCESS TO OPERATOR'S PLATFORM Cab access/exit	3-1
	Cab access/exit OPERATOR'S SEAT	
	Cab access/exit. OPERATOR'S SEAT Overview	3-3
	Cab access/exit OPERATOR'S SEAT	3-3
	Cab access/exit OPERATOR'S SEAT Overview Control identification	3-3
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT	3-3 3-4
	Cab access/exit OPERATOR'S SEAT Overview Control identification	3-3 3-4
	Cab access/exit. OPERATOR'S SEAT Overview Control identification INSTRUCTOR'S SEAT Overview	3-3 3-4
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS	3-3 3-4 3-7
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls	3-3 3-4 3-7
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls	3-3 3-4 3-7 3-9 3-12
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation	3-3 3-4 3-7 3-12 3-13 3-15
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls	3-3 3-4 3-7 3-12 3-13 3-15
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade	3-3 3-4 3-7 3-12 3-13 3-15
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade RIGHT-HAND SIDE CONTROLS	3-3 3-4 3-7 3-12 3-13 3-15
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade	3-3 3-4 3-7 3-7 3-12 3-15 3-16
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade RIGHT-HAND SIDE CONTROLS Armrest console Multi-function handle Throttle control	3-3 3-4 3-7 3-12 3-15 3-16 3-18 3-22
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade RIGHT-HAND SIDE CONTROLS Armrest console Multi-function handle Throttle control Control panel	3-3 3-4 3-7 3-7 3-12 3-15 3-16 3-18 3-22 3-23
	Cab access/exit. OPERATOR'S SEAT Overview Control identification. INSTRUCTOR'S SEAT Overview FORWARD CONTROLS Steering column controls Front console controls Pedal controls Ventilation Front sun shade RIGHT-HAND SIDE CONTROLS Armrest console Multi-function handle Throttle control	3-3 3-4 3-7 3-7 3-12 3-16 3-16

Joystick	3-30
Armrest compartment	3-31
Hitch controls	
Adjusting the armrest console	3-34
Adjusting the armiest console	, 0-0-
REARWARD CONTROLS	
	2.25
Rear sun shade	3-35
OVERHEAD CONTROLS	
	0.00
Overview	3-36
Automatic Temperature Control (ATC)	
Automatic Temperature Control (ATC) operation	3-42
Center panel controls	
•	
Radio (if equipped)	
Interior and access lights	3-50
EXTERIOR CONTROLS	
Exterior hitch control	3-52
INICTEL MENT OFFICE	
INSTRUMENT CLUSTER	
Overview	
Gauges	3-53
Status and warning icons	3-54
Upper display	
,, , ,	
Lower display	
Keypad	3-60
Instrumentation - setup menu	3-61
Instrumentation - adjust menu	
Performance instrumentation	
Performance instrumentation	3-75
4 OPERATING INSTRUCTIONS	
4 OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT	
Before starting the engine	<i>A</i> _1
before starting the engine	 -1
STARTING THE UNIT	
	4 5
Normal engine starting	
Cold temperature operation	4-7
STOPPING THE UNIT	
Stopping the machine and the engine	4-9
Trapping are massive and are engineering	
MOVING THE LINIT	
MOVING THE UNIT	4 10
Powershift transmission	
Powershift transmission	4-18
Powershift transmission	4-18
Powershift transmission	4-18 4-28
Powershift transmission	4-18 4-28 4-29

Headland Management System (HMS)	
5 TRANSPORT OPERATIONS	
ROAD TRANSPORT Tractor warning lamps Operating the tractor warning lamps Safe transport speed Implement warning lamps Safety chain	5-3 5-4 5-4
SHIPPING TRANSPORT Securing the tractor for shipping	5-6
RECOVERY TRANSPORT Safety rules Towing the tractor	
6 WORKING OPERATIONS	
GENERAL INFORMATION Product overview	6-1
REAR POWER TAKE-OFF (PTO)	
Power Take-Off (PTO) safety rules	
Connecting the Power Take-Off (PTO)	
Power Take-Off (PTO) operation	6-5
THREE-POINT HITCH	
Identification	
Link adjustment	
Sway block adjustment	
Mechanical float adjustment Hitch quick coupler - Category IVN	
Transport lock	
Hitch operation	
Rear remote hitch switch	
Position control operation	
Slip control operation	. 6-26
DRAWBARS AND TOWING ATTACHMENTS	
Safety rules	
Drawbar capacities	
Scraper operation	. v-31

TRAILER BRAKE COUPLER	
Safety rules	6-31
Trailer brake connections	6-32
AUXILIARY POWER CONNECTIONS	
External power and lighting connections	6-33
Cab power connections	
	0 00
LIVERALILLE REMOTE CONTROL VALVES	
HYDRAULIC REMOTE CONTROL VALVES	0.00
Valve couplers and connections	
Optional circuits	
Hydraulic remote valve transport lock	
Right-hand armrest controls	
Operating the lever controls	
Operating the Joystick control	
Remote valve display screens	
Auto auxiliary mode operation	
Auto depth control operation	6-62
BALLASTING THE TRACTOR	
Guidelines	6-65
Weights, cast metal and liquid	6-69
Wheel slip and power hop	6-76
FRONT AND REAR AXLE	
Tire safety	6-77
Pressure and load ratings	
Wheel installation	
Wheel tread settings on flange axles	
Wheel tread settings on bar axles	
7 MAINTENANCE	
GENERAL INFORMATION	
Advice	7-1
Engine hood	
Engine side shields	
Opening the right-hand service door	
Battery access	
Power cut-off switch	
Filling the fuel tank	
Fuel tank capacity	
Tire and rim service.	
Tractor jacking points	
Lubricants and capacities	
Engine oil temperature chart – Recommended operating temperature range	
General specification - Diesel fuel	

Fuel injection system - General specification - Biodiesel fuels	7-18
Organic Acid Technology (OAT) coolant	7-20
Electrical specifications	7-21
Battery system	7-22
Auxiliary battery connections	7-24
Fuse and relay locations	
Maintenance chart notes	
MAINITENIANICE CHADT	
MAINTENANCE CHART Maintenance chart	7_35
At warning message display	
Air cleaner	7-37
Primary fuel filter	
Fuel supply restricted (13L engines only)	7-38
Every 10 hours or daily	
Engine oil level	7-39
Wheel bolt torque	
Weight bolt torque	
Transmission oil level	
Hydraulic/axle oil level	
Engine coolant level	
Fuel level	
General tractor inspection	
Every 50 hours	
Fuel tank and fuel filter	7_11
Articulation hinge - upper front	
Oscillation hinge - rear	
Articulation hinge - lower	
Articulation cylinder - front, left-hand, right-hand	
Articulation cylinder - rear, left-hand and right-hand	
Hitch cylinder pin - upper (if equipped)	
Hitch cylinder pin - lower (if equipped)	
Hitch rockshaft - left-hand and right-hand	
Hitch lift links and top link	
Driveshaft carrier bearing	
Driveshalt carrier bearing	
First 100 hours	
Powershift transmission clutches	7-50
Every 600 hours	
Engine oil and filter (see note 3)	7-56
Engine fuel filter (see note 4)	
Engine fuel pre-filter	7-61
Fuel tank vent (see note 6)	

Battery electrolyte level	7-65
Cab air filter, outside (see note 1)	7-66
Air tubing - engine	7-67
Alternator - water pump belt	7-67
Power Take Off (PTO) carrier bearing	7-68
Power Take Off (PTO) slip joint	7-68
Radiator and coolers	
Cab recirculation filter	7-72
Every 1000 hours or yearly	
Powershift transmission clutches	7-73
Every 1200 hours	
Engine crankcase breather filter	7-73
Transmission oil and filter	
Transmission vent	
Engine air filters (see note 2)	
Door lock and hinges	7-83
Every 1800 hours	
Hydraulic oil and filters (see note 4)	7-84
Hydraulic reservoir breather	
Cab air filter, outside (see note 1)	7-87
Engine air tubing	7-88
Every 2400 hours	
Engine coolant drain and flush	7-89
As required	
Vehicle fire prevention	7-92
Remote valve couplers	
Pressure cooling system hoses	
Hydraulic system hoses	
Tire pressure	
Engine fan belt	
Viscous fan drive	
Cab fabric and carpet	
Seat belt	
Battery removal and installation	
Flood and work lamps	
Rotating beacon light	
Interior lights	
Road lamps	
Front amber turn and position lamps	
Marker/position lamp	
Rear amber turn/tail/stop lamps	7-112

License plate lamp	7-113
STORAGE Placing in storage Removing from storage	
8 TROUBLESHOOTING	
FAULT CODE RESOLUTION Fault code retrieval	8-1
ALARM(S) Display warnings Transmission disengages; neutral icon flashe	
9 SPECIFICATIONS	
Engine specifications	
Power train and hydraulics	
Lubricants and capacities	
Speed charts Vehicle dimensions and shipping weight	
Maximum operating weight	
10 ACCESSORIES	
Farming system displays	
Chemical tank mounting	
General accessories	

1 - GENERAL INFORMATION

Note to the owner

This manual contains important information about the safe operation, adjustment and routine maintenance of your tractor. The manual is divided into ten chapters as outlined in the table of contents. Refer to the index at the end of this manual for locating specific items about your tractor.

Do NOT operate or permit anyone to operate or service this machine until you or the other persons have read this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely. This Operator's Manual is to be stored in the manual compartment behind the operator's seat in the vehicle. Make sure this manual is in good condition. Contact your dealer to obtain additional manuals. Contact your dealer for any further information or assistance about your machine. Your dealer has approved service parts. Your dealer has technicians with special training that know the best methods of repair and maintenance for your tractor.

Tractor intended use

T9. series tractors with standard equipment and authorized attachments, are intended to be used for customary farming, land leveling and related agriculture operations (intended use). This tractor is not intended for forestry use or for use with loaders. The cab on this tractor does not offer sufficient protection for forestry work.

Installation of utility (dozer) blades, tile plows, front loaders or push bars on the tractor is not approved. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Consult an authorized dealer or CNH Industrial America LLC on changes, additions or modifications that can be required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

Do not use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the machine's intended use.

Use in any other way is considered as contrary to the intended use. The manufacture accepts no liability for any damage or injury resulting from this misuse and these risks must be born solely by the user.

Compliance with and strict adherence to the conditions of operation, service and repair as specified by the manufac-

turer also constitute essential elements for the intended

All persons who will be operating this machine shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

This tractor must be operated, serviced and repaired only by persons familiar with all its particular characteristics and acquainted with the relevant safety rules (accident prevention).

The accident prevention regulations, all other generally recognized regulations on safety and occupational medicine and the road traffic regulations must be observed at all times.

Any arbitrary modifications carried out on the tractor will relieve the manufacturer of all liability for any resulting damage or injury.

ATTENTION: The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is complete. Engine service and/or repairs must be done by a certified technician only!

Electro-Magnetic Compatibility (EMC)

Interference may arise as a result of add-on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the machine.
- The electro-magnetic field generated by the add-on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.
- The add-on equipment must not interfere with the functioning of the on board electronics.

Failure to comply with these rules will render the NEW HOLLAND warranty null and void.

CNH Industrial America LLC technical manuals

Manuals are available from your dealer for your machine. Your dealer can expedite your order for operator manuals and parts catalogs.

Always give the machine name, model and Product Identification Number (PIN) of your machine so your dealer can provide the correct manuals for your machine.

The company is continually striving to improve its products and therefore reserves the right to make improvements and changes when it becomes practical and possible to do so, without incurring any obligation to make changes or additions to the equipment sold previously. All data given in this manual is subject to production variations.

NOTICE: Operating and service messages displayed on the electronic operating panel may vary from what is shown in the manual. If this occurs, heed the latest instructions on the electronic operating panel.

Dimensions and weights are approximate only and the illustrations do not necessarily show the machine in standard condition. For exact information about any particular machine, please consult your dealer.

Manual scope and required training level

This manual provides information on the intended use of your tractor under the conditions foreseen by the manufacturer during normal operation, routine service and maintenance and periodic service and maintenance.

Normal operation is use of the tractor for the purpose intended by the manufacturer by an owner/operator who is familiar with the tractor and the mounted or towed equipment, and who is complying with the information on operation and safe practices, provided in this manual and by the decals on the tractor and the equipment.

Normal operation includes such actions as preparing the tractor for storage and removing the tractor from storage, adding or removing ballast, connecting and disconnecting mounted or towed equipment, raising and lowering components into or out of work position, adjusting tractor settings for specific field or crop settings, etc.

Routine service and maintenance are those actions which must be performed daily to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on routine service and safe practices in this manual and in the decals on the tractor.

Routine service and maintenance includes such actions as fueling, cleaning, washing, topping off fluid levels, greasing, and replacing consumable articles such as lamp bulbs.

Periodic service and maintenance are those actions which must be performed at regularly defined intervals

to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on periodic service and safe practices in this manual and in the decals on the tractor.

Periodic service and maintenance includes such actions as checking, cleaning and changing air filters, changing engine oil and filters, changing transmission oil and filters, changing front axle and wheel hub fluids, changing coolant, etc.

Some actions in the periodic service and maintenance chart are beyond the knowledge and skills of the owner/operator: for example, engine valve adjustment, fuel injector nozzles. For these actions, the manual instructs the owner/operator to have the action performed by their authorized dealer.


This manual does not contain all the information related to periodical service and maintenance, converting and repairs to be carried out by professional service personnel. These actions require special facilities, technical skills, and/or tools which are not supplied with the machine.

Converting is changing the tractor configuration for a specific crop or soil condition and requires rebuilding or adding components to the vehicle: for example, installation of dual wheels. Repairing is the disassembly and assembly of the tractor to restore proper operation after a component failure or degradation of performance.

Your tractor


This manual covers the T9.450, T9.505, T9.560, T9.615, and T9.670 models.

References are made within this manual of "row crop models" and "high power models". Row crop models include T9.450, T9.505, and T9.560 models. High power models include T9.615, and T9.670 models.



New Holland T9. series tractor

Manual storage



Keep the Operator's Manual in the storage compartment located on the rear of the seat on your tractor. The Operator's Manual must be available for use by all operators.

The right hand and left hand side of the tractor used in this manual are the same as your right hand and left hand when sitting in the tractor seat looking forward. Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com