OPERATOR'S MANUAL

T7.230

T7.245

T7.260

T7.270

Tier 4B (final)

Sidewinder II

Auto Command - Tractor



Contents

1 GENERAL INFORMATION	
Metric and imperial units abbreviations	1-1
To the owner	1-3
Operator's manual storage	1-5
Product identification	
Engine identification	
Drive line identification	
Cab identification	
Ecology and the environment	
Programming tractor functions	
Before operating the tractor	
International symbols	
Machine stability	
Selective Catalytic Reduction (SCR) system	1-17
2 SAFETY INFORMATION	
Safety precautions	
Safety decals	2-3
Safety rules	
Burn prevention	
Prevention of fire or explosions	
Fire extinguisher	
Protection offered by the tractor	2-21
Emergency exit	
Intended use statement	
Instructor's seat	2-27
3 CONTROLS AND INSTRUMENTS	
ACCESS TO OPERATOR'S PLATFORM	
Introduction	3-1
Cab - Localization overview	
Cab air filters	
In cab storage (where fitted)	
Cable routing	
Mobile telephone Implement monitor installation	
•	
Cab air pressurisation control (where fitted)	
OPERATOR'S SEAT	
Operator's seat	
Air suspension seat deluxe	
Air suspension seat with passive or Dynamic Damping System (DD)S) 3-18
Seat belt	3-22

INSTRUCTOR'S SEAT Instructional seat	3-23
FORWARD CONTROLS Ignition key Hazard warning light operation Lights and turn indicator lever Follow me home lights. Windshield wiper and washer controls Electronic parking brake. Anti-lock braking system ABS Operation Foot brakes Exhaust brake (where fitted) Steering column	3-24 3-25 3-25 3-26 3-27 3-31 3-38 3-40
LEFT-HAND SIDE CONTROLS Handbrake	3-41
RIGHT-HAND SIDE CONTROLS Integrated control panel Multi function handle	
REARWARD CONTROLS Switches on C-pillar Hydraulic master switch Heated screens (where fitted) Fast steering system (where fitted) Autoguidance system (where fitted) ISO bus functionality Battery isolator switch (where fitted) Climate controls Manual temperature control Automatic Temperature Control (ATC)	3-45 3-46 3-47 3-49 3-50 3-51 3-52 3-53
OVERHEAD CONTROLS Switch panel Left-hand and right-hand outermost work light switch Radio or audio system Interior light	3-56 3-57
INSTRUMENT CLUSTER Analog Digital Instrument Cluster (ADIC) Gauges Indicator and warning lights Displays Keypad enhanced Selecting or changing the display settings	3-60 3-61 3-63 3-66

	Ground speed calibration	3-69
	Performance monitor	3-72
	Color display	3-77
	Display screens	
	Performance monitor on color display	3-85
	Display programming	3-88
	Alarm functions	
	Accessing stored error codes	
	Selective Catalytic Reduction (SCR) instrumentation warnings	
	Warning and advisory symbols	
	Warning and advisory symbols	3-111
4	OPERATING INSTRUCTIONS	
	COMMISSIONING THE UNIT	
	Refueling the tractor	4-1
	STARTING THE UNIT	
	Starting the engine	1_3
	Grid heater cold start aid (where fitted)	
	Fuel heater (where fitted)	
	Coolant immersion heater (where fitted)	
	Transmission oil heater (where fitted)	
	Boosting the battery	
	Boosting the battery	4-0
	STODDING THE LINIT	
	STOPPING THE UNIT	4.0
	Stopping the engine	
	Engine automatic shutdown	
	Automatic engine shut down with enhanced keypad (where fitted)	4-10
	MOVING THE UNIT	
	Operating in cold temperatures	4-11
	Low idle speed management	
	Reversible engine fan	
	reversible engine fair	+-10
5	TRANSPORT OPERATIONS	
	PREPARING FOR ROAD TRANSPORT	
	Tractor transporting	5_1
	Roof panel securing	
	1.001 pariet securing	J- 1
	RECOVERY TRANSPORT	
	Freeing a stuck tractor	5-2
	Towing the tractor	

6 WORKING OPERATIONS

GENERAL INFORMATION	
Variable engine power management	6-1
Constant engine speed	
Differential lock	
Four wheel drive	
Front axle suspension (where fitted)	
Automated headland functions	
Headland turn sequence - Quick guide	
Recording and replaying	
Explanation of symbols	
Recording a sequence	
Replaying a sequence	
Automated headland functions	
Headland turn sequence	
Universal Symbols	
Recording a sequence	
Replaying a sequence	
Saving a sequence	
Edit a sequence	
Recalling a sequence	
Deleting a sequence	6-41
TRANSMISSION	
CVT transmission operation	6-44
Transmission operation	6-44
Anti jack knife	6-45
Stationary control	6-46
Engine speed control	6-47
Shuttle lever	
Transmission controls	
Drive pedal	
Programming maximum speed	
Transmission display	
Manual mode	
Automatic mode	
PTO mode	
Speed matching	
Fault codes	6-63
REAR POWER TAKE-OFF (PTO)	
` '	0.04
Power Take-Off (PTO) operating precautions	
Attaching PTO driven equipment	
PTO operation	
PTO 2 speed system	
External PTO controls	
Auto PTO operation	

FRONT POWER TAKE OFF	
PTO operation	
Auto PTO operation	
Front hitch management	6-81
REAR HITCH	
Electronic Draft Control (EDC)	6-86
Settings and adjustments	
Electronic Draft Control (EDC) operation	6-92
External hitch controls	
FRONT HITCH	
Settings and adjustments	6-99
Front hitch operation	
Auxiliary front couplers (where fitted)	
External hitch controls	
ELECTRO-HYDRAULIC REMOTE CONTROL VALVE	S (whore fitted)
	,
Remote control valves	
•	
Valve priority	
Programming tractor functions	
Connecting remote cylinders	
Operating with remote valves	
Joystick operation with a front loader	
Mid mount remote valves	
External EHR controls	
EHR implement control setting Transmission rear axle and hydraulic system oil level	
Transcriber dana ana nyaraana ayatam an tarat tiritiritiri	
HYDRAULIC POWER BEYOND PORT	0.440
Power beyond circuit	
Power beyond valve - Static description	
ISO Power beyond couplings	6-151
THREE POINT HITCH	
Attaching three-point hitch equipment	6-152
Lift rod adjustment	6-154
Top link adjustment	6-157
Lower links	6-159
Quick hitch	
Lower links	6-162
DRAWBARS AND TOWING ATTACHMENTS	
Drawbars and towing attachments	6-166
Swinging drawbar	

TRAILER BRAKING SYSTEMS	
Air-operated trailer brakes	
Trailer brake bias control	
Trailer brakes air operated	
Hydraulic trailer brakes	6-175
VALLEEL TO A CIC A DULICTMENT	
WHEEL TRACK ADJUSTMENT	C 17C
Front wheel track adjustment	
Front wheel alignment	
Steering stops	
Front axle oscillation stops	
Front wheel fenders	
Flange type axle (where fitted)	
Bar type axle (where fitted)	
Duai real wheels (where filled)	
BALLASTING AND TIRES	
Ballasting and tires	6-200
Iron weights (where fitted)	
Liquid ballast	
Tire inflation	
Tire pressures and permissible loads	
AL IV/II LA DV / DOVA/ED GOAIN IEGEIOA IG	
AUXILIARY POWER CONNECTIONS	0.044
Diagnostic socket	
Trailer electrical socket	
Electrical power connectors	
External power connectors	
· ·	
ISO bus classes	0-217
7 MAINTENANCE	
GENERAL INFORMATION	
Introduction	7-1
Diesel fuel	
Biodiesel fuel - Biodiesel fuels	
Engine oil change	
Protective devices	
Lubricants and coolantsTractor jacking points	
General specifications	
Capacities	
Oapaulies	
MAINTENANCE CHART	
Maintenance chart	7-14

WHEN THE WARNING LAMP LIGHTS	7.40
Engine air cleaner	
Fuel system water separator	
Check the brake fluid level	7-18
EVERY 10 HOURS OR EACH DAY	
Coolant level check	
Engine oil level	
Remote valve collection bottle	
Windscreen wash wipe	
Air reservoir	7-21
FIRST 50 HOURS	
Service operations	7-22
EVERY 50 HOURS	
Cab air filters	7-23
Selective Catalytic Reduction (SCR) system	
Clean the coolers	
Grease fittings	
Wheel nuts torque	
Tire inflation pressures	7-33
EVERY 100 HOURS	
Drive belts - check	
Drive belts - check	7-35
EVERY 300 HOURS	
Battery fluid level	7-36
Transmission oil level	
Handbrake	
Front PTO oil levelFront axle oil - Four-Wheel Drive (4WD)	7-39
TIOIL axie oii - I oui-villeel Dilve (4WD)	7-40
EVERY 600 HOURS	
Change engine oil and filter	
Change the first stage fuel filter and the fuel filter element	
Engine air precleaner	
Hydraulic return and charge pump filters	
Check the air intake system	
Transmission	
EVEDY 1200 HOUDS OD ANNUALLY	
EVERY 1200 HOURS OR ANNUALLY	7 40
Cab air filters	1-40 7-40
Change transmission oil	

	Differential and planetary oil	7-51
	Front hubs - 4WD	
	Front PTO change oil	
	Rear steer axle grease fittings	7-53
F	EVERY 1200 HOURS OR EVERY 2 YEARS	
_	Battery check	7-54
	DEF/AdBlue® filter	
	Change the engine air cleaner inner element	7-57
	Engine tappet valve clearance	7-58
	Air-operated trailer brakes	7-58
	Poly (V) belts change	7-59
F	EVERY 1800 HOURS OR EVERY 2 YEARS	
_	Engine - breather filter replacement	7-61
_	EVERY 3600 HOURS OR EVERY 2 YEARS	
	DEF/AdBlue® filter	7-61
		, 01
_	VEDV 2600 HOUDS OD EVEDV 4 VEADS	
	EVERY 3600 HOURS OR EVERY 4 YEARS Change the engine coolant fluid	7 62
	Change the engine coolant huld	1-02
_		
E	EVERY 36 MONTHS	
	Air conditioning system	
	Battery check	7-67
C	SENERAL MAINTENANCE	
	Cleaning the tractor	7-69
	Fuel system water separator	
	Bleeding the fuel system	7-71
	Brake Pedal	7-72
	Cab suspension, if equipped	
	Transmission - Check	
	Machine lighting	
	Bulb replacement	
	Fuses and relays	
	Protecting the electronic and electrical systems during battery charging or welding	
	Battery - replacement	7-90
S	STORAGE	
	Tractor storage	
	Removing the machine from storage	7-91
8 TF	ROUBLESHOOTING	
	AULT CODE RESOLUTION	
I	Introduction	8-1

	ALARM(S)	
	Fault codes and symbols	8-2
	SYMPTOM(S)	
	Engine	8-4
	Transmission	8-5
	Hydraulics	
	Three-point hitch	
	Brakes	
	CabElectrical system	
9 9	SPECIFICATIONS	
	Seneral dimensions	9-1
	Frame - General specification	9-1
	Capacities	
	Transmission - Capacity	
	Front axle system - Capacity	
	Engine	
	Transmission	
	Front Power Take-Off (PTO)	
	Hydraulic system	
	Three-point hitch	
	Remote control valves	
	Three-point hitch	
	Brakes	
	Steering	
	Electrical equipment	
	Minimum hardware tightening torques	9-15
10	ACCESSORIES	
	External rear view mirrors	
	Auxiliary lights	
	Auxiliary head lights and signature lights	
	Front-end loader fixation points	
	Tront one loader lization points	10-0
11	FORMS AND DECLARATIONS	44
	Service record 1st 50 hour, Owner copy	
	Service record 1st 50 hour, Dealer copy	11-3

1 - GENERAL INFORMATION

Metric and imperial units abbreviations

Typical applications	Metric unit		Imperial unit	
<i>.</i> , .,	Name	Symbol	Name	Symbol
Area (Land area)				
	hectare	ha	acre	ac
	square meter	m²	square foot	ft²
			square inch	in²
	square millimeter	mm²	square inch	in²
Electricity				
	ampere	А	ampere	Α
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
Force				
	kilonewton	kN	pound	lb
	newton	N	pound	lb
Force per length				
	newton per meter	N/m	pound per foot	lb/ft
			pound per inch	lb/in
Frequency				
	megahertz	MHz	megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
Frequency - Rotational		_		
	revolution per minute	r/min	revolution per minute	r/min ^a
	-	rpm		rpm
Length		_		
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	μm		
Mass				
	kilogram	kg	pound	lb
	gram	g	ounce	OZ
	milligram	mg		
Mass per mass				
	milligram per kilogram	mg/ kg	parts per million	ppm
Power				
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour	Btu/hr
			Btu per minute	Btu/min
Pressure or stress (Force	per area)			
	kilopascal	kPa	pound per square inch	psi
			inch of mercury	inHg
	pascal	Pa	inch of water	inH2O
	megapascal	MPa	pound per square inch	psi
	millibar	mbar		•
	bar	bar		
-			<u>.</u>	

Typical applications	Metric unit		Imperial unit	
	Name	Symbol	Name	Symbol
Temperature (other than the				
	degrees Celsius	°C	degrees Fahrenheit	°F
Time				
	hour	h	hour	h
	minute	min	minute	min
	second	S	second	S
Torque (includes bending n	noment, moment of force, an			
	newton meter	N m	pound foot	lb ft
			pound foot	lb in
Velocity				
	kilometer per hour	km/h	mile per hour	mph
	meter per second	m/s	foot per second	ft/s
	millimeter per second	mm/s	inch per second	in/s
	meter per minute	m/min	foot per minute	ft/min
Volume (includes capacity)				
	cubic meter	m³	cubic yard	yd³
				cu yd
	liter		cubic inch	in³
	liter		US gallon	US gal
			UK gallon	UK gal
			US quart	US qt
			UK quart	UK qt
	milliliter	ml	fluid ounce	fl oz
Volume per time (includes discharge and flow rate)				
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min
	liter per minute	l/min	US gallon per minute	US gal/min
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min
Sound power level and sou	ind pressure level		· · · · · · · · · · · · · · · · · · ·	
·	decibel	dB	decibel	dB
Water hardness				_
	German hardness	°dH	English hardness	°e
	French hardness	°fH	parts per million	ppm

Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

To the owner

GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running- in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorised dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorised dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified on page **7-14** of this Manual, are carried out at the recommended intervals.

ABOUT THIS MANUAL

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel.

The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

Normal operation

 Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for op-

- eration and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/ or the crop.

Routine service

• Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

CLEANING THE TRACTOR

Your tractor is a state- of- the- art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

Failure to comply with these rules will render the warranty null and void.

SAFETY

The pages in Section 2 list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered before operating the tractor.

FIRST 50 HOUR SERVICE

In Section 11, at the back of this Manual, you will find the 50- hour service reports.

NOTICE: It is important the 50 hour service is carried out as recommended to ensure your tractor provides optimum performance and efficiency.

After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50 hour service and complete the service report sheets (pages 11-1 and 11-3). The first sheet (page 11-1) is your copy of the service performed. The second sheet (page 11-3) is the dealer's copy and should be removed by the dealer after the service has been carried out. Ensure that you and the dealer sign both copies.

SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation

and/ or use of 'non- genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect it's safety. The Company is not liable for any damage caused by the use of 'non- genuine' parts and accessories. Only genuine replacement parts should be used. The use of non- genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorised, in writing, by the After Sales Service department of the Company.

WARRANTY

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

USE OF BIODIESEL FUELS

NOTICE: Before using Biodiesel fuels in your tractor, refer to the information on page **7-4** regarding the storage and use of Bio diesel fuels.

EMISSION CONTROLS

NOTE: The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com