## **ORIGINAL INSTRUCTIONS**

**PUMA 165 PUMA 180 PUMA 195 PUMA 210 PUMA 165 CVT PUMA 180 CVT PUMA 195 CVT PUMA 210 CVT PUMA 225 CVT** 

Efficient Power - Tractor

**OPERATOR'S MANUAL** 

**Part number 47789345** 

4<sup>th</sup> edition English January 2015

Replaces part number 47623315



# Contents

1 GENERAL INFORMATION	
Metric and imperial units abbreviations	
To the owner	
Product identification Engine identification	
Drive line identification	
Drive line identification	
Cab identification	
Product identification plate	
Ecology and the environment	
Programming tractor functions	
Before operating the tractor	
International symbols	
Machine stability	
Instructor's seat	
2 SAFETY INFORMATION	0.4
Safety precautions	
Safety decals	
Safety rules	
Fire extinguisher  Protection offered by the tractor	
Intended use statement	
mended doe statement	
2 CONTROL & AND INICTRIMENTS	
3 CONTROLS AND INSTRUMENTS	
ACCESS TO OPERATOR'S PLATFORM	
Cab access/exit	
Cab - Localization overview	
In cab storage (where applicable)	
Cable routing	
Mobile phone	
Monitor installation	3-9
Cab air pressurisation control (where fitted)	3-10
OPERATOR'S SEAT	
Air suspension seat	
Air suspension seat deluxe	
Armrest control	
Seat belt	3-20
INSTRUCTOR'S SEAT	
Instructor's seat	3-21

FORWARD CONTROLS	
Key start switch	
Hazard warning light operation	3-22
Light's and turn indicator lever	
Follow me home light's	3-23
Windshield wiper and washer controls	3-24
Electronic parking brake	3-25
Foot brakes	
Exhaust brake where fitted	
Steering column	
Adjustable air vents	3-31
LEFT-HAND SIDE CONTROLS	
Handbrake	3-32
RIGHT-HAND SIDE CONTROLS	
Integrated control panel	
Integrated control panel	
Hand throttle lever	
Multi function handle	3-35
DEADWARD CONTROLO	
REARWARD CONTROLS	
Switches	3-36
Hydraulic master switch	
Heated screens (where fitted)	
Fast steering system (where fitted)	
Battery isolator switch (where fitted)	
Climate controls	
Manual temperature control	
Automatic temperature control	3-45
OVERLIEAR CONTROLS	
OVERHEAD CONTROLS	2 47
Switch panel work lights	
Radio or audio system	
Interior light	3-49
INSTRUMENT CLUSTER	
Integrated control unit	3-50
Gauges	3-50
	3-51
Displays	3-54
Keypad	
Keypad enhanced	
Display settings	
Adjust and configure menus	
Adjust and configure menus	
Performance monitor	
Armrest display	

	Color display	3-71
	Performance monitor	3-77
	Display programming	
	Alarm functions	3-83
	Error code access	
	Warning and advisory symbols	3-86
1	OPERATING INSTRUCTIONS	
4		
	COMMISSIONING THE UNIT	
	Refueling the tractor	. 4-1
	STARTING THE UNIT	
	Starting the engine	. 4-2
	Grid heater cold start aid (where fitted)	
	Fuel heater (where fitted)	
	Coolant immersion heater (where fitted)	
	· · · · · · · · · · · · · · · · · · ·	
	Transmission oil heater (where fitted)	
	Transmission - Operating Cold weather	
	Booster battery procedure	. 4-7
	STOPPING THE UNIT	
	Engine shutdown	4-8
	Engine automatic shutdown	
	Engine automatic shutdown with enhanced keypad (where fitted)	
	Engine automatic shutdown with enhanced keypad (where litted)	. 4-9
	MOVING THE UNIT	
	Operating in cold temperatures	4-10
	Engine fan reversal	4-12
_	TRANSPORT OPERATIONS	
S	TRANSPORT OPERATIONS	
	PREPARING FOR ROAD TRANSPORT	
	Tractor transporting	. 5-1
	Roof panel securing	. 5-1
	DECOVEDY TRANSPORT	
	RECOVERY TRANSPORT	F 2
	Towing the tractor	. 5-2
6	WORKING OPERATIONS	
	GENERAL INFORMATION	
	Engine power management	. 6-1
	Engine constant speed	
	· · · · · · · · · · · · · · · · · · ·	
	Differential lock	
	Front axle suspension (where fitted)	6-10
	Automated headland functions	
	Automateu meaulanu lunotions	0-12

Headland turn sequence symbols HTS Quick reference	6-14
Record and replay	6-16
Universal symbols	6-20
Recording a sequence	6-21
Record and replay	6-23
Colour display screens	6-28
Colour display screens	6-31
TRANSMISSION	
Full powershift transmission	6-32
Clutch pedal	
Foot throttle pedal	
Transmission operation	6-33
Powershift transmission controls	
Transmission display	6-35
Driving the tractor	6-36
Auto shift function	6-38
Speed matching	
Setting the forward and reverse gear ratios	
Creeper gears	
Viewing error codes	6-46
Ground speed Ground speeds	6-47
Continuously Variable Transmission (CVT) operation	6-52
Transmission operation	6-52
Anti jack knife	6-53
Stationary control	6-54
Engine speed control	6-55
CVT transmission controls	6-57
CVT transmission operation	6-59
Drive pedal	
Speed setup	
Transmission display	6-64
Manual mode	
Automatic mode	
Two speed PTO systems	
Speed matching	
Viewing error codes	6-68
REAR POWER TAKE-OFF	6 60
PTO operation	
PTO interchangable shaft	
Power Take-off (PTO) Connection	
PTO operation	
PTO 2 speed system	
PTO shiftable multi speed	
PTO electronic Electronic (where fitted)	
PTO external controls	
PTO automatic system	0-04

FRONT POWER TAKE OFF	6 97
PTO operation	
REAR HITCH	
Draft control electronic	6-91
Three-point hitch	6-95
Electronic Draft Control (EDC) operation	6-97
External hitch controls	6-103
FRONT HITCH	
Front hitch	
Front hitch operation	
Auxiliary front couplers (where fitted)	6-114
External hitch controls	6-116
HYDRAULIC REMOTE CONTROL VALVES	
Remote control valves	6-117
Remote control valve operation	
Connecting remote cylinders	6-123
ELECTRO-HYDRAULIC REMOTE CONTROL VALVES (whe	re fitted)
Remote control valves	,
Remote control valves	
Mid mount control valve	
Remote control valve operation	
Remote control valve operation	
Remote control valve operation	
Joystick operation	
Mid mount control valve	
Remote valve controls	
Hydraulic oil level	
HYDRAULIC POWER BEYOND PORT	
HYDRAULIC POWER BEYOND PORT FOR EXTERNAL SERVICES	6-163
Power beyond circuit	
Power beyond circuit	
THREE POINT HITCH	0.400
Three-point hitch	
Lift rods	
Top link	
Lower links	
₩UIUN     U	
Lower links	

DRAWBARS AND TOWING ATTACHMENTS	
Drawbars and towing attachments	
Drawbars and towing attachments	
Automatic pickup hitch	
Automatic pickup hitch	
Rear tow hitch	6-195
TRAILER BRAKING SYSTEMS	
Trailer brakes air operated	6-201
Trailer brakes air operated (Italy only)	6-205
Trailer brake bias control	
Trailer brakes air operated	
Trailer brakes hydraulic operated	
Trailer brakes hydraulic operated (Italy only)	6-209
WHEEL TRACK ADJUSTMENT	
Front wheel track adjustment	6-210
Front wheel alignment	
Steering stops	
Front axle	
Front wheel fenders	
Rear wheel track adjustment	
Flange type axle (where fitted) Flange type	
Bar type axle (where fitted) Bar type	
Dual rear wheels (where fitted) Dual wheels	6-228
BALLASTING AND TIDES	
BALLASTING AND TIRES  Tires and wheels ballast	6-231
Tires and wheels ballast	
Tires and wheels ballast	6-237
Front wheels	
Front wheels	6-240
ALIVULADV DOMED COMMECTICALO	
AUXILIARY POWER CONNECTIONS	0.040
Diagnostic socket	
Trailer electrical socket	
External power connectors	
External power confidetions	0-240
7 MAINTENANCE	
_	
GENERAL INFORMATION	
Introduction	
Diesel fuel	
Engine oil	
Protective devices	
Fluids and lubricants	7-8
Tractor jacking points	

Specifications	7-12
MAINTENANCE CHART Maintenance chart	7-14
WHEN THE WARNING LAMP LIGHTS Air cleaner Fuel filter	7-16 7-17
EVERY 10 HOURS OR EACH DAY  Engine coolant.  Engine oil.  Remote control valves.  Windscreen wash wipe.  Trailer brakes air operated	7-19 7-19 7-20
FIRST 50 HOURS Service schedule	7-21
EVERY 50 HOURS Cab air filters Engine and hydraulic coolers Grease fittings Wheel and axle torques Tire pressure and condition.	7-24 7-25 7-33
EVERY 100 HOURS  Drive belts  Drive belts	
EVERY 300 HOURS  Battery check  Transmission and hydraulic oil  Handbrake  PTO Gearbox  Engine gearbox - Check  Front axle	7-37 7-38 7-38 7-38
EVERY 600 HOURS  Engine oil and filter  Fuel filters  Air cleaner elements.  Transmission / hydraulic oil filters  Engine air intake hoses.  Transmission	7-42 7-44 7-45 7-46

EVERY 1200 HOURS OR ANNUALLY	
Cab air filters  Transmission / hydraulic oil filters	7-48 7-50
Transmission and hydraulic fluid-change	
Differential oil	7-54
Differential oil	
Front axle (4WD) - oil change	
PTO gearbox (if equipped)	
Rear axle	
EVERY 1200 HOURS OR EVERY 2 YEARS	
Battery	
Engine air cleaner	
Engine valve adjustment	
Change the engine coolant fluid - Conventional type coolant	
Drive belts	
EVERY 1800 HOURS OR EVERY 2 YEARS	
Engine breather filter	7-70
EVERY 3600 HOURS OR EVERY 4 YEARS	
Change the engine coolant fluid - OAT type coolant	7-71
EVERY 36 MONTHS	
Air conditioning	7-76
GENERAL MAINTENANCE	
Cleaning the tractor	
Battery	
Fuel systemFuel system	
Brake pedals	
Cab suspension, if equipped	
Adjust the automatic pickup hitch	
Adjust the automatic pickup hitch	
Transmission clutch calibration	7-86
Transmission clutch calibration	
Lighting system	
Lighting system  Fuses and relays	
Electrical / Electronic	
Battery	
STORAGE	
Tractor storage	7-105
Storage up after	

8 TROUBLESHOOTING FAULT CODE RESOLUTION Introduction	8-1
ALARM(S) Electronic fault codes	8-2
SYMPTOM(S)	
Engine	8-4
Transmission	
Hydraulics	8-5
Three-point hitch	
Brakes	
Cab Electrical system	
Electrical system	0-7
9 SPECIFICATIONS	
GENERAL DIMENSIONS	9-1
Specifications	
Capacities	
Transmission - Capacity	
Front axle system - Capacity	9-4
Engine	9-5
Transmission	
Two speed PTO systems	
Front Power Take-Off (PTO)	
Hydraulic system	
Three-point hitch	
Remote control valvesThree-point hitch front	
Brakes	
Steering	
Electrical equipment	
Tightening torques	
10 ACCESSORIES	
Rear view mirrors	
Roof beacon	
Front loader support	10-4
11 FORMS AND DECLARATIONS	
Service record 1st 50 hour, Owner copy	11-3
Service record 1st 50 hour, Dealer copy	

## 1 - GENERAL INFORMATION

## Metric and imperial units abbreviations

Typical applications	Metric unit		Imperial unit	
<i>.</i> , .,	Name	Symbol	Name	Symbol
Area (Land area)				
	hectare	ha	acre	ac
	square meter	m²	square foot	ft²
			square inch	in²
	square millimeter	mm²	square inch	in²
Electricity				
	ampere	Α	ampere	Α
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
Force				
	kilonewton	kN	pound	lb
	newton	N	pound	lb
Force per length				
	newton per meter	N/m	pound per foot	lb/ft
			pound per inch	lb/in
Frequency				
	megahertz	MHz	megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
Frequency - Rotational		_		
	revolution per minute	r/min	revolution per minute	r/min <sup>a</sup>
	-	rpm		rpm
Length		_		
	kilometer	km	mile	mi
	meter	m	foot	ft
	centimeter	cm	inch	in
	millimeter	mm	inch	in
	micrometer	μm		
Mass			<del></del>	
	kilogram	kg	pound	lb
	gram	g	ounce	OZ
	milligram	mg		
Mass per mass				
	milligram per kilogram	mg/ kg	parts per million	ppm
Power				
	kilowatt	kW	horsepower	Нр
	watt	W	Btu per hour	Btu/hr
			Btu per minute	Btu/min
Pressure or stress (Force	per area)			
	kilopascal	kPa	pound per square inch	psi
			inch of mercury	inHg
	pascal	Pa	inch of water	inH2O
	megapascal	MPa	pound per square inch	psi
	millibar	mbar		•
	bar	bar		
-			<u>.</u>	

Typical applications	Metric unit		Imperial unit	
	Name	Symbol	Name	Symbol
Temperature (other than th				
	degrees Celsius	°C	degrees Fahrenheit	°F
Time				
	hour	h	hour	h
	minute	min	minute	min
	second	S	second	S
Torque (includes bending n	noment, moment of force, an			
	newton meter	N m	pound foot	lb ft
			pound foot	lb in
Velocity				
	kilometer per hour	km/h	mile per hour	mph
	meter per second	m/s	foot per second	ft/s
	millimeter per second	mm/s	inch per second	in/s
	meter per minute	m/min	foot per minute	ft/min
Volume (includes capacity)				
	cubic meter	m³	cubic yard	yd³
				cu yd
	liter		cubic inch	in³
	liter		US gallon	US gal
			UK gallon	UK gal
			US quart	US qt
			UK quart	UK qt
	milliliter	ml	fluid ounce	fl oz
Volume per time (includes discharge and flow rate)				
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min
	liter per minute	l/min	US gallon per minute	US gal/min
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min
Sound power level and sou	ind pressure level		· · · · · · · · · · · · · · · · · · ·	
·	decibel	dB	decibel	dB
Water hardness				_
	German hardness	°dH	English hardness	°e
	French hardness	°fH	parts per million	ppm

## Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

## To the owner

## GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running- in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorised dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorised dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified in Maintenance of this Manual, are carried out at the recommended intervals.

## **ABOUT THIS MANUAL**

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel.

The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

## Normal operation

 Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for op-

- eration and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/ or the crop.

## **Routine service**

• Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

## Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

## **CLEANING THE TRACTOR**

Your tractor is a state- of- the- art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

Failure to comply with these rules will render the warranty null and void.

## **SAFETY**

The pages in Section 2 list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered before operating the tractor.

#### FIRST 50 HOUR SERVICE

In Section 11, at the back of this Manual, you will find the 50- hour service reports.

**NOTICE:** It is important the 50 hour service is carried out as recommended to ensure your tractor provides optimum performance and efficiency.

After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50 hour service and complete the service report sheets. The first sheet (page ) is your copy of the service performed. The second sheet (page ) is the dealer's copy and should be removed by the dealer after the service has been carried out. Ensure that you and the dealer sign both copies.

## SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation and/ or use of 'non- genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect it's safety. The Company is not liable for any damage caused by the use of 'non- genuine' parts and accessories. Only genuine replacement parts should be used. The use of non- genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorised, in writing, by the After Sales Service department of the Company.

## **WARRANTY**

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

## **USE OF BIODIESEL FUELS**

**NOTICE:** Before using Biodiesel fuels in your tractor, refer to the information on page regarding the storage and use of Bio diesel fuels.

## **EMISSION CONTROLS**

**NOTE:** The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

# ELECTRO MAGNETIC INTERFERENCE (EMC)

This tractor complies strictly with the European regulations on electro magnetic emissions. However, interference may arise as a result of add on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- Ensure that each piece of non Case IH equipment fitted to the tractor bears the CE mark.
- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the tractor.
- The electro magnetic field generated by the add on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.

Failure to comply with these rules will render the Case IH warranty null and void.



Our support email: ebooklibonline@outlook.com