# **OPERATOR'S MANUAL**

T6.120

T6.140

T6.150

T6.155

T6.160

T6.165

T6.175

Tractor



# **Contents**

1	GENERAL INFORMATION  Metric and imperial units abbreviations	1_1
	To the owner	
	Product identification	
	Engine identification	
	Drive line identification	1-7
	Cab identification	1-7
	Product identification	
	Ecology and the environment	
	Noise level information sheetProgramming tractor functions	
	Operator's manual storage	
	Before operating the tractor	
	Vibration level information sheet	
	Machine stability	
	Selective Catalytic Reduction (SCR) system	
	Selective Catalytic Reduction (SCR) system	1-19
2	SAFETY INFORMATION	
_	Safety precautions	2-1
	Safety decals	
	Safety rules	
	Burn prevention	
	Prevention of fire or explosions	
	Fire extinguisher	
	Protection offered by the tractor	
	Hazardous substances	
	Emergency exit	
	Wheel chocks	
	Intended use statement	
	Passenger's seat	
	Safety aspects	2-29
3	CONTROLS AND INSTRUMENTS	
J	ACCESS TO OPERATOR'S PLATFORM	
	Introduction	3_1
	Cab air filters	
	In cab storage (where fitted)	3-6
	Cable and wiring routing	
	Mobile telephone usage	3-7
	Implement monitor installation	
	Cab air pressurisation control (where fitted)	3-8
	OPERATOR'S SEAT	<u>.</u>
	Mechanical seat deluxe (where fitted)	3-10

Air suspension seat (where fitted)	3-12
Air suspension seat deluxe	3-15
Seat belt	3-19
PASSENGER'S SEAT	
Passenger seat	3-20
FORWARD CONTROLS	
Ignition key	3-21
Hazard light switch	
Lights and turn indicator lever	
Windshield wiper and washer controls	3-23
Clutch pedal	
Foot throttle pedal	
Hand throttle	
Foot brakes	
	·
LEET HAND CIDE CONTROL C	
LEFT-HAND SIDE CONTROLS Hand brake	2 20
riand brake	3-20
DICHT HAND CIDE CONTDOL C	
RIGHT-HAND SIDE CONTROLS Switch panel	3 20
Switch parier	3-29
REARWARD CONTROLS	0.00
Switches on C-pillar	
Fast steering system (where fitted)	
Climate controls	
Manual temperature control	
Automatic Temperature Control (ATC)	
OVERHEAD CONTROLS	
Switch panel work lights	3-38
Interior light	
-	
INSTRUMENT CLUSTER	2 40
Analog Digital Instrument Cluster (ADIC)	
Indicator and warning lights	
Displays	
Keypad enhanced	
Selecting or changing the display settings	
Ground speed calibration	
Performance monitor	3-54
Alarm functions	
Accessing stored error codes	
Warning and advisory symbols	3-65

4 OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT	
Refueling the tractor	4-1
STARTING THE UNIT	
Starting the engine	4-3
Grid heater cold start aid (where fitted)	
Fuel heater (where fitted)	
Coolant immersion heater (where fitted)	
Transmission oil heater (where fitted)	4-6
Boosting the battery	4-7
STOPPING THE UNIT	
Stopping the engine	
Automatic engine shut down	
Automatic engine shut down with enhanced keypad (where fitted)	4-9
MOVING THE HINT	
MOVING THE UNIT Operating in cold temperatures	4 10
Low idle speed management	
Low fale speed management	
5 TRANSPORT OPERATIONS	
PREPARING FOR ROAD TRANSPORT  Carrying the tractor on a transporter	5_1
Secure the high visibility roof panel	
Codic the riight visibility roof parier	
RECOVERY TRANSPORT	
Freeing a stuck tractor	5-2
Towing the tractor	
6 WORKING OPERATIONS	
GENERAL INFORMATION	
Variable engine power management	
Constant engine speed	
Differential lock	
Four wheel driveFront axle suspension (where fitted)	6-0
AUTOMATED HEADLAND FUNCTIONS	
Quick guide	
Explanation of symbols	
Recording and replaying	
Recording a sequence	
Replaying a sequence	6-17

TRANSMISSION
Shuttle lever 6-19
24x24 TRANSMISSION 6-20
Transmission controls 6-20
Creeper gears 6-21
Fault codes 6-22
16X16 TRANSMISSION6-23
Transmission operation
Transmission display 6-25
Transmission controls
Shuttle mode
Driving the tractor
Speed matching
Auto shift function
Auto shift idirection 6-35 Auto shifting field mode
Auto shifting in road mode
Creeper gears
Fault codes
rault codes 0-43
REAR POWER TAKE-OFF
Power Take-Off (PTO) operating precautions 6-44
Changing the PTO output shaft 6-44
Attaching PTO driven equipment
Power Take-Off (PTO) operation
Three speed PTO systems 6-51
Ground drive PTO (where fitted)
External PTO controls
Auto PTO operation
EDON'T DOWED TAKE OFF
FRONT POWER TAKE OFF
Power Take-Off (PTO) operation
REAR HITCH
Electronic Draft Control (EDC)
Electronic Draft Control (EDC) operation
External hitch controls
External filter controls
FRONT HITCH
Settings and adjustments 6-69
Hitch operation 6-72
Auxiliary front couplers (where fitted)6-76
External hitch controls 6-77
HYDRAULIC REMOTE CONTROL VALVES
Remote control valves
Connecting remote cylinders
Operating with remote valves

Joystick operation with a front loader	
ELECTRO-HYDRAULIC REMOTE CONTROL VALVES (where fi	tted)
Remote control valves	
Settings and adjustments  Creating timer programs	
Connecting remote cylinders	
Operating with remote valves	
External EHR controls	
Hydraulic oil level when using remote hydraulic equipment	6-104
HYDRAULIC POWER BEYOND PORT	
Hydraulic power beyond for external services	6-106
THREE POINT HITCH	
Attaching three-point hitch equipment	6-109
Lift rod adjustment	
Top link adjustment	
Flexible link end adjustment	
Quick hitchLinkage stabilizer adjustment	6-116
DRAWBARS AND TOWING ATTACHMENTS Drawbars and towing attachments Swinging drawbar Automatic pickup hitch Automatic pickup hitch Rear trailer hitches	6-124 6-127 6-131
TRAILER BRAKING SYSTEMS	
Air-operated trailer brakes	6-141
Air-operated trailer brakes (Italian type)	6-144
Trailer brake bias control	6-145
Auxiliary air supply connector (where fitted)	
Hydraulic trailer brakes  Hydraulic trailer brakes (Italian type)	
WHEEL TRACK ADJUSTMENT	0.440
Front wheel track adjustment	
Front wheel alignment	
Steering stops  Front axle oscillation stops	
Front fender	6-154
REAR WHEEL TRACK ADJUSTMENT	6-156
Flange type axle (where fitted)	6-156
Bar type axle (where fitted)	6-160

	Dual rear wheels (where fitted)6-	165
BALL	ASTING AND TIRES	
	Ballasting and tires	168
	Iron weights (where fitted)	
	Liquid ballast6-	
	Tire inflation6-	
	Tire pressures and permissible loads6-	
AUXI	ILIARY POWER CONNECTIONS	
	Diagnostic socket 6-	179
	Trailer socket electrical 6-	179
E	ELECTRICAL POWER CONNECTORS	
	Internal power connectors 6-	
	External power connectors 6-	182
7 NAAINI	TENANCE	
	TENANCE	
	ERAL INFORMATION	<b>-</b> 4
	roduction	
	el requirement	
	odiesel fuelange the engine oil	
	otective devices	
FIC Luk	pricants and coolants	7-0
	actor jacking points	
	neral specifications	
	pacities	
	ganic Acid Technology (OAT) coolant	
Oit	garile Acid Technology (OAT) coolant	-14
MAIN	ITENANCE CHART	
	intenance chart	-15
	N THE WARNING LIGHT IS ON	
	ange the engine air cleaner outer element	-17
	ain the fuel system water separator7	
	eck the battery fluid level	
EVER	RY 10 HOURS OR EACH DAY	
	eck the engine coolant level	-20
	eck the engine oil level	
	eck the remote control valve drain bottles	
	eck windscreen washer reservoir	
Dra	ain air reservoir on air operated trailer brake	'-2 <del>2</del>
	T 50 HOURS	
Se	rvice operations7	-23

EVERY 50 HOURS  Clean the cab air filter	7-24
Clean the cooler section	
All grease fittings	
Check the front and the rear wheel nuts	
Check the tire pressures and the tire condition	7-34
EVERY 100 HOURS	
Inspect the poly V-belt	
Inspect the compressor drive belt	7-35
EVERY 300 HOURS	7.07
Check the battery fluid level	
Adjust the hand brake	
Check the transmission oil level, the rear axle oil level and the hydraulic oil level	
Check the 4WD front axle differential oil level and the hubs oil level	
EVERY 600 HOURS  Change engine oil and filter	7-42
Change the first stage fuel filter and the fuel filter element	
Change the engine air cleaner outer element	
Change the hydraulic charge pump oil filter	
Check the engine air intake connections	
Check the transmission oil cooler pipe couplings	
Clean the DEF/AdBlue in-line filter	
EVERY 1200 HOURS OR ANNUALLY	
Change the cab air filters	7-50
Change the hydraulic suction pump oil filter	7-52
Change the 4WD differential oil	
Change the 4WD planetary hub oil	
Change the front PTO gearbox oil	
Grease the rear axle shaft bearing	
EVERY 1200 HOURS OR EVERY 2 YEARS	
Change the engine air cleaner inner element	7-56
Check the valve tappet clearance	
Change the DEF/AdBlue in-line filter	
Change the air brake drier reservoir	
Change the poly V-belts	
Change the transmission oil, the rear axle oil and the hydraulic oil	
EVERY 1800 HOURS OR EVERY 2 YEARS	
Change the engine breather filter	7-62

	EVERY 3600 HOURS OR EVERY 2 YEARS Change the DEF/AdBlue main filter	7-63
	EVERY 3600 HOURS OR EVERY 4 YEARS Change the engine coolant fluid	7-64
	EVERY 36 MONTHS Check the air-conditioning system	7-68
	GENERAL MAINTENANCE	
	Cleaning the tractor	
	Check first stage fuel filter and water trap	
	Bleeding the fuel system	
	Hydraulic system hoses	
	Check the brake pedal latching/unlatching	
	Adjust the automatic pickup hitch	
	Headlight and work light adjustment	
	Bulb replacement	
	Fuses and relays	
	Protecting the electronic and electrical systems during battery charging or welding  Battery removal and installation	7-85
	STORAGE Tractor storage Preparation for use after storage	
8	TROUBLESHOOTING	
	FAULT CODE RESOLUTION	
	Introduction	. 8-1
	ALARM(S)	
	Fault codes and symbols	. 8-2
	SYMPTOM(S)	
	Engine	. 8-4
	Transmission	
	Hydraulics	
	Three-point hitch	
	Brakes	
	Electrical system	
9	SPECIFICATIONS	
<u> </u>	General dimensions	. 9-1
	Minimum turn radius	

	Axle dimension	
	Maximum operating angle	
	Maximum tractor operating weights	
	· · · · · · · · · · · · · · · · · · ·	
	Capacities	
	Engine	
	Fuel system	
	Air cleaner system	
	Cooling system	
	Transmission	
	Front Power Take-Off (PTO)	
	Three-point hitch	
	Three-point hitch front	
	Hydraulic system	
	Remote control valves	
	Front remote control valve couplers	
	Brakes	
	Steering	
	Electrical equipment	
	Ground speed chart	
	Minimum hardware tightening torques	
10	ACCESSORIES	
10	Radio (where fitted)	10-1
	External rear view mirrors	
	Auxiliary headlights	
	Rotating beacon	
	Front-end loader fixation points	
	·	
11	FORMS AND DECLARATIONS	
1 1	CE declaration of conformity	11-1
	Service record 1st 50 hour, Owner copy	
	Service record 1st 50 hour, Dealer copy	
	Corrido record for to flour, bedier copy	11-0

# 1 - GENERAL INFORMATION

# Metric and imperial units abbreviations

Typical applications	Metric unit	Metric unit		Imperial unit	
<i>,</i> , , ,	Name	Symbol	Name	Symbol	
Area (Land area)					
	hectare	ha	acre	ac	
	square meter	m²	square foot	ft²	
			square inch	in²	
	square millimeter	mm²	square inch	in²	
Electricity					
	ampere	Α	ampere	Α	
	volt	V	volt	V	
	microfarad	μF	microfarad	μF	
	ohm	Ω	ohm	Ω	
Force					
	kilonewton	kN	pound	lb	
	newton	N	pound	lb	
Force per length					
	newton per meter	N/m	pound per foot	lb/ft	
			pound per inch	lb/in	
Frequency					
	megahertz	MHz	megahertz	MHz	
	kilohertz	kHz	kilohertz	kHz	
	hertz	Hz	hertz	Hz	
Frequency - Rotational		_			
	revolution per minute	r/min	revolution per minute	r/min <sup>a</sup>	
	-	rpm		rpm	
Length		_			
	kilometer	km	mile	mi	
	meter	m	foot	ft	
	centimeter	cm	inch	in	
	millimeter	mm	inch	in	
	micrometer	μm			
Mass					
	kilogram	kg	pound	lb	
	gram	g	ounce	OZ	
	milligram	mg			
Mass per mass					
	milligram per kilogram	mg/ kg	parts per million	ppm	
Power					
	kilowatt	kW	horsepower	Нр	
	watt	W	Btu per hour	Btu/hr	
			Btu per minute	Btu/min	
Pressure or stress (Force	per area)				
	kilopascal	kPa	pound per square inch	psi	
			inch of mercury	inHg	
	pascal	Pa	inch of water	inH2O	
	megapascal	MPa	pound per square inch	psi	
	millibar	mbar		•	
	bar	bar			
-			<u>.</u>		

Typical applications	Metric unit		Imperial unit		
	Name	Symbol	Name	Symbol	
Temperature (other than the					
	degrees Celsius	°C	degrees Fahrenheit	°F	
Time					
	hour	h	hour	h	
	minute	min	minute	min	
	second	S	second	S	
Torque (includes bending n	noment, moment of force, an			1	
	newton meter	N m	pound foot	lb ft	
			pound foot	lb in	
Velocity					
	kilometer per hour	km/h	mile per hour	mph	
	meter per second	m/s	foot per second	ft/s	
	millimeter per second	mm/s	inch per second	in/s	
	meter per minute	m/min	foot per minute	ft/min	
Volume (includes capacity)					
	cubic meter	m³	cubic yard	yd³	
				cu yd	
	liter	I	cubic inch	in³	
	liter		US gallon	US gal	
			UK gallon	UK gal	
			US quart	US qt	
			UK quart	UK qt	
	milliliter	ml	fluid ounce	fl oz	
Volume per time (includes discharge and flow rate)					
	cubic meter per minute	m³/min	cubic foot per minute	ft³/min	
	liter per minute	l/min	US gallon per minute	US gal/min	
	milliliter per minute	ml/min	UK gallon per minute	UK gal/min	
Sound power level and sou			· · · · ·	·	
·	decibel	dB	decibel	dB	
Water hardness					
	German hardness	°dH	English hardness	°e	
	French hardness	°fH	parts per million	ppm	

# Glossary

Acronym	Definition
DEF	Diesel Exhaust Fluid
ISO	International Organization for Standardization
MSDS	Material Safety Data Sheet
NOx	Nitrogen Oxide
PPE	Personal Protective Equipment
SCR	Selective Catalytic Reduction
ULSD	Ultra Low Sulfur Diesel
%	Percent
<	Less than
>	Greater than

# To the owner

#### GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running- in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorized dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your authorized dealer.

All data given in this manual is subject to production variations. Dimensions and weight are approximate only. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your authorized dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified on page **7-15** of this Manual, are carried out at the recommended intervals.

## **ABOUT THIS MANUAL**

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy retrieval.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by professional service personnel.

The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

## Normal operation

 Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for op-

- eration and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/or the crop.

### **Routine service**

 Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fueling, cleaning, washing, topping up fluid levels, greasing, replacing of consumable articles such as lamp bulbs.

# Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.
- Repair means activities that must be done by professional service personnel only familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the dealer's workshop manual, in order to restore the proper function of the tractor after a failure or degradation of performance.

## **CLEANING THE TRACTOR**

Your tractor is a state- of- the- art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

Failure to comply with these rules will render the warranty null and void.

#### **SAFETY**

The pages in Section 2 list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered before operating the tractor.

#### FIRST 50 HOUR SERVICE

In Section 11, at the back of this Manual, you will find the 50- hour service reports.

**NOTICE:** It is important the 50 hour service is carried out as recommended to ensure your tractor provides optimum performance and efficiency.

After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50 hour service and complete the service report sheets (pages 11-3 and 11-5). The first sheet (page 11-3) is your copy of the service performed. The second sheet (page 11-5) is the dealer's copy and should be removed by the dealer after the service has been carried out. Ensure that you and the dealer sign both copies.

#### SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation

and/or use of 'non- genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect its safety. The Company is not liable for any damage caused by the use of 'non- genuine' parts and accessories. Only genuine replacement parts should be used. The use of non- genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorized, in writing, by the After Sales Service department of the Company.

#### WARRANTY

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

#### **USE OF BIODIESEL FUELS**

**NOTICE:** Before using Biodiesel fuels in your tractor, refer to the information on page **7-4** regarding the storage and use of Bio diesel fuels.

#### **EMISSION CONTROLS**


**NOTE:** The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

# Product identification

The tractor and major components are identified using serial numbers and/ or manufacturing codes.


Tractor identification data must be supplied to the dealer when requesting parts or service and will also be needed to aid in identifying the tractor if it is ever stolen.

The following provides the locations of the identification data.




# **Vehicle Identification Plate**

The vehicle identification plate (1) is located on the lefthand radiator support. Record the information on the sample identification plate provided below.



## **Tractor Identification**

The serial number and model identification information is stamped on the front support (1). These numbers are also repeated on the vehicle identification plate reproduced above.



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com