### **ORIGINAL INSTRUCTIONS**

# **OPERATOR'S MANUAL**

T9.450

**T9.505** 

**T9.560** 

T9.615

**T9.670** 

Tier 2

Tractor

PIN ZHF402700 and above



# Contents

1 GENERAL INFORMATION	
Note to the owner	
Intended use	
Intended use	
CNH Industrial America LLC technical manuals	
Your tractor Electro-Magnetic Compatibility (EMC)	1-4 1 <sub>-</sub> 5
Product identification	
Product identification	
Operator's manual storage on the machine	
Machine orientation	
Component location	
	•
2 SAFETY INFORMATION	
Safety rules	
Ecology and the environment	2-12
Protective structures	
Emergency exit	
Articulation cylinder locking blocks	2-15
Safety signs	2-16
3 CONTROLS AND INSTRUMENTS	
Access to operator's platform	
Access to operator's platform	2.4
Cab access/exit	
Cab access/exit	3-2
OPERATOR'S SEAT	
Overview	3_4
Control identification	
INSTRUCTOR'S SEAT	
Overview	3-8
FORWARD CONTROLS	
Steering column controls	
Front console controls	
Pedal controls	
Ventilation Front sun shade	
TOTAL SUIT STIERCE	J-17
RIGHT-HAND SIDE CONTROLS	
Armrest console	
Multi-function handle	
Throttle control	
Control panel	

Remote valve controls	
Joystick	
Armrest compartment	
Hitch controls	3-34
Adjusting the armrest console	3-35
REARWARD CONTROLS	
Rear sun shade	3-36
OVERHEAD CONTROLS	
Overview	3-37
Automatic Temperature Control (ATC)	
Automatic Temperature Control (ATC) operation	
Center panel controls	
Radio (if equipped)	
Interior and access lights	
Interior rear-view mirror	3-51
EXTERIOR CONTROLS	
Exterior hitch control	3-52
Outside extendable mirrors	3-52
INSTRUMENT CLUSTER	2.52
Overview	
Status and warning icons	
Upper display	
Lower display	
Keypad	
Instrumentation - setup menu	
Instrumentation - adjust menu	
Performance instrumentation	
OPERATING INSTRUCTIONS	
COMMISSIONING THE UNIT	
Before starting the engine	
Before starting the engine	4-5
STARTING THE UNIT	
Normal engine starting	4-9
Cold temperature operation	
STOPPING THE UNIT	
Stopping the machine and the engine	4-13
MOVING THE UNIT	_
Powershift transmission	4-14

Electronic steering system	4-22
Ground Speed Management (GSM)	
Differential lock system	4-33
Power management	4-37
Constant engine speed	
Headland Management System (HMS)	
Engine compression brake (if equipped)	4-50
5 TRANSPORT OPERATIONS	
ROAD TRANSPORT	<b>-</b> 4
Tractor warning lamps	
Operating the tractor warning lamps	
Implement warning lamps and Slow Moving Vehicle (SMV) symbol	
Safety chain	
Salety Chain	5-5
SHIPPING TRANSPORT	<b>5</b> 0
Securing the tractor for shipping	5-6
RECOVERY TRANSPORT	
Safety rules	
Towing the tractor	5-8
C MODIZING ODEDATIONS	
6 WORKING OPERATIONS	
GENERAL INFORMATION	
Product overview	6-1
REAR POWER TAKE-OFF (PTO)	
Power Take-Off (PTO) safety rules	6-2
Connecting the Power Take-Off (PTO)	6-4
Power Take-Off (PTO) operation	
THREE-POINT HITCH	
Identification	
Link adjustment	
Sway block adjustment	
Mechanical float adjustment	
Hitch quick coupler - Category IVN	
Transport lock	
Hitch operation	
Rear remote hitch switch	
Slip control operation	
	0-20
DRAWBARS AND TOWING ATTACHMENTS Safety rules	6_27
Saicty fulco	0-21

	Drawbar capacities	
	Drawbar capacities	6-31
	Scraper operation	
TRAI	LER BRAKE COUPLER	
	Safety rules	6-34
	Trailer brake connections	
	Trailer brake conficctions	0 00
AUXI	ILIARY POWER CONNECTIONS	
, (0) (	External power and lighting connections	6-36
	Cab power connections	
	Cab power connections	0-30
HVDI	RAULIC REMOTE CONTROL VALVES	
וטווו		6 /1
	Valve couplers and connections	
	Optional circuits	
	Hydraulic remote valve transport lock	
	Right-hand armrest controls	6-50
	Operating the lever controls	
	Operating the Joystick control	
	Remote valve display screens	
	Auto auxiliary mode operation	
	Auto depth control operation	6-65
D 4 1 1	A OTINIO THE TO A OTO D	
BALL	ASTING THE TRACTOR	
	Guidelines	6-68
	Weights, cast metal and liquid	6-72
	Wheel slip	
	•	
FROI	NT AND REAR AXLE	
	Tire safety	6-80
	Pressure and load ratings	
	Wheel installation	
	Wheel tread settings	
	vincei ireau seilings	0-54
7 MAINI	TENANCE	
/ IVI/AIIN	ILIVAINOL	
CEN	ERAL INFORMATION	
(7171111	-:v:-::11	
		7-1
Adv	vice	
Ad <sup>1</sup> En	vicegine hood	7-2
Ad En En	vicegine hoodgine side shields	7-2 7-3
Ad Eng Eng Op	vicegine hoodgine side shieldsening the right-hand service door	7-2 7-3 7-4
Ad <sup>1</sup> En <sub>t</sub> En <sub>t</sub> Op Bat	vicegine hoodgine side shieldsening the right-hand service doorttery access	7-2 7-3 7-4 7-5
Adr Eng Eng Op Bat Por	vice gine hood gine side shields ening the right-hand service door ttery access wer cut-off switch	7-2 7-3 7-4 7-5 7-6
Adr Eng Eng Op Bat Por	vicegine hoodgine side shieldsening the right-hand service doorttery access	7-2 7-3 7-4 7-5 7-6
Add Eng Eng Op Bat Pod Fill	vice gine hood gine side shields ening the right-hand service door ttery access wer cut-off switch ing the fuel tank	7-2 7-3 7-4 7-5 7-6 7-8
Adr Eng Op Bat Por Fill Fue	vice gine hood gine side shields ening the right-hand service door ttery access wer cut-off switch ing the fuel tank el tank capacity	7-2 7-3 7-4 7-5 7-6 7-8 7-10
Adv Eng Op Bat Pov Filli Fue Tire	vice gine hood gine side shields ening the right-hand service door ttery access wer cut-off switch ing the fuel tank	7-2 7-3 7-4 7-5 7-6 7-8 7-10 7-11

Lubricants and capacities	
Engine oils	
General specification - Diesel fuel	
General specification - Biodiesel fuels	
Organic Acid Technology (OAT) coolant	
Electrical specifications	
Battery system	
Maintenance chart notes	
iviaintenance chart notes	1-20
MAINTENANCE CHART	
Maintenance chart	7-27
Maintenance chart	
At warning message display	
Air cleaner	7-31
Primary fuel filter	
Fuel supply restricted (13L engines only)	7-32
Every 10 hours or daily	
Engine oil level	
Wheel bolt torque	
Weight bolt torque	
Transmission oil level	
Engine coolant level	
Fuel level	
General tractor inspection	
Every 50 hours	
Fuel tank and fuel filter	
Articulation hinge - Upper front	
Oscillation hinge - Rear	
Articulation hinge - Lower	
Articulation cylinder - Front, left hand, right hand	
Articulation cylinder - Rear, left hand and right hand	
Hitch cylinder pin - Upper (if equipped)	
Hitch cylinder pin - Lower (if equipped)	
Hitch rockshaft - Left-hand and right hand	
Hitch lift links and top link	
Driveshaft carrier bearing	7-44
First 100 hours	
Powershift transmission clutches	7-45
1 ONOIGH II CHOMICOICH CICLOHOU	, <del>, 1</del> 0
Every 600 hours	
Engine oil and filter (see Note 3)	7-51

Engine fuel filter (see Note 4)	
Engine fuel pre-filter	
Fuel tank vent (see Note 6)	
Battery electrolyte level	
Cab air filter, outside (see Note 1)	
Air tubing - Engine	
Alternator - Water pump belt	
Power Take Off (PTO) carrier bearing	
Power Take Off (PTO) slip joint	
Radiator and coolers	
Cab recirculation filter	. /-6/
Every 1000 hours or yearly	
	7 60
Powershift transmission clutches	. 7-68
Every 1200 hours	
	7 60
Engine crankcase breather filter	
Transmission oil and filter (see Note 4)  Transmission vent	
Engine air filters (see Note 2)	
Door lock and hinges	
Every 1800 hours	
Hydraulic oil and filters (see note 4)	7-80
Hydraulic reservoir breather	
Cab air filter, outside (see Note 1)	
Engine air tubing	
—ge a tazg	
Every 2400 hours	
Engine coolant drain and flush	. 7-85
As required	
Vehicle fire prevention	7-88
Remote valve couplers	
Pressure cooling system hoses	
Hydraulic system hoses	
Tire pressure	
Engine fan belt	
Viscous fan drive	
Cab fabric and carpet	
Seat belt	
Battery removal and installation	
Hood lamps	
Flood and work lamps	
Fender tail light and warning light	
Roof warning light	7-105

Rotating beacon light	
Fuse and relay locations  Fuse and relay locations	7-111
STORAGE Placing in storage	
Removing from storage	7-120
8 TROUBLESHOOTING	
FAULT CODE RESOLUTION  Fault code retrieval	8-1
ALARM(S)	
Display warnings  Transmission disengages; neutral icon flashes	
9 SPECIFICATIONS	
Engine specifications	
Engine specifications  Power train and hydraulics	
Power train and hydraulics	
Lubricants and capacities	
Speed charts	
Vehicle dimensions and shipping weight	
Maximum operating weight	
10 ACCESSORIES	
Farming system displays	
Chemical tank mounting	
General accessories	

## 1 - GENERAL INFORMATION

#### Note to the owner

This manual contains important information about the safe operation, adjustment, and routine maintenance of your tractor. The manual is divided into ten chapters as outlined on the Contents page. Refer to the index at the end of this manual for locating specific items about your tractor.

Do NOT operate or permit anyone to operate or service this machine until you or the other persons have read this manual. Use only trained operators who have demonstrated the ability to operate and service this machine correctly and safely.

Store this operator's manual in the manual compartment behind the operator's seat in the vehicle. Make sure this manual is in good condition. Contact your dealer to obtain additional manuals. Contact your dealer for any further information or assistance about your machine. Your dealer has approved service parts. Your dealer has technicians with special training that know the best methods of repair and maintenance for your tractor.

ATTENTION: The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is complete. Engine service and/or repairs must be done by a certified technician only!

#### Intended use

T9. series tractors with standard equipment and authorized attachments, are intended to be used for customary farming, land leveling and related agriculture operations (intended use). This tractor is not intended for forestry use or for use with loaders. The cab on this tractor does not offer sufficient protection for forestry work.

Installation of utility (dozer) blades, tile plows, front loaders or push bars on the tractor is not approved. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Consult an authorized dealer or CNH Industrial America LLC on changes, additions or modifications that can be required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

Do not use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the machine's intended use.

Use in any other way is considered as contrary to the intended use. The manufacture accepts no liability for any damage or injury resulting from this misuse and these risks must be born solely by the user.

Compliance with and strict adherence to the conditions of operation, service and repair as specified by the manufacturer also constitute essential elements for the intended use

All persons who will be operating this machine shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

This tractor must be operated, serviced and repaired only by persons familiar with all its particular characteristics and acquainted with the relevant safety rules (accident prevention).

The accident prevention regulations, all other generally recognized regulations on safety and occupational medicine and the road traffic regulations must be observed at all times.

Any arbitrary modifications carried out on the tractor will relieve the manufacturer of all liability for any resulting damage or injury.

## Intended use

T9. series tractors with standard equipment and authorized attachments, are intended to be used for customary farming, land leveling and related agriculture operations (intended use). This tractor is not intended for forestry use or for use with loaders. The cab on this tractor does not offer sufficient protection for forestry work.

Installation of utility (dozer) blades, tile plows, front loaders or push bars on the tractor is not approved. Any tractor damage resulting from the installation and/or use of such equipment is not covered by the tractor warranty.

Consult an authorized dealer or CNH Industrial America LLC on changes, additions or modifications that can be

required for this machine to comply with various regulations and safety requirements. Unauthorized modifications will cause serious injury or death. Anyone making such unauthorized modifications is responsible for the consequences.

Do not use this machine for any purpose or in any manner other than as described in the manual, decals, or other product safety information provided with the machine. These materials define the machine's intended use.

Use in any other way is considered as contrary to the intended use. The manufacture accepts no liability for any damage or injury resulting from this misuse and these risks must be born solely by the user.

Compliance with and strict adherence to the conditions of operation, service and repair as specified by the manufacturer also constitute essential elements for the intended use.

All persons who will be operating this machine shall possess a valid local vehicle operating permit and/or other applicable local age work permits.

This tractor must be operated, serviced and repaired only by persons familiar with all its particular characteristics and acquainted with the relevant safety rules (accident prevention).

The accident prevention regulations, all other generally recognized regulations on safety and occupational medicine and the road traffic regulations must be observed at all times.

Any arbitrary modifications carried out on the tractor will relieve the manufacturer of all liability for any resulting damage or injury.

### CNH Industrial America LLC technical manuals

Manuals are available from your dealer for your machine. Your dealer can expedite your order for operator manuals and parts catalogs.

Always give the machine name, model and Product Identification Number (PIN) of your machine so your dealer can provide the correct manuals for your machine.

The company is continually striving to improve its products and therefore reserves the right to make improvements and changes when it becomes practical and possible to do so, without incurring any obligation to make changes or additions to the equipment sold previously. All data given in this manual is subject to production variations.

**NOTICE:** Operating and service messages displayed on the electronic operating panel may vary from what is shown in the manual. If this occurs, heed the latest instructions on the electronic operating panel.

Dimensions and weights are approximate only and the illustrations do not necessarily show the machine in standard condition. For exact information about any particular machine, please consult your dealer.

#### Manual scope and required training level

This manual provides information on the intended use of your tractor under the conditions foreseen by the manufacturer during normal operation, routine service and maintenance and periodic service and maintenance.

Normal operation is use of the tractor for the purpose intended by the manufacturer by an owner/operator who is familiar with the tractor and the mounted or towed equipment, and who is complying with the information on operation and safe practices, provided in this manual and by the decals on the tractor and the equipment.

Normal operation includes such actions as preparing the tractor for storage and removing the tractor from storage, adding or removing ballast, connecting and disconnecting mounted or towed equipment, raising and lowering components into or out of work position, adjusting tractor settings for specific field or crop settings, etc.

Routine service and maintenance are those actions which must be performed daily to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on routine service and safe practices in this manual and in the decals on the tractor.

Routine service and maintenance includes such actions as fueling, cleaning, washing, topping off fluid levels, greasing, and replacing consumable articles such as lamp bulbs.

Periodic service and maintenance are those actions which must be performed at regularly defined intervals

to maintain proper tractor function by an owner/operator who is familiar with tractor characteristics, and who is complying with the information on periodic service and safe practices in this manual and in the decals on the tractor.

Periodic service and maintenance includes such actions as checking, cleaning and changing air filters, changing engine oil and filters, changing transmission oil and filters, changing front axle and wheel hub fluids, changing coolant, etc.

Some actions in the periodic service and maintenance chart are beyond the knowledge and skills of the owner/operator: for example, engine valve adjustment, fuel injector nozzles. For these actions, the manual instructs the owner/operator to have the action performed by their authorized dealer.


This manual does not contain all the information related to periodical service and maintenance, converting and repairs to be carried out by professional service personnel. These actions require special facilities, technical skills, and/or tools which are not supplied with the machine.

Converting is changing the tractor configuration for a specific crop or soil condition and requires rebuilding or adding components to the vehicle: for example, installation of dual wheels. Repairing is the disassembly and assembly of the tractor to restore proper operation after a component failure or degradation of performance.

# Your tractor

This manual covers the T9.450, T9.505, T9.560, T9.615, and T9.670 models.

References are made within this manual of "row crop models" and "high power models". Row crop models include T9.450, T9.505, and T9.560 models. High power models include T9.615, and T9.670 models.



New Holland T9. series tractor

# Electro-Magnetic Compatibility (EMC)

Interference may arise as a result of add-on equipment that may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:


- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the machine
- The electro-magnetic field generated by the add-on system should not exceed **24 V/m** at any time and at any location in the proximity of electronic components
- The add-on equipment must not interfere with the functioning of the on board electronics

Failure to comply with these rules will render the NEW HOLLAND warranty null and void.

## Product identification

### Tractor model and product identification number

Write your model number, Product Identification Number (PIN), and serial number of major components on the lines provided. If needed, give these numbers to your dealer when you need parts or information for your machine.




47659937

Model:


PIN:

**NOTE:** Located on the front right-hand side plate in front of front axle.




# Roll Over Protective Structure (ROPS) serial number

NOTE: Located under the instructional seat.




# **Engine serial number (T9.450, T9.505, and T9.560)**

NOTE: Located on the rear left-hand side of the engine.




# Engine serial number (T9.615, and T9.670)

NOTE: Located on the rear left-hand side of the engine.



#### Transmission serial number

**NOTE:** Located on the rear left-hand side of the transmission.



Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com