OPERATOR'S MANUAL

T6030

T6050

T6070

T6080

T6090

T6095

Range Command / Power Command - Tractor



SECTION SUMMARY

- 1 General Information and Safety
- 2 Controls, Instruments and Operation
- 3 Field operation
- 4 Lubrication and Maintenance
- 5 Fault Finding
- 6 Accessories
- 7 Specifications
- 8 First 50 hour Service Forms
- 9 Index

CONTENTS

Title	Page
Section 1 - General Information and Safety	
To the Owner	
Product Identification	
Transporting Towed Equipment	
Ecology and the Environment	
Safety Precautions	
Safety Decals	
International Symbols	
Airborne Noise Emission	
Section 2 - Controls, Instruments and Operation	
Cab	2-4
Electrical Power Sockets	2-22
Seats	2-26
Steering Column Controls	2-31
Analogue/Digital Instruments	2-35
Enhanced Keypad and Performance Monitor	2-41
Brake Controls and Operation	2-69
Range Command Transmission	2-74
Power Command Transmission	2-101
Differential Lock and Four Wheel Drive	2-120
Front Axle Suspension	2-124
Section 3 - Field Operation	
Important Information	3-1
Boosting the Tractor Battery	
Starting the Engine	
Stopping the Engine	
Engine Power Management	
Engine Speed Management	
Headland Turn Sequence	
Fast Steer	
Rear Power Take- Off	
Front Power Take- Off and 3- Point Hitch	
Electronic Draft Control	
Remote Control Valves	
Three-point Hitch	
Linkage Stabilisers	
Drawbars and Towing Attachments	
Trailer Braking Systems	
Front Wheel Track Adjustment	
Dynamic Front Fenders	
Rear Wheel Track Adjustment	
Rallasting and Tyres	3-152

Section 4 - Lubrication and Maintenance

Consul Information	4
General Information	
Tractor jacking points	
Guard Removal	
Lubrication and Maintenance Chart	
Servicing: When Warning Lights Illuminate	
10- hour/daily service	
50-hour service	2
100-hour service	4
300-hour service	3
600-hour service	7
1200- hour/12 month service	4
1200- hour/24 month service	2
Every 3 years	9
3600- hour/48 month service	0
General Maintenance - as required 4-6	4
Storing the tractor	6
Section 5 - Fault Finding	
Section 5 - Fault Finding Introduction	1
Introduction 5- Engine 5-	4
Introduction 5- Engine 5- Transmission 5-	4 7
Introduction 5- Engine 5-	4 7
Introduction 5- Engine 5- Transmission 5-	4 7 8
Introduction 5- Engine 5- Transmission 5- Hydraulics 5-	4 7 8 9
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5-	4 7 8 9 0
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1	4 7 8 9 0
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1	4 7 8 9 0
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1	4 7 8 9 0
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1 Section 6 - Accessories	4 7 8 9 0 1
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1 Section 6 - Accessories 5-1 Intelliview II Monitor 6-	4 7 8 9 0 1 2
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1 Section 6 - Accessories 5-1 Intelliview II Monitor 6- Rotating Beacon 6-	4 7 8 9 0 1 2 3
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1 Section 6 - Accessories 5-1 Intelliview II Monitor 6- Rotating Beacon 6- Auxiliary Headlights 6-	4 7 8 9 0 0 1 2 3 3
Introduction 5- Engine 5- Transmission 5- Hydraulics 5- 3-point hitch 5- Brakes 5-1 Cab 5-1 Electrical 5-1 Section 6 - Accessories 5-1 Intelliview II Monitor 6- Rotating Beacon 6-	4 7 8 9 0 0 1 2 3 4

Section 7 - Specification

General Dimensions	
Vehicle Weights	
Lubricant and Fluid Capacities	
Engine	
Fuel System	
Cooling System	
Transmission Options	
Maximum Operating Angle	
Rear Power Take-Off	
Front Power Take-Off	
Hydraulic System	
Rear 3-Point Hitch	
Remote control valves	
Front 3- Point Hitch	
Brakes	
Steering	
Electrical Equipment	
Hardware Torque Tables	
Section 8 - First 50-hour Service Forms	0.4
Section 6 - First 50-hour Service Forms	
Castian O. Inday	0.4



All data given in this manual is subject to production variations. The dimensions and weights provided are approximate values only and some machine features shown in this manual may not correspond to standard models. For precise information on specific models, features and specifications, please contact your authorised dealer.

METRIC AND IMPERIAL UNITS ABBREVIATIONS

TYPICAL	RECOMMENDED SI (METRIC)	IMPERIAL UNIT							
		SYMBOL	NAME	SYMBOL					
AREA									
Land area	hectare	ha	acre	ha					
	square meter	m ²	square foot square inch	ft ² in ²					
	square millimetre	mm ²	square inch	in ²					
ELECTRICITY									
	ampere	Α	ampere	Α					
	volt	V	volt	V					
	microfarad	μF	microfarad	μF					
	ohm	Ω	ohm	Ω					
FORCE									
	kilonewton	kN	pound	lb					
	newton	N	pound	lb					
FORCE PER LENG	тн								
	newton per metre	N/m	pound per inch	lb/in					
FREQUENCY									
	megahertz	MHz	Megahertz	MHz					
	kilohertz	kHz	kilohertz	kHz					
	hertz	Hz	hertz	Hz					
FREQUENCY - RO	TATIONAL								
	revolution per minute	r/min	revolution per minute	r/min ^(a)					
		rpm		rpm					
LENGTH									
	kilometre	km	mile	mi					
	meter	m	foot	ft					
	centimetre	cm	inch	in					
	millimetre	mm	inch	in					
	micrometer	μ m							
MASS									
	kilogram	kg	pound	lb					
	gram	g	ounce	oz					
	milligram	mg							

TVDICAL	TYPICAL APPLICATIONS RECOMMENDED SI (METRIC) UNITS NAME SYMBOL		IMPERIAL UNIT					
			NAME	SYMBOL				
POWER								
	kilowatt	kW	horsepower	Нр				
	watt	W	Btu per hour Btu per minute	Btu/hr Btu/min				
PRESSURE or STRESS (FORCE PER AREA)								
	kilopascal	kPa	pound per square inch inch of mercury	psi inHg				
	pascal	Pa	inch of water	inH ₂ O				
	megapascal	Мра	pound per square inch	psi				
TEMPERATURE (of	ther than THERMODYNAMIC)							
	degrees Celsius	°C	degrees Fahrenheit	°F				
TIME								
	hour	h	hour	h				
	minute	min	minute	min				
	second	S	second	S				
TORQUE (includes	BENDING MOMENT, MOMENT O	F FORCE,	and MOMENT OF A COUPL	-E)				
	newton meter	N m N m	pound foot pound inch	lb ft lb in				
VELOCITY								
	kilometre per hour	km/h	mile per hour	mph				
	meter per second	m/s	foot per second	ft/s				
	millimetre per second	mm/s	inch per second	in/s				
	meter per minute	m/min	foot per minute	ft/min				
VOLUME (includes CAPACITY)								
	cubic meter	m ³	cubic yard	yd ³ cu yd				
	litre	1	cubic inch	in ³				
	litre	I	US gallon UK gallon US quart UK quart	US gal UK gal US qt UK qt				
	millimetre	ml	fluid ounce	fl oz				

TYPICAL	RECOMMENDED SI (METRIC)	IMPERIAL UNIT						
APPLICATIONS	NAME	SYMBOL	NAME	SYMBOL				
VOLUME PER TIME (includes DISCHARGE and FLOW RATE)								
	cubic meter per minute	m ³ /min	cubic foot per minute	ft ³ /min				
	litre per minute	l/min	US gallon per minute	US gal/min				
	millilitre per minute	ml/min	UK gallon per minute	UK gal/min				
SOUND POWER LEVEL and SOUND PRESSURE LEVEL								
	decibel	dB	decibel	dB				

SECTION 1

GENERAL INFORMATION AND SAFETY

TO THE OWNER

GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running-in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified in Section 4 of this Manual, are carried out at the recommended intervals.

OPERATORS MANUAL STORAGE

The Operators Manual supplied with your tractor is an important source of information and should be stored safely.

This manual is written specifically for your tractor so it is important that you make a note of the print number and issue date which can be found on the cover. In the event the manual is lost or damaged it can be replaced with the correct version.

A storage pocket for the Operators Manual can be found on the rear of the seat. The manual should be kept in this pocket at all times when not in use.

SAFETY

Pages 1-8 to 1-36 inclusive list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered **before** operating the tractor.

CLEANING THE TRACTOR

Your tractor is a state-of-the-art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

ELECTRO-MAGNETIC INTERFERENCE (EMC)

This tractor complies strictly with the European Regulations on electro-magnetic emissions. However, interference may arise as a result of add-on equipment which may not necessarily meet the required standards. As such interference can result in serious malfunction of the unit and/or create unsafe situations, you must observe the following:

- Ensure that each piece of non-New Holland equipment fitted to the tractor bears the CE mark.
- The maximum power of emission equipment (radio, telephones, etc.) must not exceed the limits imposed by the national authorities of the country where you use the tractor.
- The electro-magnetic field generated by the add-on system should not exceed 24 V/m at any time and at any location in the proximity of electronic components.

Failure to comply with these rules will render the New Holland warranty null and void.

FIRST 50 HOUR SERVICE

In Section 8, at the back of this Manual, you will find the 50-hour service reports.

IMPORTANT: It is important the 50 hour service is carried out as recommended to ensure your tractor provides optimum performance and efficiency.

After you have operated the tractor for 50 hours, take your tractor, together with this Manual, to your dealer. He will then perform the factory recommended 50 hour service and complete the service report sheets (pages 8-1 and 8-3). The first sheet (page 8-1) is the dealer's copy and should be removed by the dealer after the service has been carried out. The second sheet (page 8-3) is your copy of the service performed. **Ensure that you and the dealer sign both copies.**

SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation and/or use of 'non-genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect it's safety. The Company is not liable for any damage caused by the use of 'non-genuine' parts and accessories. Only genuine New Holland replacement parts should be used. The use of non-genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorised, in writing, by the After Sales Service department of the Company.

WARRANTY

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

BIODIESEL FUELS

IMPORTANT: Before using Biodiesel fuels in your tractor, refer to the information on page 4-5 regarding the storage and use of Biodiesel fuels.

EMISSION CONTROLS


ATTENTION: The engine and fuel system on your machine is designed and built to government emissions standards. Tampering by dealers, customers, operators and users is strictly prohibited by law. Failure to comply could result in government fines, rework charges, invalid warranty, legal action and possible confiscation of the machine until rework to original condition is completed. Engine service and/or repairs must be done by a certified technician only!

PRODUCT IDENTIFICATION

The tractor and major components are identified using serial numbers and/or manufacturing codes.

Tractor identification data must be supplied to the dealer when requesting parts or service and will also be needed to aid in identifying the tractor if it is ever stolen.


The following provides the locations of the identification data.



Vehicle Identification Plate

The vehicle identification plate, (1) Figure 1 is located on the radiator support. It may be found on the left or right side of the support. Record the information on the sample identification plate provided below.


NOTE: (A) Name of manufacturer.



2

Tractor Identification

The serial number and model identification information is stamped on the front support (1). These numbers are also repeated on the vehicle identification plate reproduced above.




3


Engine Information

The engine serial number and date of manufacture are stamped on the right- hand side of engine block (1), below the manifold. Record the number below.

Engine Serial No.



The engine serial number is repeated on the information plate located on the left side of the engine oil pan.



Further information relating to engine adjustments and emission level compliance are also shown on the engine information plate.

NOTE: The details displayed on the engine information plate may change according to the country in which the tractor is sold.


ſ	IMPORTANT ENGINE INFORMATION		CID/Litre		Engine Serial No.		FEL g/kW-hr	EPA		
			E.P.A. Family		Model Type		NOx+NMHC			
ŀ	This engine conforms to U.S.E.P.A. & California Regulations for large non-read compression ignition diesel engines. This engine is designed to operate on commercially available		Advertised BH	IP/kW		rpm	Engine	Model	PM	
		Valve Lash Co	ld (mm)	Inlet		Exh.	Initial Injection Timing	BTDC	0	
		gned to operate on commercially available	Low Idle	rpm				Fuel rate @ advertised power	mm ³ /	Stroke
dies		diesel fuel. When making adjustments set parking brake and block wheels.								
[Date of Manufacture							38193	1875206	7 8

Driveline Identification

The serial number plate (1) is located on the right-hand side of the transmission casing behind the the battery carrier. This number is repeated on the vehicle identification plate. Record the information below for quick reference.


Range Command Transmission

Driveline Serial No._____



Power Command Transmission

Driveline Serial No.



Cab Identification

The cab serial number and other information is on the OECD certification plate. This plate can be found on the right-hand side of the cab exterior trim panel, below the rear window. Record the cab serial number below for quick reference.

Cab Serial No.

CNH INDUSTRIAL XXXXXXXX Made in LLLLLL APPROVED SAFETY CAB: TTTTTTTT / FFFFFFFFF TYPE / VAR / MODEL: **44444444444444444** OECD APPROVAL NO.: WWWWWWWWW / QQQQQQQQQQ ROPS SERIAL NO.: CATEGORY ACCORDING TO EN 15695-1:2009: 8

NOTE: (A) Name of manufacturer.

1-5

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com