Puma 200 Puma 215 Puma 230 Tractor

OPERATOR'S MANUAL

Part number **51515270**Ist edition English

December 2018

Replaces part number 48155257



Contents

1	GENERAL INFORMATION	
	Note to the owner	
	Product identification	
	Engine identification	
	Component identification - Transmission	
	Cab identification	
	Universal symbols	1-6
2	SAFETY INFORMATION	
_	Safety precautions	. 2-1
	Roll over protective struture (ROPS)	
	Safety Decals	
	Noise level	
	Before operating the machine	
	Driving the vehicle	
	Operating the machine	
	Power take off (PTO) operation	
	Servicing safety precautions	
	Operating the external controls	
	Fire or Explosion Prevention	
	Diesel fuel	2-18
	Personal safety offered by the machine	2-19
	Intended use statement	
	Ecology and the Environment	2-22
3	CONTROLS AND INSTRUMENTS	
Ū	Access to operator's platform	
	Introduction	3_1
	Rear-view outside mirrors	
	Cab	
	In cab storage (where applicable)	. 3-4
	Cable and wiring routing	. 3-4
	Mobile telephone usage	. 3-4
	Implement monitor installation	. 3-5
	Operator's seat	
	Operator's seat	. 3-6
	Seat belt	
	Instructional seat Instructor's seat (when fitted)	3_0
	motivotor o ocat (whom intoa)	5-9
	Forward controls	
	Ignition switch	. 3-9

	Warning lights	3-10
	Left-hand control lever	
	Follow me home lights	
	Right-hand control lever	
	Clutch pedal	3-12
	Inching pedal and throttle	3-13
	Foot pedals – Service brake	3-13
	Steering column	3-14
Le	eft-hand side controls	
	Parking brake	3-15
R	ight-hand side controls	
	Controls – Armrest	3-16
	Hand throttle	
R	earward controls	
	Switches on C-pillar	3-17
\cap	verhead controls	
O	Overhead controls	3_18
	Interior lights	
	Heating, Ventilation, Air-Conditioning (HVAC) controls	
	Manual temperature control	
IN	ISTRUMENT CLUSTER	
III		2 22
	Integrated control unit	
	Gauges	
	Monitor screens	
	Monitor screens - Transmission	
	Keypad enhanced	
	Selecting or changing the display settings	
	Adjust menu	
	Configure menu	
	Performance monitor	
	Color monitor (where fitted)	3-42
	Pop-up screens on color display	3-43
	Performance monitor on color display	3-48
	Display setup – Implement width	3-50
	Alarm functions	
	Accessing stored error codes	
	Warning and advisory symbols	3-55
4 OF	PERATING INSTRUCTIONS	
С	ommissioning the unit	
,	Fueling the machine	4-1

Starting the unit	
Starting the engine	
Cold starting aids	
Booster battery procedure	4-4
Stopping the unit	
Stopping the engine	4-5
Engine automatic shutdown	4-5
Engine automatic shutdown with enhanced keypad (where fitted)	4-6
Moving the unit	
General information	4-7
Transmission operation	4-7
Default start off gear – (SOG)	
Transmission operation	
Full powershift transmission – Speed correspondence	4-14
5 TRANSPORT OPERATIONS	
Preparing for road transport	
Carrying the tractor on a transporter	5-1
_	
Recovery transport	
Machine towing	5-1
6 WORKING OPERATIONS	
General information	
Variable engine power management	6-1
Constant engine speed	
Differential lock system	
Four wheel drive	
Recording and replaying	
Recording a sequence	
Playing a sequence	
Delete a sequence	
Explanation of symbols	
Quick guide	6-17
TRANSMISSION	
Transmission operation	
Ground speed chart	
Ground speed chart	
Inching pedal and throttle	
Transmission operation – Speed correspondence	
Foot pedals - Service brake	6-23

Transmission display Fault codes	
REAR POWER TAKE-OFF	
Power Take-Off (PTO) operating precautions	6-25
Power Take-off (PTO) Connection	
Power take off (PTO) operation	
Power take off (PTO) operation – Two speeds	
Power Take-Off (PTO) operation – Automatic	
PTO interchangable shaft	
HYDRAULIC REMOTE CONTROL VALVES	
Rear remote control valve(s)	
Rear remote valve configuration	
Operating continuous flow hydraulic equipment	. 6-36
Operating single-acting hydraulic cylinders	. 6-38
Operating double-acting hydraulic cylinders	. 6-39
Operating two or more remote control valves	
Operating remote control valves and three-point hitch	
Remote control valves - Configure Motor kit	
Hydraulic oil free-flow return	
Hydraulic oil level when using remote hydraulic equipment	. 6-42
HYDRAULIC POWER BEYOND PORT Power beyond hydraulic valve (when fitted)	. 6-45
TUDEE DOINT LUTOU	
THREE POINT HITCH	6 46
Attach the implement on the hydraulic lift	
Adjustments – Liit arm	
Quick hitch	
Quick fillon	. 0-30
DRAWBARS AND TOWING ATTACHMENTS	
Maximum permitted loads on drawbar	. 6-52
Tractor drawbar	. 6-54
TRAILER BRAKING SYSTEMS	
Pneumatic trailer brake	. 6-56
Auxiliary air supply connector (where fitted)	. 6-59
WHEEL TRACK ADJUSTMENT	
Front wheel track adjustment	
Front wheel alignment	
Steering stops	
Front axle oscillation stops	
Adjustement of the dynamic front mudguards	6-66

F	Front axle with extension (Cane cultivator) - If equipped	6-68
F	Rear axle flange type (where fitted)	6-70
F	Rear axle bar type (where fitted)	6-73
	Oual rear wheels (where fitted)	6-79
BALLA	ASTING AND TIRES	
	Fire care – Wheels	6-80
Т	Fires – Calibration and assembly safety	6-83
	Fires – Parts of the tire	
	Fire types – For the application	
	Fires – General features	
	Fires – Compatibility of front x rear tires	
	Tractor ballasting	
	Ballasting solid	
	Liquid ballast	
	Fires - Compatibility table	
	_iquid ballast – Capacity table6	
	Fires – Recommendations for calibration	
	Fires - Calibration	
	Fires - Composition of the load applied	
'		100
A 1 13 711	LABY BOLLED CONNECTIONS	
	IARY POWER CONNECTIONS	
	Diagnostic socket	
	nternal power connectors 6	
E	External power connectors 6	-109
	HITCH	
	Electronic Draft Control (EDC)6	
C	Colour display screens – Adjusting the hydraulic lift	-114
	Operation – Electronic draft controller6	
C	Operating the external controls6	-119
7 MAINT	ENANCE	
	al information	7 4
Intro Fuel	duction	7-1 7-3
	el fuel	
Snec	cifications - Biodiesel fuel	7- 4 7-5
•	anic Acid Technology (OAT) coolant	
_	ective devices	
		. •
Mainto	anance nlanning	
	enance planning	7 40
Main	ntenance chart	7-10
	N THE WARNING LAMP LIGHTS	
	ne air filter, primary	7-12
	e fluid level	

Drain the fuel system water separator	7-15
First 10 hours Front wheels - Check	7-16
EVERY 10 HOURS OR EACH DAY	
Engine coolant	7-16
Engine oil level	
Pneumatic brake reservoir (when fitted)	
FIRST 50 HOURS First 50 Hour Service	7-20
r iist so riodi service	7 20
First 300 hours	7.04
Accumulator - Check	7-21
First 600 hours	
Accumulator - Check	7-21
EVERY 50 HOURS	
Cleaning the radiators	7-22
Cab air filters	
Cab recirculation air filter	
Lubrication points Check the tire pressures and the tire condition	
Windshield wiper fluid reservoir	
EVERY 300 HOURS Engine belt	7 20
Pneumatic brake compressor belt (when fitted)	
Change the first stage fuel filter and the fuel filter element	
Parking brake	
Rear axle oil level	
Axle oil level screen	7-32
Cab air filter – Activated charcoal filter – (when installed)	
Front axle hub oil (4WD) - oil level	
·	
EVERY 600 HOURS	7.04
Engine Oil & Filter	
Fuel injection system	
Change the charge pump oil filter	
Front axle hub - Change fluid	
Grease the rear axle shaft bearing	7-38

Wheel nuts tightening torque	7-39
EVERY 1200 HOURS OR ANNUALLY	
Engine air filter - Outer element	7-40
Engine air filter - Inner element	
Cab air filters	7-41
Cab recirculation filter	
Pneumatic trailer brake – Replacement of the filter	
Change hydraulic system oil	
Change front axle oilFront axle extensions oil change – Cane harvester (When available)	
Hydraulic oil filter	
Autopilot valve filter	
Change the engine breather filter	
Engine valve clearance	
Accumulators	
EVERY 4000 HOURS OR 4 YEARS	
Engine coolant replacement	7-52
—g	
CENEDAL MAINTENIANICE	
GENERAL MAINTENANCE	7 55
Remote couplers oil recovery bottle	
Service brakes	
Air conditioning - Charging	
Air conditioning filter drier	
Cleaning the tractor	7-58
Adjust the cab suspension (where fitted)	7-59
Headlight and worklamp adjustment	7-60
Replacing bulbs	
Replacing the battery	
Fuses and Relays	7-66
Storage	
Storing the machine	7-70
Preparation for use after storage	
8 TROUBLESHOOTING	
Fault code resolution	
Introduction	8-1
Alarm(s)	
Fault codes and symbols	8-2
Symptom(s)	
Engine	Ջ ₋Չ
Liigiilo	u-s

	Transmission Three-point hitch Brakes Hydraulic System Cab Electrical system	 8-6 8-6 8-7 8-7
9 SPECIFI	ICATIONS	
	mensions	9-1
	veights	
Fluids and	d lubricants	 9-5
	ecifications	
	system specifications	
Hydraulic r	remote control valves	 9-7
Brake spec	ecifications	 9-7
Power Tak	ke-Off (PTO)	 9-7
Steering g	general specifications	 9-8
Full power	rshift transmission	 9-8
Electrical s	system specifications	 9-8
10 ACCES		
	c trailer brake	
-	acon (option)	
	ower connectors	
Auxiliary e	electrical outlet	 10-4

1 - GENERAL INFORMATION

Note to the owner

GENERAL INFORMATION

This Manual has been prepared to assist you in the correct procedure for running-in, driving and operating and for the maintenance of your new machine. Read this manual carefully. Your machine is designed to be used in normal and customary agricultural applications.

If you require technical support for your machine at any time, do not hesitate in contacting your CASE IH dealer. They have company trained personnel, genuine parts and the necessary equipment to carry out all your service requirements.

The specification are provided for your information and guidance. For further information concerning your tractor and equipment, consult your CASE IH dealer.

All data given in this book is subject to production variations. Dimensions and weights are approximate. The illustrations do not necessarily show tractors in standard condition or imply that these features are available in all countries. For exact information about any particular tractor, please consult your CASE IH dealer.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your CASE IH dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified on page **7-10** of this Manual, are carried out at the recommended intervals.

OPERATORS MANUAL STORAGE

The Operator's Manual supplied with your tractor is an important source of information and should be stored safely.

The manual is written specifically for your tractor so it is important that you make a note of the print number and issue date which can be found on the cover. In the event the manual is lost or damaged it can be replaced with the correct version.

A storage pocket for the Operator's Manual can be found on the rear of the seat. The manual should be kept in this pocket at all times when not in use.

ABOUT THIS MANUAL

This manual gives information for use of your machine, as intended and under the conditions foreseen by the manufacturer during normal operation and routine service and maintenance.

Read and understand; keep it in good condition and always safely store it in the provided pocket in the back of your seat for later easy use.

This manual does not contain all the information related to periodical service, converting and repairs to be carried out by CASE IHprofessional service personnel.

The Table of Contents page(s) are provided to have an overview of main manual's topics. A detailed alphabetic index is available at the end of this manual for locating specific items.

Normal operation

- Normal operation means the use of the tractor for the purpose intended by the manufacturer by an operator familiar with the tractor and the mounted or towed equipment and complying with the information for operation and safe practices, as specified by the manufacturer in this manual and by the decals on the tractor and the equipment.
- Normal operation includes the preparation and storage of the tractor, swinging components into work position and vice versa, adding or removing ballast and picking up and setting off attachments.
- Normal operation includes the adjustment and setting of the tractor and equipment, for the specific condition of the field and/ or the crop.

Routine service

 Routine service and maintenance means activities that must be done daily by an operator familiar with the tractor characteristics and complying with the information for routine service and safe practices, as specified by the manufacturer in this manual and by decals on the tractor, in order to maintain its proper function. Routine service includes activities such as fuelling, cleaning, washing, topping up fluid levels, greasing, and replacing consumable articles such as lamp bulbs.

Converting, periodical service and repair

- Periodical service means activities that must be done at defined intervals by trained personnel familiar with the tractor characteristics and which are complying with the information for periodical service and safe practices, as partly specified by the manufacturer in this manual and in other Company literature, in order to maintain the expected life time of the tractor.
- Converting means activities that must be done by professional service personnel familiar with the tractor characteristics and complying with the information for converting, as partly specified by the manufacturer in

this manual, in assembly instructions or in other Company literature, in order to fit the tractor to a specific configuration.

Repair means activities that must be done by professional service personnel only who are familiar with the tractor characteristics and complying with the information for repair, as specified by the manufacturer in the CASE IH dealer's Service Manual, in order to restore the proper function of the tractor after a failure or reduction in performance.

CLEANING THE TRACTOR

Your tractor is a state- of- the- art machine with sophisticated, electronic controls. This should be taken into consideration when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to preserve electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

Failure to comply with these rules will render the warranty null and void.

Security

The pages in Section 2 list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered before operating the tractor.

SERVICE PARTS

It should be pointed out that genuine parts have been examined and approved by the Company. The installation

and/or usage of 'non-genuine' products could have negative effects upon the design characteristics of your tractor and thereby affect it's safety. The Company is not liable for any damage caused by the use of 'non-genuine' parts and accessories. Only genuine replacement parts should be used. The use of non-genuine parts may invalidate legal approvals associated with this product.

It is prohibited to carry out any modifications to the tractor unless specifically authorised, in writing, by the After Sales Service department of the Company.

WARRANTY

Your tractor is warranted according to legal rights in your country and the contractual agreement with the selling dealer. No warranty shall, however, apply if the tractor has not been used, adjusted and maintained according to the instructions given in the Operator's Manual.

Check the mandatory services for your machine in the Warranty Booklet. The Warranty Booklet is issued with the machine.

USE OF BIODIESEL FUELS

NOTICE: Before using Biodiesel fuels in your tractor, refer to the information on page **7-4** regarding the storage and use of Bio diesel fuels.

Tampering with the engine or fuel system

ATTENTION: Your machine's engine and the fuel system were designed and configured to meet the emissions standards required by the laws in your country or region. Dealers, customers, operators, and users are strictly prohibited from tampering with the machine's factory settings. Failure to comply with this rule invalidates the machine's warranty and could result in government fines, legal action, and possible confiscation of the machine until rework to original condition is completed. Engine maintenance and repairs must be done by an authorized technician only.

Product identification

The tractor and major components are identified using serial numbers and / or manufacturing codes.


The identification data must be supplied to your CASE IH dealer when requesting parts or services, also providing tractor identification in the event of theft.

The following provides the locations of the identification data.

Machine identification plate

The vehicle identification plate is located on the left-hand side of the front axle support, close to the support for the front weights. Take note of the information and record it in the fields below:


Series No:	
Chassis No:_	
model:	



CUIL14TR00003AA

Chassis identification

The serial number and model identification information is stamped on the front support (1). These numbers are also repeated on the vehicle identification plate reproduced above.




1-3

Engine identification

The engine serial number and date of manufacture are stamped on the right- hand side of engine block (1) below the manifold. Record the number below.


Engine Serial No.____



NOTE: The engine serial number is repeated on the information plate located on the left side of the engine oil pan.

Further information relating to engine adjustments and emission level compliance are also shown on the engine information plate.

NOTE: The details displayed on the engine information plate may change depending on the country in which the tractor is sold.




Component identification - Transmission

The serial number plate (1) is located on the right- hand side of the transmission casing behind the battery carrier.

This number is repeated on the vehicle identification plate. Record the information below for quick reference.

Driveline Serial Number.



BRJ4857B



Our support email: ebooklibonline@outlook.com