

MAXXUM 100
MAXXUM 110

MAXXUM 115
MAXXUM 125
MAXXUM 140

Tractors

Operator's Manual

Print No. 84206190

1st edition
English 01/10

ORIGINAL INSTRUCTIONS

- according to Directives 2006/42/EC, Annex I 1.7.4.1

MAXXUM 100

MAXXUM 110

MAXXUM 115

MAXXUM 125

MAXXUM 140

Tractors

Operator's Manual

Print No. 84206190

1st edition

English 01/10



SECTION SUMMARY

1 - GENERAL INFORMATION AND SAFETY

2 - CONTROLS, INSTRUMENTS AND OPERATION

3 - FIELD OPERATION

4 - LUBRICATION AND MAINTENANCE

5 - FAULT FINDING

6 - VEHICLE STORAGE

7 - ACCESSORIES

8 - SPECIFICATIONS

9 - FIRST 50 HOUR SERVICE FORMS

10 - INDEX

CONTENTS

Title	Page
CE Declaration of Conformity Document	4
Metric and Imperial Units Abbreviations	6
 Section 1 - General Information and Safety	
To the Owner	1-1
Product Identification	1-3
Ecology and the Environment	1-6
Safety Precautions	1-7
Safety Decals	1-15
International Symbols	1-23
Airborne Noise Emission	1-24
Tractor Vibration Level Information Sheet	1-26
Machine Stability	1-27
Protection offered by the tractor	1-31
Intended use of your tractor	1-34
Instructors seat	1-36
 Section 2 - Controls, Instruments and Operation	
Cab	2-7
Seats	2-25
Handbrake, Throttle and Foot Controls	2-32
Instrument Console	2-34
Analogue/Digital Instruments	2-37
Synchro Shift Transmission (12 x 12)	2-67
Two-speed Powershift Transmission (24 x 24)	2-73
Semi-Powershift Transmission (16 x 16 and 17 x 16))	2-84
Differential Lock and Four Wheel Drive	2-102
 Section 3 - Field Operation	
Important Information	3-2
Using Jump Leads (Booster Cables)	3-4
Starting the Engine	3-5
Stopping the Engine	3-10
Turn Assist	3-12
Rear Power Take-Off	3-14
Front Power Take-Off and Hydraulic Lift	3-33
Mechanical Lower Link Sensing Hydraulics	3-41
Electronic Hitch Control	3-47
Remote Control Valves	3-59
Electro-Hydraulic Remote Control Valves	3-69
Three-point Hitch	3-83
Quick Hitch	3-90
Linkage Stabilisers	3-95
Drawbars and Towing Attachments	3-97

Hydraulic Trailer Brakes	3-113
Air-Operated Trailer Brakes	3-115
Front Wheel Track Adjustment	3-121
Rear Wheel Track Adjustment	3-128
Ballasting and Tyres	3-135

Section 4 - Lubrication and Maintenance

General Information	4-1
Guard Removal	4-5
Lubrication and Maintenance Chart	4-10
Servicing: When Warning Lights Illuminate	4-11
10-hour/daily service	4-14
50-hour service	4-17
100-hour service	4-27
300-hour service	4-27
600-hour service	4-31
1200-hour/12 month service	4-38
1200-hour/24 month service	4-43
1800-hour service	4-50
Every 3 years	4-51
General Maintenance - as required	4-52

Section 5 - Fault Finding

Introduction	5-1
Engine	5-2
Transmission - 12 x 12 Synchro Shift	5-5
Transmission - 24 x 24 Two-speed Powershift	5-6
Transmission - 16 x 16 (17 x 16) Semi-Powershift	5-7
Hydraulics	5-8
Rear Three-Point Hitch	5-9
Brakes	5-10
Cab	5-10
Electrical	5-11

Section 6 - Vehicle Storage 6-1

Section 7 - Accessories

Engine Coolant Immersion Heater	7-2
Transmission Oil Heater	7-2
40 Amp Socket and Cable	7-3
Auxiliary Headlights	7-3
Battery Isolator Switch	7-4
Loader Subframe and Control Valve (Joystick)	7-5

Section 8 - Specification

General Dimensions	8-2
Vehicle Weights	8-6
Lubricant and Fluid Capacities	8-8
Engine	8-9
Fuel System	8-9
Cooling System	8-10
Transmission Options	8-10
Brakes	8-11
Rear Power Take-Off	8-11
Front Power Take-Off	8-12
Steering	8-12
Maximum Operating Angle	8-12
Hydraulic System	8-13
Three-Point Hitch	8-14
Remote control valves	8-20
Front Three-Point Hitch	8-20
Front Remote Valves	8-21
Electrical Equipment	8-21
Hardware Torque Tables	8-22

Section 9 - First 50-hour Service Forms	9-1
--	-----

Section 10 - Index	10-1
---------------------------------	------

[illegible]

The EC Declaration of Conformity is the manufacturer's declaration about equipment compliance to relevant EU provisions.

Translation of this declaration in your own country language is provided on the original document

For your better and easier understanding of the document you'll find original text reproduced hereafter together with some notes

Clause of 2006/42/EC Annex II	EN EC Declaration of conformity According to Directive 2006/42/EC.
1.A.1	We, [1]
1.A.2	Represented by Giuseppe Gavioli, CNH Europe Holding S.A. 13, Rue Aldringen L-1118 Luxembourg
1.A.3	declare under our sole responsibility, that the product: Agricultural tractor Trade Name: [2] Model: [3] Type: [4] Serial Number: [5]
1.A.4	to which this declaration relates, fulfils all the relevant provisions of the Directive 2006/42/EC, amended by [6].
1.A.7	For the relevant implementation of the provisions of the Directive, the following (harmonised) standards have been applied: • ISO 26322-1 part 1 or 2 Other standards: see Operators Manual
1.A.9	Place and date of the declaration: [7]
1.A.10	Name and signature of the authorised person: [8]

HEALTH AND SAFETY RELATED STANDARDS APPLIED TO YOUR TRACTOR

- ROPS PROTECTION is certified according to **EN 15694**.
- FOPS level on your tractor cab is certified according to **OECD Code 10**.
- HVAC (Heating, ventilation Air Conditioning) CAB is certified **Category 1** according to **EN 15695-1**.
- HV (Heating, ventilation) cab is certified **Category 1** according to **EN 15695-1**.
- NOISE EMISSION LEVELS are rated according to **77/311/EEC**.
- VIBRATION LEVELS are rated according to **78/764/EEC**.

NOTE: See safety section 1 in this manual for further explanation and details on above mentioned standards and specific terminology.

METRIC AND IMPERIAL UNITS ABBREVIATIONS

TYPICAL APPLICATIONS	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
	NAME	SYMBOL	NAME	SYMBOL
AREA				
Land area	hectare	ha	acre	
	square meter	m ²	square foot	ft ²
	square millimetre	mm ²	square inch	in ²
ELECTRICITY				
	ampere	A	ampere	A
	volt	V	volt	V
	microfarad	μF	microfarad	μF
	ohm	Ω	ohm	Ω
FORCE				
	kilonewton	kN	pound	lb
	newton	N	pound	lb
FORCE PER LENGTH				
	newton per metre	N/m	pound per inch	lb/in
FREQUENCY				
	megahertz	MHz	Megahertz	MHz
	kilohertz	kHz	kilohertz	kHz
	hertz	Hz	hertz	Hz
FREQUENCY - ROTATIONAL				
	revolution per minute	r/min	revolution per minute	r/min ^(a)
		rpm		rpm
LENGTH				
	kilometre	km	mile	mi
	meter	m	foot	ft
	centimetre	cm	inch	in
	millimetre	mm	inch	in
	micrometer	μm		
MASS				
	kilogram	kg	pound	lb
	gram	g	ounce	oz
	milligram	mg		

TYPICAL APPLICATIONS	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
	NAME	SYMBOL	NAME	SYMBOL
POWER				
	kilowatt	kW	horsepower	Hp
	watt	W	Btu per hour Btu per minute	Btu/hr Btu/min
PRESSURE or STRESS (FORCE PER AREA)				
	kilopascal	kPa	pound per square inch inch of mercury	psi inHg
	pascal	Pa	inch of water	inH ₂ O
	megapascal	Mpa	pound per square inch	psi
TEMPERATURE (other than THERMODYNAMIC)				
	degrees Celsius	°C	degrees Fahrenheit	°F
TIME				
	hour	h	hour	h
	minute	min	minute	min
	second	s	second	s
TORQUE (includes BENDING MOMENT, MOMENT OF FORCE, and MOMENT OF A COUPLE)				
	newton meter	N m N m	pound foot pound inch	lb ft lb in
VELOCITY				
	kilometre per hour	km/h	mile per hour	mph
	meter per second	m/s	foot per second	ft/s
	millimetre per second	mm/s	inch per second	in/s
	meter per minute	m/min	foot per minute	ft/min
VOLUME (includes CAPACITY)				
	cubic meter	m ³	cubic yard	yd ³ cu yd
	litre	l	cubic inch	in ³
	litre	l	US gallon UK gallon US quart UK quart	US gal UK gal US qt UK qt
	millilitre	ml	fluid ounce	fl oz

TYPICAL APPLICATIONS	RECOMMENDED SI (METRIC) UNITS		IMPERIAL UNIT	
	NAME	SYMBOL	NAME	SYMBOL
VOLUME PER TIME (includes DISCHARGE and FLOW RATE)				
	cubic meter per minute	m ³ /min	cubic foot per minute	ft ³ /min
	litre per minute	l/min	US gallon per minute	US gal/min
	millilitre per minute	ml/min	UK gallon per minute	UK gal/min
SOUND POWER LEVEL and SOUND PRESSURE LEVEL				
	decibel	dB	decibel	dB

SECTION 1

GENERAL INFORMATION AND SAFETY

TO THE OWNER

GENERAL

This Manual has been prepared to assist you in the correct procedure for running-in, driving and operating and for the maintenance of your new tractor. Read this Manual carefully. Your tractor is intended for use in normal and customary agricultural applications.

If at any time you require advice concerning your tractor, do not hesitate to contact your authorised dealer. He has factory trained personnel, genuine manufacturers' parts and the necessary equipment to carry out all your service requirements.

Your tractor has been designed and built to give maximum performance, economy and ease of operation under a wide variety of operating conditions. Prior to delivery, the tractor was carefully inspected, both at the factory and by your dealer to ensure that it reaches you in optimum condition. To maintain this condition and ensure trouble-free operation, it is important that the routine services, as specified in Section 4 of this Manual, are carried out at the recommended intervals.

OPERATORS MANUAL STORAGE

A storage pocket for the Operators Manual can be found on the rear of the seat. The manual should be kept in this pocket at all times when not in use.

CLEANING THE TRACTOR

Your tractor is a state-of-the-art machine with sophisticated, electronic controls. This should be borne in mind when cleaning the tractor, particularly if using a high pressure washer. Even though every precaution has been taken to safeguard electronic components and connections, the pressure generated by some of these machines is such that complete protection against water ingress cannot be guaranteed.

When using a high pressure washer, do not stand too close to the tractor and avoid directing the jet at electronic components, electrical connections, breathers, seals, filler caps, etc. Never direct a cold water jet at a hot engine or exhaust.

SAFETY

Pages 1-7 to 1-37 inclusive list the precautions to be observed to ensure your safety and the safety of others. Read the safety precautions and follow the advice offered **before** operating the tractor.



Our support email:

ebooklibonline@outlook.com