



E0348 0102A010A 1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2815 826 0	ENGINE	MOT PERKINS 1206F-E70TA	1	2)
1	00 2598 159 0	ENGINE	PERKINS 1206F 116KW1 STAG		3)
1	00 0781 541 1	ENGINE	PERKINS 1206F 116KW1 STAG		4)
1	00 0781 543 0	ENGINE	1106D-E70TA 116KW	1	5)
1)	Equipment	MD_P02_0121 MD_P02_0123	Perkins 1206F - 116 kW/158 hp (T4) 1106D-E R120 116 kW T3		
2)	Equipment machine no.	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4) + from 56000099		
3)	Equipment machine no.	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4) + from 56000068 up to 56000098		
4)	Equipment machine no.	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4) + up to 56000067		
5)	Equipment	MD_P02_0123	1106D-E R120 116 kW T3		


E0348 0102A010C-1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2597 076 1	ENGINE	B6.7 116KW E5	1	
1)	Equipment	MD_P02_0127	Cummins B6.7 - 123 kW/167 hp (Stage V)		


E0348 0105A100A 1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0781 702 3	ENGINE MOUNTING		1	
3	00 0239 391 0	CONTACT WASHER	A16	6	
4	00 0237 376 0	HEXAGON HEAD BOLT	M16X30	6	
5	00 0781 740 1	SUPPORT	4X30X354,9	3	
6	00 0217 205 0	HEXAGON HEAD BOLT	M12X100-MKL	5	
6	00 0239 389 0	CONTACT WASHER	A12	10	
6	00 0244 144 0	HEXAGONAL NUT	M12	5	
8	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	
10	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
11	00 0239 389 0	CONTACT WASHER	A12	2	
12	00 0242 243 0	SOCKET HEAD SCREW	M10X45	4	
12	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
12	00 0236 171 0	HEXAGONAL NUT	M10	4	
13	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
1)	Equipment				
	MD_P02_0121		Perkins 1206F - 116 kW/158 hp (T4)		

PK3561115




100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1997 366 0	SUPPORTING ARM		1	
2	00 1137 330 0	SCREW		4	

1)	Equipment	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4)
----	-----------	-------------	------------------------------------

PK3920630A




100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1997 288 0	SUSPENSION		1	
2	60 0500 503 4	SCREW		2	
3	00 1996 843 0	SCREW		1	
4	60 0500 503 4	SCREW		2	
5	00 1997 287 0	SUSPENSION		1	
6	00 1996 856 0	SCREW		4	

1)	Equipment	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4)
----	-----------	-------------	------------------------------------


PK3920630B



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1997 099 0	SUSPENSION		1	
2	00 1996 843 0	SCREW		2	
3	00 1997 286 0	SUSPENSION		1	
4	00 1996 856 0	SCREW		4	
1)	Equipment	MD_P02_0121	Perkins 1206F - 116 kW/158 hp (T4)		


E0348 0105A100B 1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0781 702 3	ENGINE MOUNTING		1	
3	00 0239 391 0	CONTACT WASHER	A16	6	
4	00 0237 376 0	HEXAGON HEAD BOLT	M16X30	6	
5	00 0781 740 1	SUPPORT	4X30X354,9	3	
6	00 0217 205 0	HEXAGON HEAD BOLT	M12X100-MKL	5	
6	00 0239 389 0	CONTACT WASHER	A12	10	
6	00 0244 144 0	HEXAGONAL NUT	M12	5	
8	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	
10	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
11	00 0239 389 0	CONTACT WASHER	A12	2	
12	00 0242 243 0	SOCKET HEAD SCREW	M10X45	4	
12	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
12	00 0236 171 0	HEXAGONAL NUT	M10	4	
13	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
1)	Equipment	MD_P02_0123	1106D-E R120 116 kW T3		


PK4162470



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1996 957 0	SUSPENSION		1	
2	00 1996 843 0	SCREW		2	
3	00 1996 958 0	SUSPENSION		1	
4	00 1996 843 0	SCREW		2	
1)	Equipment	MD_P02_0123	1106D-E R120 116 kW T3		


E0348 0105A100C-1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2649 081 2	ENGINE MOUNTING		1	
2	00 0781 740 1	SUPPORT	4X30X354,9	3	
3	00 0239 389 0	CONTACT WASHER	A12	8	
4	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	8	
5	00 2647 190 1	SUPPORT R.H.		1	
6	00 0239 389 0	CONTACT WASHER	A12	2	
7	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
8	00 0217 205 0	HEXAGON HEAD BOLT	M12X100-MKL	5	
8	00 0239 389 0	CONTACT WASHER	A12	10	
8	00 0244 144 0	HEXAGONAL NUT	M12	5	
9	00 2649 083 1	SUPPORT		3	
10	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	6	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
12	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	6	
13	00 0239 395 1	CONTACT WASHER	B12	6	
1)	Equipment	MD_P02_0127	Cummins B6.7 - 123 kW/167 hp (Stage V)		


CUMcf954gu



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1985 731 0	HEXAGONAL NUT	M12 X 1.75	2	
1	00 1985 615 0	BRACKET		1	
1	00 1985 660 0	TERMINAL LINK		1	
1	00 1985 566 0	SUPPORTING BRACK.		1	
1	00 1985 732 0	FLAT HEAD BOLT		3	
1	00 1985 567 0	SUPPORTING BRACK.	COMPRESSOR	1	
1	00 1985 616 0	SPACER PIECE		1	
1	00 1985 734 0	HEXAGON HEAD BOLT	M10 X 1.50 X 60	1	
3	00 1985 565 0	SUPPORTING BRACK.		1	
3	00 1985 733 0	HEXAGON HEAD BOLT	M10 X 1.50 X 50	1	
3	00 1985 735 0	HEXAGONAL NUT	M10 X 1.50	2	
3	00 1985 736 0	HEXAGON HEAD BOLT	M10 X 1.50 X 150	1	
3	00 1985 737 0	HEXAGON HEAD BOLT	M10 X 1.50 X 30	3	
1)	Equipment				
	MD_P02_0127		Cummins B6.7 - 123 kW/167 hp (Stage V)		

PK3953427



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com