


E0346 0230A500A 1




500 MAIN GEARBOX

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1391 160 0	MAIN GEARBOX	1000 U/MIN	1	
2	00 0920 116 0	HOUSING		1	
3	00 0151 293 0	COVER		1	
4	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	12	
5	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	12	
6	00 0242 212 0	SOCKET HEAD SCREW	M 6X 10	2	
7	00 0137 356 0	COVER	GT 41	1	
8	00 0920 123 0	BREATHER PLUG	0,03-0,05BAR-M16X1,5-TYP	1	
9	00 0238 183 0	SEALING RING	A16 X20	3	
10	00 0920 121 0	BEVEL GEAR SET	I=2,23;1	1	
11	00 0215 148 0	TA.ROLLER BEARING	33211/Q	1	
12	00 0235 989 0	TA.ROLLER BEARING	30210 - 50X90X21,75	1	
13	00 0833 456 0	SLOTTED NUT	M50X1,5	1	
14	00 0212 633 0	ROTARY SHAFT SEAL	AS 45X90X10	1	
15	00 0940 636 0	SHIM	DICKE 0,19	1	
16	00 0939 671 0	HUB		1	
17	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	8	
18	00 0933 644 0	MAGNETIC FILTER BOLT	M16X1,5-PM	1	
19	00 0933 643 0	SCREW PLUG	M16X1,5	1	
20	00 0234 830 0	TA.ROLLER BEARING	30211	1	
21	00 0243 047 0	CIRCLIP	78X2,5	2	
22	00 0920 118 0	SHAFT		1	
23	00 0920 122 0	SPUR GEAR	Z=33	1	
24	00 0243 661 0	TA.ROLLER BEARING	30212A	1	
25	00 0211 966 0	SHIM	100X110X1	1	
25	00 0211 965 0	SHIM	100X110X0,5	1	
25	00 0211 964 0	SHIM	100X110X0,3	1	
25	00 0211 963 0	SHIM	100X110X0,1	2	
26	00 0235 194 0	CIRCLIP	110X4	1	
27	00 0214 586 0	SHAFT SEAL	AS 60X110X10	1	
28	00 0213 902 0	SHAFT SEAL	AS 55X100X10	1	
29	00 0235 193 0	CIRCLIP	100X3	1	
30	00 0218 760 0	SHIM	90X100X1	1	
30	00 0213 898 0	SHIM	90X100X0,50	1	
30	00 0213 899 0	SHIM	90X100X0,3	1	
30	00 0213 900 0	SHIM	90X100X0,10	2	
31	00 0920 119 0	SPUR GEAR SHAFT	Z=13	1	
32	00 0243 675 0	TA.ROLLER BEARING	32213-65X120X32,75	1	
33	00 0214 182 0	SHIM	110X120X1,0	1	
33	00 0214 181 0	SHIM	ERS.D.214182 110X120X0,5 ERS.D. 21418	1	
33	00 0214 180 0	SHIM	110X120X0,3 ERS.D. 21418	1	
33	00 0214 179 0	SHIM	110X120X0,1 ERS.D. 21417	3	
34	00 0243 063 0	CIRCLIP	120X4	1	
35	00 0213 903 0	LOCKING-COVER	VK 120X12	1	
36	00 0138 840 0	LOCK CAP	130X12	1	
37	00 0243 065 0	CIRCLIP	TEILGUMMIERT 130X4	1	
38	00 0215 931 0	SHIM	112X130X1	1	
38	00 0215 798 1	SHIM	112X130X0,5	1	
38	00 0212 687 1	SHIM	112X130X0,3	1	
38	00 0212 686 1	SHIM	112X130X0,1	2	

500 MAIN GEARBOX

Pos.	Part No.	Description	Dimension	Quantity	Conditions
39	00 0213 223 0	TA.ROLLER BEARING	303 12	1	
40	00 0213 904 0	PARALLEL KEY	AB20X12X 56	1	


E0346 0230A700A 1



700 FASTENINGS / ATTACHMENT PARTS

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0963 402 0	GUARD CUP		1	
2	00 0238 952 0	HEXAGON HEAD BOLT	M16X45-MKL	6	
3	00 0239 391 0	CONTACT WASHER	A16	6	
4	00 0239 389 0	CONTACT WASHER	A12	2	
5	00 0239 160 0	HEXAGON HEAD BOLT	M12X35-MKL	2	

E0346 0260A100A 1



100 DRIVE SHAFT, MAIN DRIVE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1325 862 0	DRIVE SHAFT		1	
2	00 0151 047 0	DISCONNECT LOCK		1	
2	00 0151 058 0	DISCONNECT LOCK		1	
3	00 0151 038 0	OUTER FORK		1	2)
3	00 1325 280 0	FORK		1	3)
3	00 1392 157 0	OUTER FORK		1	4)
3	00 1392 158 0	OUTER FORK		1	5)
4	00 0151 039 0	CENTRE CROSS ASS.		4	
5	00 0151 041 0	DOUBLE FORK		1	
6	00 0151 040 0	INNER FORK		1	
7	00 0233 750 0	SPRING PIN	10 X 95	1	
8	00 0139 042 0	PROFILE TUBE		1	
9	00 0139 050 0	PROFILE TUBE		1	
10	00 0233 750 0	SPRING PIN	10 X 95	1	
11	00 0151 043 0	INNER FORK		1	
12	00 0139 083 0	GASKET		1	
13	00 0151 042 0	DOUBLE FORK		1	
14	00 0151 269 0	CUT-OUT CLUTCH		1	
15	00 0151 048 0	HOUSING		1	
16	00 0836 414 0	RING		1	
17	00 0151 270 0	SPRING KIT		1	
18	00 0151 268 0	CLAMPING SCREW		1	
19	00 0836 416 0	BLOCK, BODY		4	
20	00 0836 417 0	BUSHING		4	
21	00 0483 783 0	ANGLE	8X144X 306	1	
22	00 0843 784 0	SEALING RING		1	
23	00 0843 785 0	O-RING		1	
24	00 0843 786 0	COVER		1	
25	00 0214 628 0	CIRCLIP	138X4	1	
26	00 0151 050 0	CLUTCH HUB		1	
27	00 0151 046 0	RING		1	
28	00 0138 198 0	RING		1	
29	00 0151 045 0	PROTECT.FUNNEL		1	
30	00 0214 631 0	FILL.HEAD SCREW	ST4,8X22-C-H	12	
31	00 0148 626 0	SUPPORTING CHAIN		2	
32	00 0214 631 0	FILL.HEAD SCREW	ST4,8X22-C-H	6	
33	00 0138 177 0	PROTECTIVE TUBE		1	
34	00 0138 185 0	PROTECTIVE TUBE		1	
35	00 0139 084 0	PROTECT.FUNNEL		1	
36	00 0836 346 0	RING		1	
37	00 0844 557 0	RING		1	

1) Equipment

LW_M04_0030

Double-wide-angle PTO drive shaft, 6-spline

2) Remarks

(consisting of) 6 parts 1 3/8"

3) Remarks

(consisting of) 6 parts 1 3/4"


4) Remarks

(consisting of) 21 parts 1 3/8"

5) Remarks

(consisting of) 20 parts 1 3/4"

E0346 0305A100A 1



100 AXLE SUPPORT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1325 470 5	CROSS SUPPORT		3	1)
2	00 0212 928 0	COACH BOLT	M16X 40	16	1)
3	00 0239 391 0	CONTACT WASHER	A16	16	1)
4	00 0238 047 0	LOCK NUT	M16	36	1)
5	00 1325 453 9	SUPPORT R.H.		1	1)
6	00 1325 452 9	SUPPORT L.H.		1	1)
7	00 0214 455 0	HEXAGON HEAD BOLT	M16X150	18	1)
8	00 0233 488 0	WASHER	17X45X8	18	1)
9	00 1392 070 2	BRACE	5X207X 785	2	1)
10	00 0215 814 0	COACH BOLT	M16X40-F=7	8	1)
11	00 0238 234 0	LOCK NUT	M12	2	1)
12	00 0239 389 0	CONTACT WASHER	A12	2	1)
13	00 1399 917 0	BRACKET	4X378X 416	1	1)
14	00 1392 256 1	KNIFE SUPPORT		1	1)
15	00 0233 454 0	COACH BOLT	M12X25X14	2	1)
16	00 1391 830 0	KNIFE		20	1)
17	00 0665 666 0	SPRING CLIP	3X90	1	1)
18	00 0502 511 0	COACH BOLT	M10X25X20-F=3	4	1)
19	00 0239 394 1	CONTACT WASHER	B10	4	1)
20	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	8	1)
21	00 1392 301 1	BRACKET	8X343X 358	4	1)
22	00 0220 506 0	COACH BOLT	M16X 60	8	1)
23	00 0499 458 0	BUSHING	17X 35H9X 14	8	1)
24	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	1)
25	00 0984 315 0	BUFFER BUMPER	90X40X35, M10X22, 5-8.8	4	1)

1) Equipment

LW_N08_0610

LW_N08_0620

LW_N08_0630

LW_N08_0640


Tandem axle, 18 t axle loading, mechanical suspension

Tandem axle, 18 t axle loading, with hydraulic suspension

Tandem axle, 20 t axle loading, mechanical suspension

Tandem axle, 20 t axle loading, with hydraulic suspension


E0346 0305A100A 2



100 AXLE SUPPORT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1325 470 5	CROSS SUPPORT		3	1)
2	00 0212 928 0	COACH BOLT	M16X 40	16	1)
3	00 0239 391 0	CONTACT WASHER	A16	16	1)
4	00 0238 047 0	LOCK NUT	M16	36	1)
5	00 1325 453 9	SUPPORT R.H.		1	1)
6	00 1325 452 9	SUPPORT L.H.		1	1)
7	00 0214 455 0	HEXAGON HEAD BOLT	M16X150	18	1)
8	00 0233 488 0	WASHER	17X45X8	18	1)
9	00 1392 266 6	SUPPORT		1	1)
10	00 1392 265 6	SUPPORT		1	1)
11	00 1392 070 2	BRACE	5X207X 785	3	1)
12	00 0215 814 0	COACH BOLT	M16X40-F=7	12	1)
13	00 0238 234 0	LOCK NUT	M12	2	1)
14	00 0239 389 0	CONTACT WASHER	A12	2	1)
15	00 1399 917 0	BRACKET	4X378X 416	1	1)
16	00 1392 256 1	KNIFE SUPPORT		1	1)
17	00 0233 454 0	COACH BOLT	M12X25X14	2	1)
18	00 1391 830 0	KNIFE		20	1)
19	00 0665 666 0	SPRING CLIP	3X90	1	1)
20	00 0502 511 0	COACH BOLT	M10X25X20-F=3	4	1)
21	00 0239 394 1	CONTACT WASHER	B10	4	1)
22	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	10	1)
23	00 1392 301 1	BRACKET	8X343X 358	6	1)
24	00 0220 506 0	COACH BOLT	M16X 60	12	1)
25	00 0499 458 0	BUSHING	17X 35H9X 14	12	1)
26	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	6	1)
27	00 0984 315 0	BUFFER BUMPER	90X40X35, M10X22, 5-8.8	6	1)

1)	Equipment	LW_N08_0650	Tridem axle, 27 t axle loading, with hydraulic suspension
	Equipment	LW_N08_0670	Tridem axle, 27 t axle loading, mechanical suspension



E0346 0305A100A3

100 AXLE SUPPORT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1325 470 5	CROSS SUPPORT		3	1)
2	00 0212 928 0	COACH BOLT	M16X 40	16	1)
3	00 0239 391 0	CONTACT WASHER	A16	16	1)
4	00 0238 047 0	LOCK NUT	M16	36	1)
5	00 1325 453 9	SUPPORT R.H.		1	1)
6	00 1325 452 9	SUPPORT L.H.		1	1)
7	00 0214 455 0	HEXAGON HEAD BOLT	M16X150	18	1)
8	00 0233 488 0	WASHER	17X45X8	18	1)
9	00 1392 298 5	SUPPORT		1	1)
10	00 1392 297 5	SUPPORT		1	1)
11	00 1392 070 2	BRACE	5X207X 785	3	1)
12	00 0215 814 0	COACH BOLT	M16X40-F=7	12	1)
13	00 0238 234 0	LOCK NUT	M12	2	1)
14	00 0239 389 0	CONTACT WASHER	A12	2	1)
15	00 1399 917 0	BRACKET	4X378X 416	1	1)
16	00 1392 256 1	KNIFE SUPPORT		1	1)
17	00 0233 454 0	COACH BOLT	M12X25X14	2	1)
18	00 1391 830 0	KNIFE		20	1)
19	00 0665 666 0	SPRING CLIP	3X90	1	1)
20	00 0502 511 0	COACH BOLT	M10X25X20-F=3	4	1)
21	00 0239 394 1	CONTACT WASHER	B10	4	1)
22	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	10	1)
23	00 1392 301 1	BRACKET	8X343X 358	6	1)
24	00 0220 506 0	COACH BOLT	M16X 60	12	1)
25	00 0499 458 0	BUSHING	17X 35H9X 14	12	1)
26	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	6	1)
27	00 0984 315 0	BUFFER BUMPER	90X40X35, M10X22, 5-8.8	6	1)


1) Equipment

LW_N08_0660

Tridem axle, 30 t axle loading, with hydraulic suspension

LW_N08_0680

Tridem axle, 30 t axle loading, mechanical suspension



E0346 0305A100A 4

100 AXLE SUPPORT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0220 506 0	COACH BOLT	M16X 60	42	1)
2	00 1325 481 2	PLATE	3X 38X 244	14	1)
3	00 0499 458 0	BUSHING	17X 35H9X 14	38	1)
4	00 0239 391 0	CONTACT WASHER	A16	50	1)
5	00 0238 047 0	LOCK NUT	M16	46	1)
6	00 1392 283 2	ANGLE	5X136X1880	1	1)
7	00 1392 282 0	ANGLE	8X 75X 156	1	1)
8	00 0244 403 0	HEXAGON HEAD BOLT	M16X65	1	1)
9	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	2	1)
10	00 0239 389 0	CONTACT WASHER	A12	2	1)
11	00 2629 296 0	SUPPORT	VERZURROESE	2	1)
12	00 0656 255 0	COUNTER PLATE	25X3X46	4	1)
13	00 0235 588 0	HEXAGON HEAD BOLT	M16X60-B=38	4	1)
14	00 1392 073 1	THREADED PLATE	8X 76X 85	1	1)
15	00 0233 323 0	LOCK NUT	M12	8	1)
16	00 0239 389 0	CONTACT WASHER	A12	8	1)
17	00 0234 226 0	WASHER	13X26X1	16	1)
18	00 2674 780 0	TUBE	D20/13	8	1)
19	00 0219 785 0	HEX.HEAD BOLT	M12X150	8	1)
20	00 2674 513 0	TUBE	D70/50	2	1)
21	00 2674 515 0	TUBE	D80/52	2	1)
22	00 2679 666 0	TUBE	D100/50	2	1)
1)	Equipment	LW_N08_0610	Tandem axle, 18 t axle loading, mechanical suspension		

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com