




DIVIDER, VAR. 2556, 2527 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0612 558 1	INT.DIVIDER LONG	870 LANG	2	2)
1	00 0612 579 0	INT.DIVIDER SHORT	600 LANG	2	3)
2	00 0616 214 1	ADJUSTING ROD	D 12X490	2	
3	00 0500 924 2	TOMMY SCREW	M 12	6	
4	00 0609 887 0	CROSS BEARING		2	
5	00 0236 913 2	FLAT WASHER	10-10,5X20X2	4	
6	00 0235 533 0	HEX.HEAD BOLT	M10X45	4	
6	00 0236 171 0	HEXAGONAL NUT	M10	4	
6	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
7	00 0609 888 1	INTERMED.PIECE	1,5X37X58	4	
8	00 0609 893 1	DIVIDER SUPP.TUBE	1800 LG	2	2)
8	00 0609 867 1	DIVIDER SUPP.TUBE	1540 LG	2	3)
10	00 0610 236 1	GLIDE SKID	320X115X50	2	
11	00 0235 519 0	HEXAGON HEAD BOLT	M 8X50	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
12	00 0674 389 4	DIVIDER CEN.PLATE	1000 LANG	2	2)
12	00 0670 372 3	DIVIDER CEN.PLATE	840 LANG	2	3)
13	00 0520 020 1	POINT	230X105X90	2	
14	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	4	
14	00 0236 171 0	HEXAGONAL NUT	M10	4	
14	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
15	00 0235 097 0	SPLIT PIN	5X36	6	
16	00 0504 504 0	HANDLE	N 100	1	4)
16	00 0238 056 0	CONTROL KNOB	K 63-M12	1	5)
16	00 0238 056 0	CONTROL KNOB	K 63-M12	2	6)
17	00 0238 913 0	COACH BOLT	M12X 60	1	4)
17	00 0211 180 1	COACH BOLT	M12X 55	1	5)
17	00 0211 180 1	COACH BOLT	M12X 55	2	6)
18	00 0609 873 0	ADJUSTING PLATE		2	
19	00 0609 861 0	ADJUSTING TUBE	330 LANG	2	7)
19	00 0609 876 0	ADJUSTING TUBE	625 LANG	2	8)
19	00 0609 861 0	ADJUSTING TUBE	330 LANG	2	3)
20	00 0610 579 0	SUPPORT	D20X312	2	9)
20	00 0610 209 0	ADJUSTING ROD	D20X660	2	10)
21	00 0612 583 2	OUTER DIVIDER	2100 LANG	2	11)
21	00 0612 567 0	OUTER DIVIDER	2600 LANG	2	12)
21	00 0612 583 2	OUTER DIVIDER	2100 LANG	2	3)


1)	Remarks	Var. 2556 = Long Divider Var. 2527 = Short Divider
2)	Remarks	Var. 2556
3)	Remarks	Var. 2527
4)	Remarks	Var. 2556 right side
5)	Remarks	Var. 2556 left side
6)	Remarks	Var. 2527
7)	Remarks	Var. 2556 from cutterbar 267062
8)	Remarks	Var. 2556 to cutterbar 267061
9)	Remarks	from cutterbar 264387
10)	Remarks	to cutterbar 264386

DIVIDER, VAR. 2556, 2527 1)

11) Remarks	Var. 2556 from cutterbar 264387
12) Remarks	Var. 2556 to cutterbar 264386

2

Dominator 108



CLAS

SPECIAL CROP DIVIDER, VAR. 4282, 7633 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0234 953 0	COACH BOLT	M8X20X13	4	
1	00 0236 170 0	HEXAGONAL NUT	M8	4	
1	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
2	00 0688 975 1	DEFLECTOR INNER		2	
3	00 0688 025 0	BEND DIVIDER		2	2)
4	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	4	
4	00 0236 170 0	HEXAGONAL NUT	M8	4	
4	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
5	00 0688 969 1	DIVIDER L.H.		1	
5	00 0688 970 1	DIVIDER R.H.		1	
6	00 0688 974 1	SUPPORT	4X161X200	2	
7	00 0237 423 0	HEXAGON HEAD BOLT	M10X28	4	
7	00 0236 171 0	HEXAGONAL NUT	M10	4	
7	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
8	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
8	00 0236 172 0	HEXAGONAL NUT	M12	4	
8	00 0239 389 0	CONTACT WASHER	A12	4	
9	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	4	
9	00 0236 170 0	HEXAGONAL NUT	M8	4	
9	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
10	00 0688 976 0	DEFLECTOR OUTER	3,0X0030X0400	2	
11	00 0670 069 1	DEFLECTOR R.H.	1.5X278.5X600	1	3)
12	00 0670 070 1	DEFLECTOR L.H.	1,5X0280X0600	1	3)
13	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	2	3)
13	00 0236 170 0	HEXAGONAL NUT	M8	2	3)
13	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	3)
1)	Remarks	optional			
2)	Remarks	at Var. 7633			
3)	Remarks	from cutterbar 262525			


CLHHS

3,9m – 5,1m Schneidwerk

3

Dominator 108

106486



CUTTERBAR DRIVE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	2)
1	00 0653 251 1	PIN	16XH11X19X36	2	3)
2	00 0670 155 2	FUSE		2	4)
3	00 0239 389 0	CONTACT WASHER	A12	2	4)
4	00 0236 172 0	HEXAGONAL NUT	M12	2	4)
5	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	4)
6	00 0670 156 1	GUIDE		2	
7	00 0670 074 2	STRIPPER	3X35X1170	2	5)
7	00 0690 497 0	STRIPPER	3X35X1322	2	6)
7	00 0670 282 2	STRIPPER	3X35X1475	2	7)
7	00 0674 251 2	STRIPPER	3X35X1780	2	8)
8	00 0650 297 2	STRIPPER ANGLE	30X20X3X1015	2	5)
8	00 0688 016 1	STRIPPER ANGLE	30X20X3X1167,5	2	6)
8	00 0688 045 2	STRIPPER ANGLE	30X20X3X1320	2	7)
8	00 0688 017 2	STRIPPER ANGLE	30X20X3X1625	2	8)
9	00 0670 160 2	BOLT		2	4)
10	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	2	
10	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	2	
11	00 0239 389 0	CONTACT WASHER	A12	4	
12	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
13	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	
14	00 0650 230 1	CUTTERBAR TABLE	3,90M	1	5)
14	00 0650 240 1	CUTTERBAR TABLE	4,20M S	1	6)
14	00 0650 110 2	CUTTERBAR TABLE	4,50M S	1	7)
14	00 0650 002 1	CUTTERBAR TABLE	5,10M S	1	8)
15	00 0650 054 0	OUTER SHOE RH.	5X141X827	1	
16	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
17	00 0673 781 4	SKID SHOE		1	
18	00 0603 902 0	SKID SHOE		2	
19	00 0603 899 1	CONNECTING PLATE	30X10X98	4	
20	00 0650 049 1	OUTER SHOE LH.	5X219,5X827	1	
21	00 0603 868 1	DIVIDER SUPPORT		2	
22	00 0673 763 0	LOCK CHAIN		2	
23	00 0942 497 0	TENSION SPRING	2,5 X 25 X 96	1	9)
24	00 0645 802 0	SUPPORT		1	9)
25	00 0650 916 0	PLUG		2	10)
26	00 0615 756 0	PIN	12H9X140	2	10)
27	00 0236 172 0	HEXAGONAL NUT	M12	4	10)
28	00 0239 389 0	CONTACT WASHER	A12	4	10)
29	00 0673 749 0	SPRING CLIP	4,5X90	4	10)

1)	Remarks	With 3.9 m - 5.1 m Cutterbar Up To Cutterbar No. 270388
2)	Remarks	cutterbar 260200-85003344
3)	Remarks	to cutterbar 260199
4)	Remarks	to cutterbar 85003344
5)	Remarks	at 3.9 m cutterbar
6)	Remarks	at 4.2 m cutterbar
7)	Remarks	at 4.5 m cutterbar
8)	Remarks	at 5.1 m cutterbar
9)	Remarks	2, 2, 2


CUTTERBAR DRIVE 1)

10) Remarks	from cutterbar 85003345
----------------------	-------------------------

CLAAS

3A

5,1 m Schneidwerk
"VERSTÄRKT"



106487

Dominator 108/118


CUTTERBAR TROUGH, VAR. 9432, 7606 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0645 477 3	SIDE WALL R.H.		1	2)
2	00 0645 959 1	U-PLATE	2,5X148,4X198	2	2)
3	00 0651 428 1	ANGLE	25X5X76	1	
4	00 0650 598 5	CUTTERBAR TABLE	510 SO CA S	1	
5	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	
6	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	3)
7	00 0670 155 2	FUSE		2	3)
8	00 0239 389 0	CONTACT WASHER	A12	2	3)
9	00 0236 172 0	HEXAGONAL NUT	M12	2	3)
10	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	3)
11	00 0670 156 1	GUIDE		2	
12	00 0670 160 2	BOLT		2	3)
13	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	2	
13	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	2	
14	00 0239 389 0	CONTACT WASHER	A12	4	
15	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
16	00 0674 251 2	STRIPPER	3X35X1780	2	
17	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
18	00 0645 423 2	OUTER SHOE RH.		1	
19	00 0645 408 0	STONE GUARD	3X779X1814	1	
20	00 0645 407 0	STONE GUARD	3X779X1522	1	
21	00 0645 409 2	SKID SHOE		2	
22	00 0645 412 0	COVERING	3X100X364	2	4)
23	00 0603 899 1	CONNECTING PLATE	30X10X98	4	
24	00 0603 868 1	DIVIDER SUPPORT		2	
25	00 0645 422 4	OUTER SHOE LH.	5X219,5X804	1	
26	00 0645 466 2	SIDE WALL L.H.		1	2)
27	00 0673 749 0	SPRING CLIP	4,5X90	2	
28	00 0778 096 0	KNOT CHAIN	2X 28X 3GL	2	
29	00 0942 497 0	TENSION SPRING	2,5 X 25 X 96	2	
30	00 0645 802 0	SUPPORT		2	
31	00 0650 916 0	PLUG		2	5)
32	00 0615 756 0	PIN	12H9X140	2	5)
33	00 0236 172 0	HEXAGONAL NUT	M12	4	5)
34	00 0239 389 0	CONTACT WASHER	A12	4	5)
35	00 0673 749 0	SPRING CLIP	4,5X90	4	5)

1)	Remarks	From Cutterbar No. 277709 With 5,1 m Cutterbar "reinforced"
2)	Remarks	to cutterbar 288352
3)	Remarks	to cutterbar 85003344
4)	Remarks	to cutterbar 286195
5)	Remarks	from cutterbar 85003345

CLAS

3,9m – 5,1m Schneidwerk



106488

Dominator 108


STONE GUARD, VAR. 4944, 4945, 4946 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	8	
2	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	8	
3	00 0650 318 0	STONE GUARD, R.H.	814 LANG	1	2)
3	00 0650 323 0	STONE GUARD, R.H.	966 LANG	1	3)
3	00 0650 328 0	STONE GUARD, R.H.	1119 LANG	1	4)
3	00 0688 021 0	STONE GUARD, R.H.	1424 LANG	1	5)
4	00 0235 223 1	HEXAGON HEAD BOLT	M10X100	2	
4	00 0236 171 0	HEXAGONAL NUT	M10	2	
4	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
4	00 0236 913 2	FLAT WASHER	10-10,5X20X2	2	
5	00 0650 317 0	STONE GUARD, L.H.	814 LANG	1	2)
5	00 0650 322 0	STONE GUARD, L.H.	966 LANG	1	3)
5	00 0650 327 0	STONE GUARD, L.H.	1119 LANG	1	4)
5	00 0688 020 0	STONE GUARD, L.H.	1424 LANG	1	5)
1)	Remarks	optional			
2)	Remarks	at 3.9 m cutterbar			
3)	Remarks	at 4.2 m cutterbar			
4)	Remarks	at 4.5 m cutterbar			
5)	Remarks	at 5.1 m cutterbar not at 5.1 m Hd			

CLAAS

3,9 m – 5,1 m Schneidwerk

5



Dominator 108

106489

CUTTER BAR 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0610 097 1	COACH BOLT	M8X16	2	
2	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
3	00 0650 306 0	GUIDING PLATE	1,5X0483X1400	1	2)
3	00 0650 307 0	GUIDING PLATE	1,5X483X1705	1	3)
3	00 0650 157 0	GUIDING PLATE	1,5X483X2010	1	4)
3	00 0650 095 0	GUIDING PLATE	1,5X483X2620	1	5)
4	00 0650 125 0	GUIDING PLATE	1,5X0483X2505	1	
5	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	1	
5	00 0236 170 0	HEXAGONAL NUT	M8	1	
5	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
6	00 0200 909 0	SEALING PROFILE	20,5X9,25X1,5	1	6)
7	00 0235 530 0	HEX.HEAD BOLT	M10X30	3	7)
7	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	3	8)
7	00 0236 171 0	HEXAGONAL NUT	M10	3	
7	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
8	00 0676 241 4	END FINGER		1	
9	00 0611 204 1	KNIFE SECTION		1	
9	00 0611 319 0	KNIFE SECTION PL.		1	
10	00 0235 534 1	HEXAGON HEAD BOLT	M10X50X29	25	9)
11	00 0238 292 0	WASHER	10,5X 22 X1	29	10)
12	00 0235 133 1	SPRING WASHER	10 -10,2X18,1X1,8	51	11)
13	00 0236 171 0	HEXAGONAL NUT	M10	51	11)
14	00 0236 831 0	WASHER	10,5X25X2	51	11)
15	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	51	11)
16	00 0676 235 3	DOUBLE FINGER		22	12)
16	00 0648 406 0	DOUBLE FINGER		1	13)
17	00 0236 462 0	COACH BOLT	M10X60	22	12)
18	00 0626 749 1	KNIFE CLIP		11	14)
18	00 0676 236 0	PRESSURE THUMB		11	15)
19	00 0673 753 1	SHIM		76	16)
19	00 0688 957 0	SHIM		1	
20	00 0237 663 0	COUNTERSUNK RIVET	6X17	1	
21	00 0611 203 1	KNIFE SECTION		1	
21	00 0611 318 0	KNIFE SECTION PL.		1	
22	00 0611 222 3	MOWER KNIFE		2	2)
22	00 0676 306 1	MOWER KNIFE, PLAIN		2	2)
22	00 0611 022 0	MOWER KNIFE,SERRATED		2	3)
22	00 0611 213 3	MOWER KNIFE		2	4)
22	00 0626 727 0	MOWER KNIFE		2	17)
22	00 0676 321 1	MOWER KNIFE, PLAIN		2	4)
22	00 0611 214 3	MOWER KNIFE		2	5)
22	00 0626 728 0	MOWER KNIFE		2	17)
22	00 0676 322 1	MOWER KNIFE, PLAIN		2	18)
23	00 0236 464 0	COACH BOLT	M10X 70	2	7)
23	00 0237 808 0	HEXAGON HEAD BOLT	M10X75	4	8)
24	00 0626 748 1	KNIFE CLIP		2	17)
24	00 0613 017 2	KNIFE CLIP		2	19)
25	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	13	20)
25	00 0236 171 0	HEXAGONAL NUT	M10	13	20)
25	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	13	20)
26	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	2	
26	00 0236 171 0	HEXAGONAL NUT	M10	2	
26	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
27	00 0237 054 0	COUNTERSUNK RIVET	6 X30	14	

CUTTER BAR 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
27	00 0237 664 0	COUNTERSUNK RIVET	6X20	3	
28	00 0676 249 1	DOUBLE FINGER		4	
28	00 0648 407 0	DOUBLE FINGER		1	13)
29	00 0239 389 0	CONTACT WASHER	A12	2	
30	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
31	00 0673 774 1	KNIFE CUTTERBAR	50X50X4220	1	2)
31	00 0650 273 0	KNIFE CUTTERBAR	50X50X7X4510	1	3)
31	00 0673 752 2	KNIFE CUTTERBAR	50X50X7X4815	1	4)
31	00 0674 256 1	KNIFE CUTTERBAR	50X50X7X5440	1	5)
32	00 0235 090 0	SPLIT PIN	4 X 28	1	
33	00 0244 455 0	CASTELLATED NUT	M16X1,5	1	
34	00 0645 370 0	RUBBER CAP	D 37	1	
35	00 0670 120 1	BALL JOINT	27 X 25	1	
36	00 0676 231 0	CONNCETION-STEEL		1	
36	00 0626 755 0	CONNCETION-STEEL		1	17)
37	00 0616 286 0	SCRAPER BLADE		1	21)
37	00 0676 232 0	GUIDE	ERS.D.616286.0	1	22)
38	00 0610 049 0	TENSION SPRING	2 X 16,5X 65	4	
39	00 0770 488 0	SAFETY BAR	2 X 46,5X2100	1	
39	00 0770 489 0	SAFETY BAR	2X46,5X1800	1	
39	00 0770 490 0	SAFETY BAR	2 X 46,5X2400	1	
39	00 0610 059 0	SAFETY BAR	2X46,5X3020	1	
40	00 0176 044 0	CROP LIFTER		1	23)
40	00 0176 078 0	LOCKING CLIP		1	24)
41	00 0176 045 0	CROP LIFTER		1	23)
42	00 0610 294 3	CROP LIFTER		1	23)
43	00 0610 272 3	CROP LIFTER		1	
44	00 0626 407 0	SERRATED BOLT		1	17)
45	00 0626 408 0	LOCK NUT		1	17)
46	00 0626 406 0	SERRATED BOLT		1	17)

1)	Remarks	With 3.9 m - 5.1 m Cutterbar
2)	Remarks	at 3.9 m cutterbar
3)	Remarks	at 4.2 m cutterbar
4)	Remarks	at 4.5 m cutterbar
5)	Remarks	at 5.1 m cutterbar
6)	Remarks	500 long
7)	Remarks	from cutterbar 70200358
8)	Remarks	to cutterbar 70200357
9)	Remarks	27, 31, 33
10)	Remarks	31, 33, 37
11)	Remarks	55, 59, 67
12)	Remarks	24, 26, 30
13)	Remarks	reinforced
14)	Remarks	12, 13, 15 at serrated knife 64
15)	Remarks	12, 13, 15
16)	Remarks	84, 92, 100
17)	Remarks	at serrated knife

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com