




CLAAS

DOMINATOR 76

101162

Dominator 76


DIVIDER, VAR. 2556 (LONG) AND VAR. 2527 (SHORT)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0612 558 1	INT.DIVIDER LONG	870 LANG	2	1)
1	00 0610 245 1	INT.DIVIDER LONG		2	2)
1	00 0612 579 0	INT.DIVIDER SHORT	600 LANG	2	3)
1	00 0616 210 1	INT.DIVIDER SHORT		2	2)
2	00 0616 214 1	ADJUSTING ROD	D 12X490	2	
3	00 0500 924 2	TOMMY SCREW	M 12	6	
4	00 0609 887 0	CROSS BEARING		2	
5	00 0236 913 2	FLAT WASHER	10-10,5X20X2	4	
6	00 0235 533 0	HEX.HEAD BOLT	M10X45	4	
6	00 0236 171 0	HEXAGONAL NUT	M10	4	
6	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
7	00 0609 888 1	INTERMED.PIECE	1,5X37X58	4	
8	00 0609 893 1	DIVIDER SUPP.TUBE	1800 LG	2	
8	00 0609 867 1	DIVIDER SUPP.TUBE	1540 LG	2	
10	00 0610 236 0	GLIDE SKID		2	
11	00 0235 519 0	HEXAGON HEAD BOLT	M 8X50	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
12	00 0674 389 4	DIVIDER CEN.PLATE	1000 LANG	2	
12	00 0670 372 2	DIVIDER CEN.PLATE	840 LANG	2	
13	00 0520 020 0	DIVIDER POINT	.	2	
14	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	4	
14	00 0236 171 0	HEXAGONAL NUT	M10	4	
14	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
15	00 0235 097 0	SPLIT PIN	5X36	6	
16	00 0233 575 0	WASHER	13X40X3	2	
17	00 0504 504 0	HANDLE	N 100	2	
18	00 0238 913 0	COACH BOLT	M12X 60	2	
19	00 0609 873 0	ADJUSTING PLATE		2	
20	00 0609 876 0	ADJUSTING TUBE	625 LANG	2	
20	00 0609 861 0	ADJUSTING TUBE	330 LANG	2	
21	00 0610 209 0	ADJUSTING ROD	D20X660	2	
21	00 0610 278 0	ADJUSTING ROD	300 LANG	2	
22	00 0609 885 2	OUTER DIVIDER		2	
22	00 0610 274 3	PUSH SWITCH		2	
23	00 0610 268 1	STRIPPER POINT	GG 18	2	4)

1)	Remarks	from cutterbar 225906
2)	Remarks	BIS SCHNEIDW. 225905
3)	Remarks	AB SCHNEIDWERK 225906
4)	Remarks	to cutterbar 228750

2

Dominator 76



CLASH


101163

BEND DIVIDER, VAR. 2591, OPTION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0674 392 0	BEND DIVIDER		2	
2	00 0502 511 0	COACH BOLT	M10X25X20-F=3	6	
2	00 0236 171 0	HEXAGONAL NUT	M10	6	
2	00 0239 394 1	CONTACT WASHER	B10	6	
1)	Remarks	UP TO 1983 PRODUCT. MACHINES			

CLAAS

2A



Dominator 76


101164

SPECIAL CROP DIVIDER, VAR. 4282, OPTION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0688 980 0	SUPPORT R.H.	4X156X381,5	1	2)
2	00 0688 975 1	DEFLECTOR INNER		2	
3	00 0237 423 0	HEXAGON HEAD BOLT	M10X28	3	
3	00 0236 171 0	HEXAGONAL NUT	M10	3	
3	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
4	00 0688 977 0	SUPPORT L.H.		1	3)
5	00 0688 974 0	SUPPORT	4X161X200	2	
6	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
6	00 0236 172 0	HEXAGONAL NUT	M12	4	
6	00 0239 389 0	CONTACT WASHER	A12	4	
7	00 0688 976 0	DEFLECTOR OUTER	3,0X0030X0400	2	
8	00 0688 969 1	DIVIDER L.H.		1	
8	00 0688 970 1	DIVIDER R.H.		1	
9	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	4	
9	00 0236 170 0	HEXAGONAL NUT	M8	4	
9	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
10	00 0234 953 0	COACH BOLT	M8X20X13	4	
10	00 0236 170 0	HEXAGONAL NUT	M8	4	
10	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
11	00 0688 025 0	BEND DIVIDER		2	
12	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	6	
12	00 0236 170 0	HEXAGONAL NUT	M8	6	
12	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
1)	Remarks	AS FROM 1984 PRODUCT.MACHINES			
2)	Remarks	for right side			
3)	Remarks	for left side			

CLATS

3,0m Schneidwerk



Dominator 76

101165

CUTTERBAR TROUGH, 3,0 M

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0604 372 0	SUPPORT		1	
2	00 0603 984 1	DEFLECTOR	23X19X2,25X442	2	
3	00 0604 324 2	TROUGH		1	
4	00 0670 152 3	GUSSET PLATE R.H.	5X390X261	1	
5	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	1)
5	00 0688 101 1	DUST SHIELD		1	2)
6	00 0688 106 0	COUNTER STRIP	16X2X570	1	3)
7	00 0688 104 0	RUBBER PROTECTION	1,5X200X580	1	3)
8	00 0688 098 1	GUSSET PLATE L.H.	ERS.D.6880982	1	
9	00 0604 240 0	ANGLE	3X70X722	1	
10	00 0604 340 0	SHUTTER DISK	2X20X60	6	
11	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	2	
11	00 0237 820 0	HEXAGON HEAD BOLT	M12X90	2	
12	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	4	
13	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
14	00 0653 251 1	PIN	16XH11X19X36	2	
15	00 0670 155 2	FUSE		2	
16	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	2	
17	00 0236 172 0	HEXAGONAL NUT	M12	1	
18	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	
19	00 0670 160 2	BOLT		2	
20	00 0670 156 1	GUIDE		2	
21	00 0603 925 0	OUTER SHOE RH.	5X120X800	1	
22	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
23	00 0237 372 0	HEXAGON HEAD BOLT	M12X 55	6	
24	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	12	
25	00 0603 902 0	SKID SHOE		3	
26	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	6	
27	00 0233 138 0	WASHER	13X26X6	6	
28	00 0603 899 1	CONNECTING PLATE	30X10X98	6	
29	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	6	
29	00 0236 172 0	HEXAGONAL NUT	M12	6	
29	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	6	
30	00 0603 868 1	DIVIDER SUPPORT		2	
31	00 0603 924 1	OUTER SHOE LH.	5X187X800	1	
32	00 0604 368 1	ANGLE		1	
33	00 0604 460 0	SUPPORT		1	
34	00 0665 666 0	SPRING CLIP	3X90	1	
35	00 0673 763 0	LOCK CHAIN		2	

1) Remarks from cutterbar 246000


2) Remarks BIS SCHNEIDW. 245999

3) Remarks to cutterbar 245999

CLAHAS

3,6 m – 5,7 m Schneidwerk

4



Dominator 76

101166

CUTTERBAR TROUGH, 3,6 M - 5,7 M

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0677 758 0	PIN	15H9X 88	1	
2	00 0677 752 1	SUPPORTING PLATE		1	
3	00 0677 803 2	SUPPORT	25X5X154	4	
4	00 0688 167 0	KNIFE SUPPORT		1	1)
4	00 0688 168 0	KNIFE SUPPORT	3,9 M	1	2)
4	00 0690 492 0	KNIFE SUPPORT	4,2 M	1	3)
4	00 0688 169 0	KNIFE SUPPORT	4,5 M	1	4)
4	00 0688 170 0	KNIFE SUPPORT	5,1 M 17'	1	5)
4	00 0688 171 0	KNIFE SUPPORT	5,7 M 19'	1	6)
5	00 0670 152 3	GUSSET PLATE R.H.	5X390X261	1	
6	00 0673 749 0	SPRING CLIP	4,5X90	1	
7	00 0765 233 0	BEARING BOLT	D20X 65	1	
8	00 0236 172 0	HEXAGONAL NUT	M12	1	
9	00 0239 389 0	CONTACT WASHER	A12	1	
10	00 0677 749 2	SUPPORT		1	
11	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
12	00 0670 066 4	OUTER SHOE RH.	5X126X836	1	
13	00 0673 781 4	SKID SHOE		1	
14	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	7)
14	00 0688 101 1	DUST SHIELD		1	8)
15	00 0688 104 0	RUBBER PROTECTION	1,5X200X580	1	9)
16	00 0688 106 0	COUNTER STRIP	16X2X570	1	9)
17	00 0653 251 1	PIN	16XH11X19X36	2	
18	00 0670 155 2	FUSE		2	
19	00 0239 389 0	CONTACT WASHER	A12	2	
20	00 0236 172 0	HEXAGONAL NUT	M12	2	
21	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	
22	00 0670 156 1	GUIDE		2	
23	00 0688 053 2	STRIPPER	3X35X1017	2	1)
23	00 0670 074 2	STRIPPER	3X35X1170	2	2)
23	00 0690 497 0	STRIPPER	3X35X1322	2	3)
23	00 0670 282 2	STRIPPER	3X35X1475	2	4)
23	00 0674 251 2	STRIPPER	3X35X1780	2	5)
23	00 0674 304 2	STRIPPER L.H.	1685 LANG	1	6)
23	00 0674 305 2	STRIPPER R.H.	2485 LANG	1	6)
24	00 0670 160 2	BOLT		2	
25	00 0237 820 0	HEXAGON HEAD BOLT	M12X90	4	
25	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	4	
26	00 0239 389 0	CONTACT WASHER	A12	4	
27	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
28	00 0603 899 1	CONNECTING PLATE	30X10X98	4	
29	00 0603 902 0	SKID SHOE		2	
30	00 0688 098 1	GUSSET PLATE L.H.	ERS.D.6880982	1	
31	00 0688 051 0	TROUGH	3,60M	1	1)
31	00 0677 702 1	TROUGH	3,90M	1	2)
31	00 0690 807 0	TROUGH	4,20M S	1	3)
31	00 0677 704 5	TROUGH	4,50M	1	4)
31	00 0677 706 4	TROUGH	5,10M S	1	5)
31	00 0680 680 5	TROUGH		1	6)
32	00 0603 868 1	DIVIDER SUPPORT		2	
33	00 0670 065 3	OUTER SHOE LH.	5X223X836	1	
34	00 0641 214 0	HOOK		1	
35	00 0673 763 0	LOCK CHAIN		2	


CUTTERBAR TROUGH, 3,6 M - 5,7 M

1)	Remarks	at 3.6 m cutterbar
2)	Remarks	BEI 3,9 M SCHNEIDWERK
3)	Remarks	BEI 4,2 M SCHNEIDWERK
4)	Remarks	BEI 4,5 M SCHNEIDWERK
5)	Remarks	BEI 5,1 M SCHNEIDWERK
6)	Remarks	BEI 5,7 M SCHNEIDWERK
7)	Remarks	from cutterbar 246000
8)	Remarks	BIS SCHNEIDW. 245999
9)	Remarks	to cutterbar 245999

CLAAS

3,0m Schneidwerk

5



101167

Dominator 76

FINGER BAR, FOR 3,0 M CUTTERBAR

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0604 242 0	GUIDING PLATE	1,5X382X478	1	
2	00 0677 096 0	GUIDING PLATE	1,5X0478X2634	1	
3	00 0665 564 1	COACH BOLT	M6X12	6	
3	00 0236 169 0	HEXAGONAL NUT	M6	6	
3	00 0239 386 0	CONTACT WASHER	A 6	6	
4	00 0238 234 0	LOCK NUT	M12	6	
5	00 0238 461 0	COACH BOLT	M12X35	6	
6	00 0235 534 1	HEXAGON HEAD BOLT	M10X50X29	20	
7	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	38	
8	00 0238 292 0	WASHER	10,5X 22 X1	23	
9	00 0236 171 0	HEXAGONAL NUT	M10	38	
10	00 0236 831 0	WASHER	10,5X25X2	38	
11	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	42	
13	00 0676 235 3	DOUBLE FINGER		16	
14	00 0611 204 1	KNIFE SECTION		1	1)
14	00 0611 317 0	KNIFE SECTION		1	2)
14	00 0676 233 1	KNIFE SECTION		1	3)
14	00 0611 319 0	KNIFE SECTION PL.		1	4)
14	00 0676 240 0	KNIFE SECTION PL.		1	3)
15	00 0610 049 0	TENSION SPRING	2 X 16,5X 65	2	
16	00 0610 272 3	CROP LIFTER		10	5)
16	00 0610 290 2	CROP LIFTER		10	6)
17	00 0676 236 0	PRESSURE THUMB		8	
18	00 0673 753 1	SHIM		30	
19	00 0608 068 2	KNIFE, SERRATED		1	1)
19	00 0604 319 1	KNIFE, SERRATED		1	7)
19	00 0604 318 1	MOW BLADE, PLAIN		1	
20	00 0236 462 0	COACH BOLT	M10X60	16	
21	00 0237 808 0	HEXAGON HEAD BOLT	M10X75	2	
22	00 0236 460 0	COACH BOLT	M10X 50	4	
22	00 0236 171 0	HEXAGONAL NUT	M10	4	
22	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
23	00 0237 663 0	COUNTERSUNK RIVET	6X17	77	
24	00 0611 203 1	KNIFE SECTION		35	1)
24	00 0611 316 0	KNIFE SECTION		35	2)
24	00 0676 234 1	KNIFE SECTION		35	3)
24	00 0611 318 0	KNIFE SECTION PL.		35	4)
24	00 0676 239 0	KNIFE SECTION PL.		35	3)
25	00 0613 017 2	KNIFE CLIP		1	
26	00 0676 249 1	DOUBLE FINGER		4	
27	00 0610 059 0	SAFETY BAR	2X46,5X3020	1	
28	00 0237 054 0	COUNTERSUNK RIVET	6 X30	14	
28	00 0237 664 0	COUNTERSUNK RIVET	6X20	3	
29	00 0603 998 1	FINGER BAR		1	
30	00 0611 220 1	KNIFE GUIDE		1	
31	00 0522 181 1	FRICTION PLATE		1	
32	00 0500 950 0	SHIM		3	
33	00 0611 221 0	KNIFE GUIDE		1	
34	00 0603 872 0	KNIFE HEAD		1	
35	00 0611 219 0	GUIDE PLATE		1	
36	00 0610 294 3	CROP LIFTER		1	8)

1) Remarks

from cutterbar 243670


FINGER BAR, FOR 3,0 M CUTTERBAR

2)	Remarks	NR. 225308 - 243669
3)	Remarks	BIS SCHNEIDW. 225307
4)	Remarks	AB SCHNEIDWERK 225308
5)	Remarks	from cutterbar 242530
6)	Remarks	BIS SCHNEIDW9 242529
7)	Remarks	BIS SCHNEIDW. 243669
8)	Remarks	optional

CLAAS

3,6 m – 5,7 m Schneidwerk

6



Dominator 76

101168

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com