


1

Dominator 78



CLAAS


DIVIDER, VAR. 2556, 2527 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0612 558 1	INT.DIVIDER LONG	870 LANG	2	2)
1	00 0612 579 0	INT.DIVIDER SHORT	600 LANG	2	3)
2	00 0616 214 1	ADJUSTING ROD	D 12X490	2	
3	00 0500 924 2	TOMMY SCREW	M 12	6	
4	00 0609 887 0	CROSS BEARING		2	
5	00 0236 913 2	FLAT WASHER	10-10,5X20X2	4	
6	00 0235 533 0	HEX.HEAD BOLT	M10X45	4	
6	00 0236 171 0	HEXAGONAL NUT	M10	4	
6	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
7	00 0609 888 1	INTERMED.PIECE	1,5X37X58	4	
8	00 0609 893 1	DIVIDER SUPP.TUBE	1800 LG	2	2)
8	00 0609 867 1	DIVIDER SUPP.TUBE	1540 LG	2	3)
10	00 0610 236 0	GLIDE SKID		2	
11	00 0235 519 0	HEXAGON HEAD BOLT	M 8X50	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
12	00 0674 389 4	DIVIDER CEN.PLATE	1000 LANG	2	2)
12	00 0670 372 3	DIVIDER CEN.PLATE	840 LANG	2	3)
13	00 0520 020 0	DIVIDER POINT	.	2	
14	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	4	
14	00 0236 171 0	HEXAGONAL NUT	M10	4	
14	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
15	00 0237 028 0	SPLIT PIN	5X40	6	
16	00 0504 504 0	HANDLE	N 100	1	4)
16	00 0238 056 0	CONTROL KNOB	K 63-M12	1	5)
16	00 0238 056 0	CONTROL KNOB	K 63-M12	2	6)
17	00 0238 913 0	COACH BOLT	M12X 60	1	4)
17	00 0211 180 1	COACH BOLT	M12X 55	1	5)
17	00 0211 180 1	COACH BOLT	M12X 55	2	6)
18	00 0609 873 0	ADJUSTING PLATE		2	
19	00 0609 861 0	ADJUSTING TUBE	330 LANG	2	7)
19	00 0609 876 0	ADJUSTING TUBE	625 LANG	2	8)
19	00 0609 861 0	ADJUSTING TUBE	330 LANG	2	3)
20	00 0610 579 0	SUPPORT	D20X312	2	9)
20	00 0610 209 0	ADJUSTING ROD	D20X660	2	10)
21	00 0612 583 1	OUTER DIVIDER	2100 LANG	2	11)
21	00 0612 567 0	OUTER DIVIDER	2600 LANG	2	12)
21	00 0612 583 1	OUTER DIVIDER	2100 LANG	2	3)

1)	Remarks	VAR. 2556 = DIVIDER LONG VAR. 2527 = DIVIDER SHORT
2)	Remarks	Var. 2556
3)	Remarks	VAR. 2527
4)	Remarks	from cutterbar 267062
5)	Remarks	AB SCHNEIDW. 267062
6)	Remarks	BIS SCHNEIDW. 267061
7)	Remarks	Var. 2556 from cutterbar 267062
8)	Remarks	VAR. 2556 BIS SCHNEIDW. 267061
9)	Remarks	from cutterbar 264387
10)	Remarks	BIS SCHNEIDW. 264386

DIVIDER, VAR. 2556, 2527 1)


11) Remarks	Var. 2556 from cutterbar 264387
12) Remarks	VAR. 2556 BIS SCHNEIDW. 264386



SPECIAL CROP DIVIDER, VAR. 4282 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0688 980 0	SUPPORT R.H.	4X156X381,5	1	2)
2	00 0237 423 0	HEXAGON HEAD BOLT	M10X28	3	
2	00 0236 171 0	HEXAGONAL NUT	M10	3	
2	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
3	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	6	
3	00 0236 170 0	HEXAGONAL NUT	M8	6	
3	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
4	00 0688 025 0	BEND DIVIDER		2	
5	00 0234 953 0	COACH BOLT	M8X20X13	4	
5	00 0236 170 0	HEXAGONAL NUT	M8	4	
5	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
6	00 0688 975 1	DEFLECTOR INNER		2	
7	00 0688 974 1	SUPPORT	4X161X200	2	
8	00 0688 977 0	SUPPORT L.H.		1	3)
9	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
9	00 0236 172 0	HEXAGONAL NUT	M12	4	
9	00 0239 389 0	CONTACT WASHER	A12	4	
10	00 0688 969 1	DIVIDER L.H.		1	
10	00 0688 970 1	DIVIDER R.H.		1	
11	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	4	
11	00 0236 170 0	HEXAGONAL NUT	M8	4	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
12	00 0688 976 0	DEFLECTOR OUTER	3,0X0030X0400	2	
13	00 0670 069 1	DEFLECTOR R.H.	1.5X278.5X600	1	4)
14	00 0670 070 1	DEFLECTOR L.H.	1,5X0280X0600	1	4)
15	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	2	4)
15	00 0236 170 0	HEXAGONAL NUT	M8	2	5)
15	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	5)

1)	Remarks	OPTION
2)	Remarks	for right side to cutterbar 256799
3)	Remarks	for left side to cutterbar 256799
4)	Remarks	from cutterbar 262525
5)	Remarks	AB SCHNEIDWERK 262525



CUTTERBAR DRIVE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	2)
1	00 0653 251 1	PIN	16XH11X19X36	2	3)
2	00 0670 155 2	FUSE		2	
3	00 0239 389 0	CONTACT WASHER	A12	2	4)
4	00 0236 172 0	HEXAGONAL NUT	M12	4	4)
5	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	4)
6	00 0670 156 1	GUIDE		2	
7	00 0650 219 0	STRIPPER	3X35X722	2	5)
7	00 0688 053 2	STRIPPER	3X35X1017	2	6)
7	00 0670 074 2	STRIPPER	3X35X1170	2	7)
7	00 0690 497 0	STRIPPER	3X35X1322	2	8)
7	00 0670 282 2	STRIPPER	3X35X1475	2	9)
7	00 0674 251 2	STRIPPER	3X35X1780	2	10)
8	00 0650 279 0	STRIPPER ANGLE	30X20X3X557,5	2	5)
8	00 0650 281 1	STRIPPER ANGLE	30X20X862,5	2	6)
8	00 0650 297 2	STRIPPER ANGLE	30X20X3X1015	2	7)
8	00 0688 016 1	STRIPPER ANGLE	30X20X3X1167,5	2	8)
8	00 0688 045 2	STRIPPER ANGLE	30X20X3X1320	2	9)
8	00 0688 017 2	STRIPPER ANGLE	30X20X3X1625	2	10)
9	00 0670 160 2	BOLT		2	4)
10	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	2	11)
10	00 0237 820 0	HEXAGON HEAD BOLT	M12X90	2	3)
10	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	2	12)
10	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	2	3)
11	00 0239 389 0	CONTACT WASHER	A12	4	
12	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
13	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	
14	00 0650 210 1	CUTTERBAR TABLE	3,00M	1	5)
14	00 0650 220 1	CUTTERBAR TABLE	3,60M	1	6)
14	00 0650 230 1	CUTTERBAR TABLE	3,90M	1	7)
14	00 0650 240 0	TROUGH	4,20M S	1	8)
14	00 0650 110 2	CUTTERBAR TABLE	4,50M S	1	9)
14	00 0650 002 1	CUTTERBAR TABLE	5,10M S	1	10)
15	00 0650 054 0	OUTER SHOE RH.	5X141X827	1	
16	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
17	00 0673 781 4	SKID SHOE		1	
18	00 0603 902 0	SKID SHOE		2	
19	00 0603 899 1	CONNECTING PLATE	30X10X98	4	
20	00 0650 049 1	OUTER SHOE LH.	5X219,5X827	1	
21	00 0603 868 1	DIVIDER SUPPORT		2	
22	00 0673 763 0	LOCK CHAIN		2	
23	00 0942 497 0	TENSION SPRING	2,5 X 25 X 96	2	13)
24	00 0645 802 0	SUPPORT		2	13)
25	00 0615 756 0	PIN	12H9X140	2	14)
26	00 0236 172 0	HEXAGONAL NUT	M12	4	14)
27	00 0239 389 0	CONTACT WASHER	A12	4	14)
28	00 0673 749 0	SPRING CLIP	4,5X90	4	14)
29	00 0650 916 0	PLUG		2	14)

1) Remarks WITH 3,0 M - 5,1 M CUTTERBAR


2) Remarks cutterbar 260200-85003344

3) Remarks BIS SCHNEIDW. 260199

4) Remarks to cutterbar 85003344

CUTTERBAR DRIVE 1)

5)	Remarks	at 3.0 m cutterbar
6)	Remarks	BEI 3,6 M SCHNEIDWERK
7)	Remarks	BEI 3,9 M SCHNEIDWERK
8)	Remarks	BEI 4,2 M SCHNEIDWERK
9)	Remarks	BEI 4,5 M SCHNEIDWERK
10)	Remarks	BEI 5,1 M SCHNEIDWERK
11)	Remarks	from cutterbar 260200
12)	Remarks	AB SCHNEIDWERK 260200
13)	Remarks	(1)
14)	Remarks	from cutterbar 85003345



CUTTERBAR TROUGH, VAR. 9432, 7606 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0645 477 3	SIDE WALL R.H.		1	2)
2	00 0645 959 1	U-PLATE	2,5X148,4X198	2	2)
3	00 0651 428 1	ANGLE	25X5X76	1	
4	00 0650 598 5	CUTTERBAR TABLE	510 SO CA S	1	
5	00 0688 102 3	DUST SHIELD	1,5X265X1400	1	
6	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	3)
7	00 0670 155 2	FUSE		2	3)
8	00 0239 389 0	CONTACT WASHER	A12	2	3)
9	00 0236 172 0	HEXAGONAL NUT	M12	2	3)
10	00 0244 578 0	SPRING PIN	10 X 40 -ST	2	3)
11	00 0670 156 1	GUIDE		2	
12	00 0670 160 2	BOLT		2	3)
13	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	2	
13	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	2	
14	00 0239 389 0	CONTACT WASHER	A12	4	
15	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	16	
16	00 0674 251 2	STRIPPER	3X35X1780	2	
17	00 0604 253 1	GUARD PLATE R.H.	1,5X124X280	1	
18	00 0645 423 2	OUTER SHOE RH.		1	
19	00 0645 408 0	STONE GUARD	3X779X1814	1	
20	00 0645 407 0	STONE GUARD	3X779X1522	1	
21	00 0645 409 2	SKID SHOE		2	
22	00 0645 412 0	COVERING	3X100X364	2	4)
23	00 0603 899 1	CONNECTING PLATE	30X10X98	4	
24	00 0603 868 1	DIVIDER SUPPORT		2	
25	00 0645 422 4	OUTER SHOE LH.	5X219,5X804	1	
26	00 0645 466 2	SIDE WALL L.H.		1	2)
27	00 0673 749 0	SPRING CLIP	4,5X90	2	
28	00 0778 096 0	KNOT CHAIN	2X 28X 3GL	2	
29	00 0942 497 0	TENSION SPRING	2,5 X 25 X 96	2	
30	00 0645 802 0	SUPPORT		2	
31	00 0645 504 0	KNIFE SUPPORT	6X30X180	1	5)
32	00 0650 916 0	PLUG		2	6)
33	00 0615 756 0	PIN	12H9X140	2	6)
34	00 0236 172 0	HEXAGONAL NUT	M12	4	6)
35	00 0239 389 0	CONTACT WASHER	A12	4	6)
36	00 0673 749 0	SPRING CLIP	4,5X90	4	6)

1)	Remarks	FROM CUTTERBAR NO. 277709 WITH 5,1 M CUTTERBAR ""REINFORCED""
2)	Remarks	to cutterbar 288352
3)	Remarks	to cutterbar 85003344
4)	Remarks	to cutterbar 286195
5)	Remarks	to construction year 1993
6)	Remarks	from cutterbar 85003345

CLHHS

3,6 m - 5,1 m Schneidwerk

4




108122

Dominator 78

STONE GUARD 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	8	
2	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	8	
3	00 0650 313 0	STONE GUARD, R.H.	661 LANG	1	2)
3	00 0650 318 0	STONE GUARD, R.H.	814 LANG	1	3)
3	00 0650 323 0	STONE GUARD, R.H.	966 LANG	1	4)
3	00 0650 328 0	STONE GUARD, R.H.	1119 LANG	1	5)
3	00 0688 021 0	STONE GUARD, R.H.	1424 LANG	1	6)
4	00 0235 223 1	HEXAGON HEAD BOLT	M10X100	2	
4	00 0236 171 0	HEXAGONAL NUT	M10	2	
4	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
4	00 0236 913 2	FLAT WASHER	10-10,5X20X2	2	
5	00 0650 312 0	STONE GUARD, L.H.	661 LANG	1	2)
5	00 0650 317 0	STONE GUARD, L.H.	814 LANG	1	3)
5	00 0650 322 0	STONE GUARD, L.H.	966 LANG	1	4)
5	00 0650 327 0	STONE GUARD, L.H.	1119 LANG	1	5)
5	00 0688 020 0	STONE GUARD, L.H.	1424 LANG	1	6)

1)	Remarks	OPTION
2)	Remarks	at 3.6 m cutterbar
3)	Remarks	BEI 3,9 M SCHNEIDWERK
4)	Remarks	BEI 4,2 M SCHNEIDWERK
5)	Remarks	BEI 4,5 M SCHNEIDWERK
6)	Remarks	BEI 5,1 M SCHNEIDWERK



CUTTER BAR 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0610 097 1	COACH BOLT	M8X16	2	
2	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
3	00 0650 304 0	GUIDING PLATE	1,5X0483X0483	1	2)
3	00 0650 305 0	GUIDING PLATE	1,5X0483X1095	1	3)
3	00 0650 306 0	GUIDING PLATE	1,5X0483X1400	1	4)
3	00 0650 307 0	GUIDING PLATE	1,5X483X1705	1	5)
3	00 0650 157 0	GUIDING PLATE	1,5X483X2010	1	6)
3	00 0650 095 0	GUIDING PLATE	1,5X483X2620	1	7)
4	00 0650 125 0	GUIDING PLATE	1,5X0483X2505	1	
5	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	1	
5	00 0236 170 0	HEXAGONAL NUT	M8	1	
5	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
6	00 0200 909 0	SEALING PROFILE	20,5X9,25X1,5	1	8)
7	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	3	
7	00 0236 171 0	HEXAGONAL NUT	M10	3	
7	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
8	00 0676 241 4	END FINGER		1	
9	00 0611 204 1	KNIFE SECTION		1	
9	00 0611 319 0	KNIFE SECTION PL.		1	
10	00 0235 534 1	HEXAGON HEAD BOLT	M10X50X29	21	9)
11	00 0238 292 0	WASHER	10,5X 22 X1	25	10)
12	00 0235 133 1	SPRING WASHER	10 -10,2X18,1X1,8	39	11)
13	00 0236 171 0	HEXAGONAL NUT	M10	39	11)
14	00 0236 831 0	WASHER	10,5X25X2	39	11)
15	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	39	11)
16	00 0676 235 3	DOUBLE FINGER		16	12)
16	00 0648 406 0	DOUBLE FINGER		1	13)
17	00 0236 462 0	COACH BOLT	M10X60	18	12)
18	00 0676 236 0	PRESSURE THUMB		8	14)
19	00 0673 753 1	SHIM		52	15)
19	00 0688 957 0	SHIM		1	16)
20	00 0237 663 0	COUNTERSUNK RIVET	6X17	1	
21	00 0611 203 1	KNIFE SECTION		1	
21	00 0611 318 0	KNIFE SECTION PL.		1	
22	00 0650 259 0	KNIFE,SERRATED		2	2)
22	00 0611 229 2	MOWER KNIFE,SERRATED		2	3)
22	00 0688 070 1	MOWER KNIFE, PLAIN		2	3)
22	00 0611 222 3	MOWER KNIFE		2	4)
22	00 0676 306 1	MOWER KNIFE, PLAIN		2	4)
22	00 0611 022 0	MOWER KNIFE,SERRATED		2	5)
22	00 0611 213 3	MOWER KNIFE		2	6)
22	00 0676 321 1	MOWER KNIFE, PLAIN		2	6)
22	00 0611 214 3	MOWER KNIFE		2	7)
22	00 0676 322 1	MOWER KNIFE, PLAIN		2	7)
23	00 0237 808 0	HEXAGON HEAD BOLT	M10X75	4	
24	00 0613 017 2	KNIFE CLIP		2	
25	00 0237 383 0	HEXAGON HEAD BOLT	M10X25	11	17)
25	00 0236 171 0	HEXAGONAL NUT	M10	11	17)
25	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	11	17)
26	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	2	
26	00 0236 171 0	HEXAGONAL NUT	M10	2	
26	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
27	00 0237 054 0	COUNTERSUNK RIVET	6 X30	14	
27	00 0237 664 0	COUNTERSUNK RIVET	6X20	3	

CUTTER BAR 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
28	00 0676 249 1	DOUBLE FINGER		4	
28	00 0648 407 0	DOUBLE FINGER		1	13)
29	00 0239 389 0	CONTACT WASHER	A12	2	
30	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
31	00 0650 227 0	KNIFE CUTTERBAR	50X50X7X3290	1	2)
31	00 0688 064 1	KNIFE CUTTERBAR	50X50X3915	1	3)
31	00 0673 774 1	KNIFE CUTTERBAR	50X50X4220	1	4)
31	00 0650 273 0	KNIFE CUTTERBAR	50X50X7X4510	1	5)
31	00 0673 752 2	KNIFE CUTTERBAR	50X50X7X4815	1	6)
31	00 0674 256 1	KNIFE CUTTERBAR	50X50X7X5440	1	7)
32	00 0235 090 0	SPLIT PIN	4 X 28	1	
33	00 0244 455 0	CASTELLATED NUT	M16X1,5	1	
34	00 0645 370 0	RUBBER CAP	D 37	1	
35	00 0670 120 1	BALL JOINT	27 X 25	1	
36	00 0676 231 0	CONNCETION-STEEL		1	
37	00 0616 286 0	SCRAPER BLADE		1	18)
37	00 0676 232 0	GUIDE	ERS.D.616286.0	1	19)
38	00 0610 049 0	TENSION SPRING	2 X 16,5X 65	4	
39	00 0770 488 0	SAFETY BAR	2 X 46,5X2100	1	
39	00 0770 489 0	SAFETY BAR	2X46,5X1800	1	
39	00 0770 490 0	SAFETY BAR	2 X 46,5X2400	1	
39	00 0610 059 0	SAFETY BAR	2X46,5X3020	1	
40	00 0176 044 0	CROP LIFTER		1	20)
40	00 0176 078 0	LOCKING CLIP		1	
41	00 0176 045 0	CROP LIFTER		1	20)
42	00 0610 294 3	CROP LIFTER		1	20)
43	00 0610 272 3	CROP LIFTER		1	

1)	Remarks	WITH 3,0 M - 5,1 M CUTTERBAR
2)	Remarks	at 3.0 m cutterbar
3)	Remarks	BEI 3,6 M SCHNEIDWERK
4)	Remarks	BEI 3,9 M SCHNEIDWERK
5)	Remarks	BEI 4,2 M SCHNEIDWERK
6)	Remarks	BEI 4,5 M SCHNEIDWERK
7)	Remarks	BEI 5,1 M SCHNEIDWERK
8)	Remarks	500 long
9)	Remarks	(23, 25, 27, 29, 33)
10)	Remarks	(27, 29, 31, 33, 37)
11)	Remarks	(47, 51, 55, 59, 67)
12)	Remarks	(20, 22, 24, 26, 30)
13)	Remarks	VERSTAERKT
14)	Remarks	(10, 11, 12, 13, 15)
15)	Remarks	(68, 76, 84, 92, 100)
16)	Remarks	
17)	Remarks	(13, 13, 15, 15, 17)
18)	Remarks	from cutterbar 281432
19)	Remarks	BIS SCHNEIDW. 281431
20)	Remarks	optional

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com