





CAB, FRONT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0625 505 1	FRONT FRAME		1	
2	00 0215 431 0	GUARD CAP	SW 8-M 5	1	
3	00 0237 216 0	HEXAGONAL NUT	M05	1	
4	00 0236 910 2	FLAT WASHER	5 -5,3X10X1	1	
5	00 0622 642 0	RUBBER DISC		2	
6	00 0622 673 0	RUBBER DISC		2	
7	00 0625 826 0	WIPER MOTOR		1	
8	00 0625 824 0	CAP	F.WISCHERMOTOR	1	
9	00 0622 641 0	CAP		1	
10	00 0215 034 0	SERRATED L.WASHER	A 6,4	1	
11	00 0236 169 0	HEXAGONAL NUT	M6	1	
12	00 0625 503 0	WIPER ARM		1	1)
12	00 0622 636 0	WIPER ARM		1	2)
13	00 0622 637 1	WIPER BLADE		1	
14	00 0622 640 0	HEXAGONAL NUT	M14X1	2	
15	00 0622 639 0	WASHER	14,5X50X2	1	
16	00 0622 638 0	RUBBER DISC		2	
17	00 0622 644 0	RUBBER DISC		2	
18	00 0010 136 0	ANGLE	1,5X40X144,5	1	
19	00 0236 400 0	ATTACHING CLAMP	1X 8-5,2	1	
20	00 0013 141 0	WIRE	SCHEIBENWISCHER	1	
21	00 0237 340 0	HEXAGON HEAD BOLT	M08X40	4	
21	00 0236 170 0	HEXAGONAL NUT	M8	4	
21	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	4	
22	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
22	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	2	
23	00 0235 540 0	HEXAGON HEAD BOLT	M10X80	1	
23	00 0236 171 0	HEXAGONAL NUT	M10	1	
23	00 0236 831 0	WASHER	10,5X25X2	2	
24	00 0237 844 0	HEXAGON HEAD BOLT	M10X65	2	
24	00 0236 171 0	HEXAGONAL NUT	M10	2	
24	00 0236 831 0	WASHER	10,5X25X2	4	
1)	Remarks	from No. 55300467			
2)	Remarks	Up to No. 55300466			

2

01163472


LEXION 450



118501

WINDSCREEN WASHER 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0205 294 0	PVC-HOSE	4X1	1	2)
6	00 0736 443 0	NOZZLE		1	
7	00 0074 879 1	CONTAINER	4,0 L	1	
7	00 0546 165 0	COVER		1	
7	00 0546 236 0	ENGINE		1	
7	00 0546 157 0	GASKET		1	
8	00 0237 466 0	HEXAGON HEAD BOLT	M06X20	4	
8	00 0237 983 0	HEXAGONAL NUT	M6	4	
8	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
9	00 0215 160 0	CABLE RING	A 10X13,5X4	1	
1)	Remarks	Q 03 / 70			
2)	Remarks	1320 mm long			




CAB, REAR PANEL

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0625 783 0	REAR PANEL		1	
2	00 0622 745 0	INSULATION	2X330X400	3	
3	00 0625 788 0	MOLDING	30X20X1400	1	
4	00 0350 886 0	COLUMN R.H.	CAT, RECHTS	1	
5	00 0215 720 0	FILL.HEAD SCREW	ST4,2X13-C-KFR-Z	16	
6	00 0625 781 1	REAR WINDOW	6 X 332X 637	1	
7	00 0622 743 1	INSULATION	2X100X530	1	
8	00 0622 746 1	INSULATION	2X500X530	1	
9	00 0201 480 0	WOOD PULP STRIP	12X4 SELBSTKLEB	1	1)
10	00 0625 787 1	MOLDING	25X150X300	2	
11	00 0205 350 0	SEALING PROFILE	19X30X2000	1	1)
12	00 0625 808 0	INSULATION	2X 165X 350	3	
13	00 0350 885 0	COLUMN L.H.	CAT, LINKS	1	
14	00 0625 757 0	PLUG	D16,5	2	
1)	Remarks	3500 mm long			

4

00272z02



01163474


118503/02

CAB, LINING

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0215 813 0	COAT HOOK	42X17	2	
2	00 0242 713 1	FILL-HEAD SCREW	ST3,9X16-C-H	4	
3	00 0205 350 0	SEALING PROFILE	19X30X2000	1	
4	00 0625 802 4	REAR PANEL COVER		1	
5	00 0625 805 5	REAR PANEL COVER		1	
6	00 0215 587 0	PLASTIC PLUG	D 8 22,75LG	13	
7	00 0216 229 0	FILL-HEAD SCREW	M4X20-KOMBI-KREU ZSCHLITZ	6	
8	00 0215 988 0	PLASTIC PLUG	D 7 34LG	5	
9	00 0350 903 2	REAR PANEL	UNTEN LINKS	1	
10	00 0215 720 0	FILL-HEAD SCREW	ST4,2X13-C-KFR-Z	6	1)
11	00 0546 580 2	SUPPORT		1	2)
11	00 0625 810 1	SUPPORT		1	3)
12	00 0242 506 1	COUNTERSUNK BOLT	M4X20	4	4)
13	00 0546 429 0	SUPPORT	420X209X1.5	1	2)
14	00 0238 456 0	CABLE RING	A 30X38X1,6	2	2)
15	00 0734 779 0	CABLE RING	C 20-35X50X2	1	2)
1)	Remarks	(5)			
2)	Remarks	from No. 55300800			
3)	Remarks	up to No. 55300799			
4)	Remarks	From No. 55300520			

01163475

5




118504/02

00293z02

CABSIDE, RIGHT HAND WITH DOOR

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0625 687 2	DOOR R.H.		1	
2	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	7	
3	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	7	
4	00 0205 593 0	PROFILE	20X30X1100	1	
5	00 0354 390 0	ANGLE	40X4X510	1	1)
5	00 0625 677 0	ANGLE	40X40X4X90	1	2)
6	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	5	
6	00 0236 170 0	HEXAGONAL NUT	M8	5	
6	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	5	
7	00 0625 653 0	SIDE WALL R.H.		1	
8	00 0625 817 0	SUPPORT		1	
9	00 0625 819 0	PIN	8X23X20,5	1	
10	00 0235 752 0	LOCK WASHER	6	1	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
12	00 0237 069 0	COUNTERSUNK BOLT	M 8X 30	2	
13	00 0625 821 0	SPACER GLASS	8,5X30X17	2	
14	00 0625 820 0	GROMMET	A 14X19X5,5	2	
15	00 0625 818 0	HANDLE		1	
16	00 0625 902 0	ANGLE	1,5X53X1334	1	
17	00 0625 843 3	LOCKING PLATE		1	
18	00 0236 913 2	FLAT WASHER	10-10,5X20X2	2	
19	00 0236 987 0	SOCKET HEAD SCREW	M 8X 20	2	3)
19	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	4)
20	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	1	
21	00 0242 227 1	SOCKET HEAD SCREW	M8X16	4	
22	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	4	
23	00 0205 554 0	SEAL STRIP		1	5)
24	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	
25	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	3	
26	00 0236 357 0	SHIM	8,5X14X0,25	1	
27	00 0069 543 1	ROLLER BLIND	RECHTS/1025X910	1	6)
28	00 0069 542 0	SPRING HOOK		1	6)

1)	Remarks	from No. 55300800
2)	Remarks	up to No. 55300799
3)	Remarks	From No. 55300512
4)	Remarks	Up To No. 55300511
5)	Remarks	4700 mm long
6)	Remarks	option




CAB, SIDE PANEL, L.H. - DOOR

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0625 652 0	SIDE WALL L.H.	S	1	
2	00 0242 227 1	SOCKET HEAD SCREW	M8X16	4	
3	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	4	
4	00 0216 026 0	EYE BOLT	BM 8X50X30 ERS.D.21602	1	
5	00 0236 170 0	HEXAGONAL NUT	M8	1	
6	00 0205 593 0	PROFILE	20X30X1100	1	
7	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
8	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	2	
9	00 0236 913 2	FLAT WASHER	10-10,5X20X2	4	
10	00 0625 823 1	LOCKING PLATE		1	
11	00 0241 253 0	COUNTERSUNK BOLT	M 6X40	1	
12	00 0625 835 0	GAS SPRING		1	
13	00 0625 832 1	SUPPORT		1	
14	00 0236 169 0	HEXAGONAL NUT	M6	1	
15	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	7	
16	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	7	
17	00 0205 554 0	SEAL STRIP		1	1)
18	00 0354 390 0	ANGLE	40X4X510	1	2)
18	00 0625 677 0	ANGLE	40X40X4X90	1	3)
19	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	5	
19	00 0236 170 0	HEXAGONAL NUT	M8	5	
19	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	5	
20	00 0625 575 2	DOOR L.H.		1	
21	00 0625 730 0	DOOR HANDLE		1	
22	00 0625 735 0	INSIDE COVER		1	
23	00 0625 736 0	CAP		1	
24	00 0625 731 0	LOCK		1	
25	00 0625 732 0	ADJUSTING PLATE		1	
26	00 0625 740 0	COVERING		1	
27	00 0625 734 0	END PIECE		1	
28	00 0625 733 0	DOOR HANDLE		1	
29	00 0241 236 0	COUNTERSUNK BOLT	M 5X10	1	
30	00 0215 031 0	SERRATED L.WASHER	A 5,3	1	
31	00 0242 043 0	SOCKET HEAD SCREW	M 5X10	1	
34	00 0625 726 0	DISTANCE PLATE		1	
35	00 0216 059 0	FLAT HEAD BOLT	M 6X 25	1	
35	00 0236 911 2	FLAT WASHER	6 -6,4X12X1,6	1	
36	00 0625 751 0	INSERT		1	
37	00 0625 723 0	SHIM LARGE		1	
38	00 0625 727 1	MOUNTING PLATE		1	
39	00 0625 750 0	SHIM		1	
40	00 0625 753 0	RUBBER DISC		1	
41	00 0625 752 0	CAP		1	
42	00 0625 725 0	SPACER TUBE		1	
43	00 0625 724 0	SHIM		1	
44	00 0625 814 0	HANDLE, EXTERIOR		1	
45	00 0013 142 0	MASTER KEY		1	
46	00 0625 902 0	ANGLE	1,5X53X1334	1	
47	00 0237 928 0	HEXAGONAL NUT	M 8	1	
48	00 0238 132 0	LOCK NUT	M8	1	
49	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	1	
50	00 0216 057 0	COUNTERSUNK BOLT	M 6X 20	3	
51	00 0069 540 1	ROLLER BLIND		1	4)

CAB, SIDE PANEL, L.H. - DOOR

Pos.	Part No.	Description	Dimension	Quantity	Conditions
52	00 0069 542 0	SPRING HOOK		1	4)
1)	Remarks	4700 mm long			
2)	Remarks	from No. 55300800			
3)	Remarks	up to No. 55300799			
4)	Remarks	option			



CAB, ROOF

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0354 370 0	ROOF HOOD		1	1)
1	00 0350 884 0	ROOF HOOD		1	2)
2	00 0625 685 0	HOOD HOLDER		1	
3	00 0636 792 1	COACH BOLT	M6X 16	2	
3	00 0236 169 0	HEXAGONAL NUT	M6	2	
3	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	2	
4	00 0013 731 0	WORK LIGHT		2	3)
4	00 0625 914 0	WORK LIGHT		2	4)
4	00 0238 091 0	LAMP		2	
5	00 0215 502 0	COVER CAP	27,0-33,0	2	
6	00 0215 720 0	FILL.HEAD SCREW	ST4,2X13-C-KFR-Z	1	
7	00 0351 552 0	HEADLIGHT PANEL	1,5X90X174	1	
8	00 0515 309 1	STICKER	CATERPILLAR, KABINE - 69	1	
9	00 0216 453 0	LAMP		2	1)
9	00 0238 091 0	LAMP		2	2)
10	00 0014 531 0	WORKING LIGHT		2	1)
10	00 0625 719 0	HEADLIGHTS		2	2)
11	00 0625 642 0	HINGE		2	
12	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
13	00 0237 466 0	HEXAGON HEAD BOLT	M06X20	4	
14	00 0622 781 1	GAS SPRING BEAR.		2	
15	00 0636 792 1	COACH BOLT	M6X 16	4	
15	00 0236 169 0	HEXAGONAL NUT	M6	4	
15	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
16	00 0244 378 0	HEXAGON HEAD BOLT	M 8X25	2	
17	00 0236 170 0	HEXAGONAL NUT	M8	2	
18	00 0238 132 0	LOCK NUT	M8	2	
19	00 0625 695 0	GAS SPRING		1	5)
19	00 0625 696 0	GAS SPRING		1	6)
20	00 0625 643 0	GUSSET PLATE L.H.		1	5)
20	00 0625 644 0	GUSSET PLATE R.H.		1	6)
21	00 0237 466 0	HEXAGON HEAD BOLT	M06X20	4	
21	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
22	00 0625 694 0	LIP PROFILE	CLAMPING WIDT 3-4MM	2	7)
23	00 0216 447 0	NUT	ST3,9 - 3,0-4,0	8	1)
23	00 0215 738 0	NUT	ST4,2 - 3,0-4,5	8	2)
24	00 0636 792 1	COACH BOLT	M6X 16	4	
24	00 0236 169 0	HEXAGONAL NUT	M6	4	
24	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
25	00 0351 552 0	HEADLIGHT PANEL	1,5X90X174	2	8)
26	00 0215 720 0	FILL.HEAD SCREW	ST4,2X13-C-KFR-Z	4	8)
27	00 0546 589 0	HEADLIGHT PANEL		1	9)
27	00 0546 591 0	HEADLIGHT PANEL		1	10)
28	00 0636 792 1	COACH BOLT	M6X 16	4	1)
28	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	1)
28	00 0236 169 0	HEXAGONAL NUT	M6	4	1)
29	00 0354 386 0	GRAIN TANK COVER	1620X176X30	1	1)


1) Remarks from No. 55300800

2) Remarks up to No. 55300799

3) Remarks From No. 55300492

CAB, ROOF

4)	Remarks	Up To No. 55300491
5)	Remarks	L.h. Side
6)	Remarks	R.h. Side
7)	Remarks	1960 mm long
8)	Remarks	No. 55300492-55300799
9)	Remarks	L.h. Side No. 55300800-55300807
10)	Remarks	R.h. Side No. 55300800-55300807



CAB, ROOF

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0238 132 0	LOCK NUT	M8	2	
2	00 0236 170 0	HEXAGONAL NUT	M8	2	
3	00 0242 499 1	SHEET METAL SCREW	ST4,8X 9,5-C ERS.D.24249	4	
4	00 0238 018 1	BLIND RIVET	A 4X9	3	
5	00 0236 979 1	FLAT WASHER	4 -4,3X9X0,8	3	
6	00 0625 549 0	VENTILATION		1	
7	00 0625 760 4	ROOF		1	
8	00 0625 614 0	SOUND PROOFING M.	2X 570X 670	2	
9	00 0238 886 2	PLUG	D30,5-F	5	
9	00 0238 457 0	PLUG	D38,4-F	1	
10	00 0237 600 0	SPRING PIN	3 X 36	1	
11	00 0069 539 0	WASHER	D64XD10X1	1	1)
11	00 0239 071 0	WASHER	10,5X 60 X1	1	2)
12	00 0008 505 0	BUSHING	13 X 16 X32	2	
14	00 0755 945 0	CURVED METAL SHEE		1	
15	00 0755 951 0	LEVER		1	
18	00 0205 368 0	SEALING FOAM	15X20X1985	1	3)
18	00 0201 480 0	WOOD PULP STRIP	12X4 SELBSTKLEB	1	4)
19	00 0701 740 3	INSP.E.HOLE DOOR		1	
20	00 0625 873 0	COVER		1	5)
21	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	1	6)
22	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	1	6)
23	00 0622 743 1	INSULATION	2X100X530	1	
24	00 0622 744 1	INSULATION	2X200X530	2	
25	00 0625 613 0	SOUND PROOFING M.	2X 330X 700	1	
26	00 0136 510 0	SEALING PROFILE	2,0-3,5 25000LG	1	7)
27	00 0071 525 1	POCKET FILTER		2	
28	00 0601 243 0	SUPPORTING WASHER	10,8X25X0,6	1	
29	00 0601 248 0	LOCK TRUNNION		1	
30	00 0625 533 1	FILTER FRAME		1	
31	00 0625 534 1	FILTER FRAME		1	
32	00 0237 464 0	HEXAGON HEAD BOLT	M06X12	4	
32	00 0236 169 0	HEXAGONAL NUT	M6	4	
32	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
33	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	12	
33	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	12	
35	00 0237 553 1	HEXAGON HEAD BOLT	M6X45	1	
35	00 0236 169 0	HEXAGONAL NUT	M6	1	
35	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	1	
36	00 0625 649 0	GUARD SCREEN	230X135	1	8)
37	00 0242 713 1	FILL.HEAD SCREW	ST3,9X16-C-H	1	1)
38	00 0515 470 1	STICKER	D 63	1	1)

1)	Remarks	From No. 55300512
2)	Remarks	Up To No. 55300511
3)	Remarks	2600 mm long
4)	Remarks	600 mm long
5)	Remarks	Not With Conditioner up to No. 55300799
6)	Remarks	up to No. 55300799
7)	Remarks	2500 mm long

CAB, ROOF


8)	Remarks	from No. 55300467
----	---------	-------------------

9

00230z01

01163479

118508/02



CAB, ROOF

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	17	
2	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	17	
3	00 0625 770 0	COVER	1X754X799	1	
4	00 0201 480 0	WOOD PULP STRIP	12X4 SELBSTKLEB	1	1)
5	00 0237 466 0	HEXAGON HEAD BOLT	M06X20	4	
5	00 0236 170 0	HEXAGONAL NUT	M8	4	
5	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	4	
6	00 0136 510 0	SEALING PROFILE	2,0-3,5 25000LG	1	2)
7	00 0625 850 2	HOUSING	KLIMA	1	
7	00 0241 692 0	SEAL BAND	10X15	1	3)
7	00 0411 704 1	SEAL BAND	40X2 - (ROLLE 64M)	1	4)
8	00 0546 585 3	FAN	O.WIDERSTAND/ENTSTÖRT	1	5)
8	00 0625 861 3	FAN	ENTSTÖRT	1	6)
8	00 0546 235 0	RESISTANCE		1	7)
8	00 2900 723 0	RESISTANCE	GEBLÄSE 12V	1	
9	00 0625 840 0	SUPPORT PLATE		1	
10	00 0237 877 0	HEXAGON HEAD BOLT	M6X10	2	
11	00 0239 392 0	CONTACT WASHER	B 6 -6X18X1,4	2	
12	00 0762 065 0	REPAIR SHEET	105X58X1	1	8)
13	00 0241 640 0	BLIND RIVET	A 4,0X10,3 - DK=12	3	8)
14	00 0216 413 0	1-EAR-CLAMP	16-18	2	8)
15	00 0136 564 0	HOSE	12X18X3100	1	8)
16	00 0408 552 2	HOSE CLAMP	A-12-22X9	4	8)
17	00 0216 474 0	CONNECTING PIECE	GS 12	2	8)
1)	Remarks	3000 mm long			
2)	Remarks	1200 mm long			
3)	Remarks	1900 MM LONG 2100 MM LONG			
4)	Remarks	250 MM LONG			
5)	Remarks	from No. 55300800			
6)	Remarks	up to No. 55300799			
7)	Remarks	NOT WITH "AUTOMATIC AIR CONDITIONER"			
8)	Remarks	in case of repair			

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com