


CLAAS

BGZ 13010

448



11279z00
LEXION 480

129629


BRACKET FOR FUEL TANK

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 570 0	HEXAGON HEAD BOLT	M10X16	8	
1	00 0236 171 0	HEXAGONAL NUT	M10	8	
1	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	8	
2	00 0751 031 0	SUPPORT		1	
3	00 0244 138 0	HEXAGON HEAD BOLT	M 8X18	4	
3	00 0236 170 0	HEXAGONAL NUT	M8	4	
3	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
4	00 0736 235 2	BRACE		2	
5	00 0736 244 5	SUPPORT		1	
6	00 0237 458 0	HEXAGON HEAD BOLT	M12X20	4	
6	00 0236 172 0	HEXAGONAL NUT	M12	4	
6	00 0239 389 0	CONTACT WASHER	A12	4	
7	00 0755 588 1	TANK SUPPORT		1	
8	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	4	
8	00 0236 171 0	HEXAGONAL NUT	M10	4	
8	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
9	00 0736 247 2	TANK SUPPORT		1	
10	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
11	00 0237 570 0	HEXAGON HEAD BOLT	M10X16	2	
12	00 0751 032 0	REINFORCING PLATE	3X79.6X1489	1	

CLAAS

BGZ 13020

603



122341

11347z00
LEXION 480


FUEL TANK

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0624 003 1	CAP	DV 80 GL	1	
1	00 0177 621 0	CAP	D80 BELUEFTET, ABSCHLIES	1	1)
1	00 0177 622 0	SPARE KEY	C5	1	2)
2	00 0736 238 0	TANK FILTER		1	
3	00 0736 242 4	FUEL TANK	650 L	1	3)
3	00 0516 312 0	STICKER	DIESELTANK	1	
4	00 0736 256 2	THREADED INSET	6KT32X48	1	
5	00 0215 956 1	O-RING	18,4X5,33-N	2	4)
6	00 0672 996 0	GASKET		1	
7	00 0736 243 0	LEVEL INDICATOR		1	5)
8	00 0215 958 1	FLAT SEAL RING	30X40X3	1	
9	00 0687 607 0	DRAIN SCREW	M33X2	1	
10	00 0687 625 1	HEXAGON HEAD BOLT	M8X17 F. TANK WASSERABLA	1	
11	00 0233 131 0	WASHER	28X 42X 1	3	4)
12	00 0758 716 0	THREADED PLUG	6KT32X48	1	6)
13	00 0758 714 0	THREADED INSET	6KT32X48	1	
1)	Remarks	optional			
2)	Remarks	SONDERWUNSCH			
3)	Remarks	with Item 1, 2			
4)	Remarks	(3)			
5)	Remarks	with Item 6			
6)	Remarks	to No. 54600569			

CLAAS

BGZ 13020

603A




129650

11599z00
LEXION 480

ADDITIONAL FUEL TANK

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 444 0	HEXAGON HEAD BOLT	M8-45	4	
2	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	4	
3	00 0755 926 0	BANDAGE	3X30X923,8	2	
4	00 0624 003 1	CAP	DV 80 GL	1	
5	00 0659 565 2	TANK SIEVE INCLUDED WITH TANK		1	
6	00 0755 919 0	ADDITIONAL TANK		1	
7	00 0633 114 1	FLAT SEAL RING	D 14X20X1,5	4	
8	00 0215 168 0	RING PIECE	E10-10	2	
9	00 0723 651 0	HOLLOW SCREW		1	
10	00 0408 552 2	HOSE CLAMP	A-12-22X9	4	
11	00 0215 409 0	GROMMET	C 10-18X30X1,5	2	
12	00 0136 579 0	FUEL PIPE	9X15X3000	1	1)
13	00 0750 782 0	HOLLOW SCREW	10-3-S -M14X1,5X42-61 BOH	1	
14	00 0755 465 0	SHUT OFF VALVE		1	
15	00 0136 579 0	FUEL PIPE	9X15X3000	1	2)
16	00 0755 527 0	FUEL FILTER INSERT WITH O RING		1	
18	00 0237 814 0	2-EAR CLAMP	13-15	2	
1)	Remarks	3500 long			
2)	Remarks	50 long			



ENGINE CAT C12; FUEL SYSTEM, FUEL COOLER 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0796 220 0	CONNECTION	DN12-N90L15(M22X1, 15)ERS.	1	
2	00 0237 814 0	2-EAR CLAMP	13-15	4	
3	00 0136 591 0	PLASTIC TUBE	15 X1,5X10000	1	2)
4	00 0242 442 0	HEXAGON HEAD BOLT	M 6X30	5	
4	00 0236 169 0	HEXAGONAL NUT	M6	5	
4	00 0239 386 0	CONTACT WASHER	A 6	5	
5	00 0715 242 0	CLAMP	A 15	8	
6	00 0077 377 0	SUPPORT	3X30X98	1	
7	00 0235 505 0	HEXAGON HEAD BOLT	M06X30	3	
7	00 0236 169 0	HEXAGONAL NUT	M6	3	
7	00 0239 386 0	CONTACT WASHER	A 6	3	
8	00 0216 458 0	CONNECTION	R16-12	3	
9	00 0216 465 0	SEALING RING	D 16X22	6	
10	00 0545 906 0	SCREW UNION	M22X1.5/M16X1.5	2	3)
11	00 0238 451 0	O-RING	19,3 X2,4 -N	2	3)
12	00 0096 030 0	HOLLOW SCREW	12 - M16X1,5 (12-3 ZULÄS	2	
13	00 0136 591 0	PLASTIC TUBE	15 X1,5X10000	1	4)
14	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	2	
14	00 0236 170 0	HEXAGONAL NUT	M8	2	
14	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	1	
15	00 0761 583 1	LIMITATION VALVE	M16X1,5	1	
16	00 0796 212 1	SEPARATOR		1	5)
16	00 0796 211 0	FUEL FILTER		1	6)
17	00 0363 204 0	FUEL FILTER		1	
18	00 0363 203 0	OIL FILTER		1	

1) Remarks	P 02/500 = 317 Kw / 431 Ps
-------------------	----------------------------

2) Remarks	2700 long
-------------------	-----------

3) Remarks	at P 06 / 10
-------------------	--------------



4) Remarks	570 long
-------------------	----------

5) Remarks	P 06 / 10 see illustration plate 604A
-------------------	--

6) Remarks	P 06 / 20 see illustration plate 604A
-------------------	--

604A

11803z00
LEXION 480



142174


FUEL FILTER ASSEMBLIES 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0796 211 0	FUEL FILTER		1	2)
2	00 0796 213 0	FILTER ELEMENT		1	3)
3	00 0796 789 0	SEALING RING		1	
4	00 0796 788 0	WATER CONTAINER		1	4)
5	00 0796 791 0	SCREW PLUG		1	3)
6	00 0796 790 0	PLUG		1	3)
10	00 0796 212 1	SEPARATOR		1	5)
11	00 0211 091 2	O-RING	12 X 2 NBR 80	1	
12	00 0072 995 0	HOUSING GASKET		2	
13	00 0796 214 0	FILTER ELEMENT		1	
14	00 0072 996 0	WATER CONTAINER		1	
15	00 0723 694 1	GASKET	RACOR 500/900 FG	1	
16	00 0723 693 0	DRAIN SCREW		1	
1)	Remarks	P 06 / 10 Zusatz-Filter P 06 / 20 Vorfilter Standard			
2)	Remarks	p06 / 20 (Item1-6) see illustration plate 604			
3)	Remarks	with sealing ring			
4)	Remarks	with Item 3, 5, 6			
5)	Remarks	Item 6 / 10 (Item10-17) see illustration plate 604			

605

CLAAS

BGZ 13050



11374z00
LEXION 480

122357

ENGINE CAT C12; FUEL SYSTEM, FUEL COOLER 1)



Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0353 723 1	CONNECTION	90°-11/16-16UN-2B	1	
2	00 0408 544 0	2-EAR CLAMP	11-13 ERS.D. 408544.1	4	
3	00 0715 242 0	CLAMP	A 15	5	
4	00 0242 442 0	HEXAGON HEAD BOLT	M 6X30	4	
4	00 0236 169 0	HEXAGONAL NUT	M6	4	
4	00 0239 386 0	CONTACT WASHER	A 6	8	
5	00 0136 533 0	TUBE	11X1,5X10000	1	2)
6	00 0659 234 1	SUPPORT BRACKET	3X60X60	1	
7	00 0244 223 0	HEXAGON HEAD BOLT	M 8X50	1	
7	00 0236 170 0	HEXAGONAL NUT	M8	1	
7	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
8	00 0239 304 0	CONNECTION	D16X1,5-8	2	
9	00 0235 341 0	COACH BOLT	M 6X30	1	
9	00 0236 169 0	HEXAGONAL NUT	M6	1	
9	00 0239 386 0	CONTACT WASHER	A 6	1	
10	00 0235 344 0	COACH BOLT	M 6X45	3	
10	00 0236 169 0	HEXAGONAL NUT	M6	3	
10	00 0239 386 0	CONTACT WASHER	A 6	3	
11	00 0350 370 0	FUEL COOLER		1	
12	00 0735 998 0	GROMMET	C 6-12X24X1,5	2	
13	00 0136 533 0	TUBE	11X1,5X10000	1	3)
14	00 0211 371 0	HEXAGON HEAD BOLT	M 6X60	1	
14	00 0236 169 0	HEXAGONAL NUT	M6	1	
14	00 0239 386 0	CONTACT WASHER	A 6	1	
15	00 0096 029 0	HOLLOW SCREW	10 - 3 - M14X1,5	1	
16	00 0633 114 1	FLAT SEAL RING	D 14X20X1,5	2	
17	00 0736 256 1	THREADED INSET	6KT32X48	1	
18	00 0233 131 0	WASHER	28X 42X 1	1	
19	00 0215 956 1	O-RING	18,4X5,33-N	1	
20	00 0239 331 0	CONNECTION	R14- 8	1	

1)	Remarks	P 02/500 = 317 Kw / 431 Ps
2)	Remarks	1850 long
3)	Remarks	1650 long

361

CLAAS

BGZ 09200



11365200
LEXION 480



129363

DRIVE GP-FAN

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0350 337 0	BEARING BOLT	SECHSKANT50X100	1	
2	00 0236 318 0	CIRCLIP	80X2,5	1	
3	00 0215 960 0	ANG. BALL BEARING	3307-2RS -35X80X34,9	1	
4	00 0234 385 0	BACK-UP WASHER	S 35X45	1	
5	00 0235 164 0	CIRCLIP	35X1,5	1	
6	00 0761 979 1	V-RIBBED BELT		1	
7	00 0761 956 0	V-BELT PULLEY	D219.4X165	1	
8	00 0244 548 0	NOTCHED NAIL	3 X 5	1	
9	00 0796 021 1	FAN WHEEL	842/12-12/P5ZL/32, 5/PAG/	1	
10	00 0237 467 0	HEXAGON HEAD BOLT	M 6X22	10	
11	00 0239 386 0	CONTACT WASHER	A 6	10	



362

CLAAS

BGZ 09210

LEXION 480

129366



11047z00
LEXION 480


ROTARY SCREEN DRIVE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0545 689 0	V-BELT		1	
2	00 0761 690 1	V-BELT PULLEY		1	
3	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	1	
4	00 0236 823 0	WASHER	6,5X30X3	1	
5	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	3	
6	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	
7	00 0761 722 0	SUPPORT	4X268X195	1	
8	00 0238 784 0	STRAIGHT MALE CONNECTOR	SDS-L10XG3/8A-TYPE 2 B	2	
9	00 0633 922 0	HYDRAULIC MOTOR	OMM 12,5	1	
9	00 0544 924 0	SEAL KIT	OMM XXX DANFOSS	1	
10	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	3	
11	00 0239 386 0	CONTACT WASHER	A 6	3	

CLAAS

BGZ 09210

363



11050z01
LEXION 480

129373/01

DRI.F.SUCTION BLOWER-RADIAT.CHAFF SCREEN


Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0644 782 1	SUCTION FAN	S	1	1)
1	00 0236 171 0	HEXAGONAL NUT	M10	2	
2	00 0234 364 0	WASHER	11X26X4	1	
3	00 0644 810 0	TUBE	25X3X58	1	
4	00 0653 793 1	COMPRESS.SPRING	2,8 X 15 X 75	1	
5	00 0721 534 0	SPACER	D20 X 10,2	1	
10	00 0644 825 0	TENSIONER		1	
11	00 0234 953 0	COACH BOLT	M8X20X13	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
12	00 0644 781 0	V-BELT		1	
13	00 0233 324 0	HEXAGONAL NUT	M16X1,5	1	
14	00 0239 391 0	CONTACT WASHER	A16	1	
15	00 0644 814 0	V-BELT PULLEY	D108,6X48,5	1	
16	00 0215 210 0	BACK-UP WASHER	S 17X24X1,5	1	
17	00 0244 816 0	WOODRUFF KEY	5 X 7,5 X 19	1	
18	00 0951 003 4	PARALLEL KEY	A 6X 6X 32	1	
19	00 0216 039 0	GRVD.BALL BEARING	6004-2RS*-C3	2	
21	00 0657 697 1	BEARING HOUSING	D75X34	1	
22	00 0238 312 0	BACK-UP WASHER	S 20X28	1	
23	00 0235 155 0	CIRCLIP	20X1,2	1	
24	00 0657 693 2	FAN WHEEL		1	
25	00 0238 503 0	THREADED PIN	M 8X12	1	
26	00 0657 698 1	SHAFT	D20,15X119,5	1	
28	00 0234 284 0	WASHER	13X30,0X2	4	
29	00 0644 816 0	SUPPORT		1	
30	00 0239 389 0	CONTACT WASHER	A12	1	
31	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	1	
32	00 0235 241 1	HEXAGON HEAD BOLT	M06X40	4	
32	00 0236 169 0	HEXAGONAL NUT	M6	4	
32	00 0235 131 1	SPRING WASHER	6 -6,1X11,8X1,3	4	
33	00 0657 676 1	BACK PANEL	1,5X0458X0389	1	
34	00 0237 465 0	HEXAGON HEAD BOLT	M6X16	9	
34	00 0237 983 0	HEXAGONAL NUT	M6	9	
34	00 0239 386 0	CONTACT WASHER	A 6	9	
35	00 0657 667 4	FAN HOUSING		1	
36	00 0796 675 0	BEARING SHAFT		1	2)

1) Remarks

MONTIERT

2) Remarks

with Item 19-23, 26



ENGINE CAT C12; BASE, OIL DRAIN HOSE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0215 631 0	HEXAGON HEAD BOLT	3/4-10UNC-2AX4 1/2	4	
2	00 0212 191 0	CONTACT WASHER	A20	4	
3	00 0796 231 0	BUSHING	D42D20.5X62	6	
4	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	1	
4	00 0236 170 0	HEXAGONAL NUT	M8	1	
4	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
5	00 0073 012 1	ANGLE	30X5X160	1	
6	00 0215 394 0	HOLDER CLAMP	D1-24X20	2	
7	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	4	
8	00 0239 389 0	CONTACT WASHER	A12	8	
9	00 0760 949 2	SUPPORT REAR		1	
10	00 0237 458 0	HEXAGON HEAD BOLT	M12X20	4	
11	00 0235 522 0	HEXAGON HEAD BOLT	M8 X 65	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	2	
11	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
12	00 0689 060 0	CLAMP	Z KP-3-R-25-25-PA	1	
13	00 0697 798 0	CABLE TIE	7,6X290X1,9	2	
14	00 0211 465 0	HEX.HEAD BOLT	1/2-13UNC-2AX1 1/2	1	
15	00 0408 554 2	HOSE CLAMP	W.ERS.D.4085543	1	
16	00 0211 573 0	HEXAGON HEAD BOLT	M18-100	2	
16	00 0242 848 0	HEXAGONAL NUT	M18	2	
16	00 0212 191 0	CONTACT WASHER	A20	4	
17	00 0761 931 2	ENGINE MOUNTING		1	
18	00 0350 390 1	OIL DRAIN HOSE		1	
19	00 0236 327 0	HEXAGONAL NUT	M22X1,5	1	
20	00 0077 528 2	DRAIN FITTING	D18,1X51,5	1	
21	00 0633 589 1	UNION NUT	A3 L15	1	
22	00 0077 529 0	STRAP	1,0X0026X0041	1	
23	00 0215 080 0	SNAP RING	A 14	1	
24	00 0668 879 0	SUPPORT	3,0X0110X0126	1	
25	00 0002 846 0	RING	SPIRALFÖRMIG OFFEN2 16 X		
26	00 0002 848 0	KNOT CHAIN	1,8X 25X 6GL	1	


1) Remarks

P 02/500 = 317 Kw / 431 Ps

CLAS

BGZ 11050

608



11033Z01
LEXION 480

122366

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com