


E0373 0102A010A 1



010 COMPLETE ENGINE


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0773 933 2	ENGINE	OM936LA 230KW STAGE IV	1	1)
1	00 2644 190 0	ENGINE	OM936LA 230KW E4 SE	1	2)
1	00 1984 858 0	ENGINE	REMAN OM 936 LA 230KW T4	1	3)
1	00 1984 866 0	ENGINE	REMAN OM 936 LA 230KW T4	1	4)
1	00 0773 934 2	ENGINE	OM936LA 230KW STAGE IV	1	5)
1	00 2644 194 0	ENGINE	OM936LA 230KW E4 SE	1	6)
1	00 1984 860 0	ENGINE	REMAN OM 936 LA 230KW T4	1	7)
1	00 1984 868 0	ENGINE	REMAN OM 936 LA 230KW T4	1	8)
1	00 0773 935 2	ENGINE	OM936LA 260KW STAGE IV	1	9)
1	00 2644 197 0	ENGINE	OM936LA 260KW E4 SE	1	10)
1	00 1984 854 0	ENGINE	REMAN OM 936 LA 260KW T4	1	11)
1	00 1984 862 0	ENGINE	REMAN OM 936 LA 260KW T4	1	12)
1	00 0773 936 3	ENGINE	OM936LA 260KW STAGE IV	1	13)
1	00 2644 205 0	ENGINE	OM936LA 260KW E4 SE	1	14)
1	00 1984 856 0	ENGINE	REMAN OM 936 LA 260KW T4	1	15)
1	00 1984 864 0	ENGINE	REMAN OM 936 LA 260KW T4	1	16)

1)	Equipment		
	machine no.	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) + up to C7300344
2)	Equipment		
	machine no.	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) + from C7300345
3)	Equipment		
	Remarks	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) Exchange / Reman; not for US
4)	Equipment		
	Remarks	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) Exchange / Reman; for USA
5)	Equipment		
	machine no.	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor + up to C7300344
6)	Equipment		
	machine no.	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor + from C7300345
7)	Equipment		
	Remarks	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor Exchange / Reman; not for US
8)	Equipment		
	Remarks	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor Exchange / Reman; for USA
9)	Equipment		
	machine no.	MD_P02_0786	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) + up to C7300359

010 COMPLETE ENGINE

10) Equipment		
machine no.	MD_P02_0786	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) + from C7300360
11) Equipment		
Remarks	MD_P02_0786	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) Exchange / Reman; not for US
12) Equipment		
Remarks	MD_P02_0786	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) Exchange / Reman; for USA
13) Equipment		
machine no.	MD_P02_0787	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) with air compressor + up to C7300359
14) Equipment		
machine no.	MD_P02_0787	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) with air compressor + from C7300360
15) Equipment		
Remarks	MD_P02_0787	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) with air compressor Exchange / Reman; not for US
16) Equipment		
Remarks	MD_P02_0787	Mercedes-Benz OM936 LA - 260 kW/354 hp (T4) with air compressor Exchange / Reman; for USA


E0373 0105A100A 1



100 ENGINE SUSPENSION

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 888 0	HEXAGON HEAD BOLT	M16X130	1	
1	00 0239 391 0	CONTACT WASHER	A16	2	
1	00 0236 173 0	HEXAGONAL NUT	M16	1	
2	00 2599 230 0	ENGINE SUPPORT	OM936	1	
3	00 0780 901 4	ENGINE MOUNTING		1	
4	00 0239 391 0	CONTACT WASHER	A16	4	
5	00 0328 987 0	HEX. SOCKET CHEESE-HEAD SCREW	M16X1,5 X50	4	
6	00 0239 415 0	HEXAGON HEAD BOLT	M16X85	2	1)
6	00 0239 415 0	HEXAGON HEAD BOLT	M16X85	1	2)
7	00 0239 391 0	CONTACT WASHER	A16	2	1)
7	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	1	2)
8	00 0796 273 0	BUSHING	D32/D18X50	2	1)
8	00 0796 273 0	BUSHING	D32/D18X50	1	2)
9	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	4	
10	00 0239 389 0	CONTACT WASHER	A12	4	
11	00 0780 898 0	SUPPORT	6X172X272	1	
12	00 0237 458 0	HEXAGON HEAD BOLT	M12X20	4	
13	00 0239 389 0	CONTACT WASHER	A12	4	
14	00 0236 230 0	HEXAGON HEAD BOLT	M16X35	10	
15	00 0239 391 0	CONTACT WASHER	A16	10	
16	00 0233 095 0	HEXAGON HEAD BOLT	M16X65	1	
16	00 0239 391 0	CONTACT WASHER	A16	1	
16	00 0236 173 0	HEXAGONAL NUT	M16	1	
17	00 2598 319 0	THREADED BOLT		1	2)
1)	machine no.	+ up to C7300048			
2)	machine no.	+ from C7300049			

E0373 0125A100A 1




100 FUEL TANK

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0506 711 3	FUEL TANK		1	1)
2	00 0217 501 0	CONNECTOR	NQS 1/2" - 6 X 90	1	
3	00 0217 508 0	CAP	GRAD		
3	00 0536 232 0	CAP	DV 80 GL OHNE LÜFTUNG	1	2)
4	00 0211 701 0	O-RING	DV80A M. SCHLOSS	1	3)
5	00 0038 915 0	SOCKET	91,67X3,53-N	1	
6	00 0736 238 0	TANK FILTER	SV 80 B/40	1	
7	00 0783 648 2	BLIND PLUG		3	4)
7	00 0217 460 0	O-RING	18,64X3,53 -N	3	
8	00 0794 417 2	VENTILATION		1	
8	00 1828 336 0	O-RING	19X4-N	1	
9	00 0783 649 2	ADAPTER		1	
9	00 1828 336 0	O-RING	19X4-N	1	
10	00 0202 240 0	HOSE	A 6X10	1	5)
10	00 0217 507 0	PIPE BRACKET	NW 7,5	4	
11	00 0016 596 3	LEVEL INDICATOR	L=1320MM	1	6)
11	00 0783 653 0	PT SCREW	6ST 4X40	1	
12	00 0794 993 0	GASKET	VORRATSGEBER	1	
13	00 0798 863 0	CONNECTOR	NORMAQUICK S NW	1	
14	00 0217 459 1	O-RING	1/2"-10-27X4,0 -N	1	
15	00 0783 643 1	PLUG	WASSER + G3/8"	1	
16	00 0687 625 1	HEXAGON HEAD BOLT	M8X17 F. TANK	1	
17	00 1805 688 0	BALL-TYPE TAP	WASSERABLA		
18	00 1805 689 1	DOUBLE NIPPLE	IG + IG G3/4" LW 12	1	
19	00 0132 263 0	O-RING	G3/4AG - G3/8AG	1	
20	00 1805 690 0	ADAPTER	017-17,17 X1,78 -N	1	
21	00 0136 559 0	TUBE	G3/4"AG / PS3 NW12	1	
22	00 0536 221 0	MASTER KEY	12,5X1,25X10000	1	7)
22	00 0536 225 0	LOCKING CYLINDER	SATZ; INDIVIDUELLE SCHLI	1	8)
22	00 0536 215 0	LOCKING CYLINDER	TANK,INDIVIDUELLE SCHLIE	1	8)
23	00 0783 660 0	RETURN PIPE	TANK,STANDARD SCHLIESSUN	1	2)
			LANG FUER 800LTR. TANK	1	

1)	Remarks	with Item 3 - 9, 11 - 12, 21
2)	Equipment	
	MD_Q18_0010	Locking system, standard
3)	Equipment	
	MD_Q18_0020	Locking system, individual
	Remarks	LOCKING
4)	Remarks	with O-Ring 217 460.0
5)	Remarks	2800 long
6)	CCN	
	CCN-B043	fuel level sensor
		without 783 653.0
7)	Remarks	1290 long
8)	Equipment	
	MD_Q18_0020	Locking system, individual


E0373 0125A100A 2



100 FUEL TANK

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0794 841 4	FASTENER	1400	1	
2	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	2	
2	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
2	00 0236 170 0	HEXAGONAL NUT	M8	2	
3	00 0794 936 2	SUPPORT	1420 / 600LTR.	1	
4	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	2	
5	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
6	00 0794 938 5	SUPPORT	1420	1	
7	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	3	
8	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
9	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	2	
9	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
9	00 0236 171 0	HEXAGONAL NUT	M10	2	
10	00 0782 676 0	REINFORCING PLATE		1	
11	00 0794 855 4	SUPPORT		1	
12	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	1	
12	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
12	00 0236 171 0	HEXAGONAL NUT	M10	1	
13	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	4	
13	00 0239 389 0	CONTACT WASHER	A12	8	
13	00 0236 172 0	HEXAGONAL NUT	M12	4	
14	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	
15	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	1	
16	00 0794 935 2	MAIN FRAME	1420	1	
17	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
18	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	2	
19	00 0794 937 2	SUPPORT	1420	1	
20	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	1	
20	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
20	00 0236 170 0	HEXAGONAL NUT	M8	1	

E0373 0125A140A 1




140 FUEL PIPES

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0773 596 0	FUEL PIPE		1	1)
2	00 0068 687 1	CONNECTION	M18X1,5-10/100GRAD 1 KRAFT	1	
3	00 0142 279 0	TUBE NIPPLE	DN10 - N90 L12 (M18X1,5)	1	
4	00 0773 598 0	FUEL PIPE		1	2)
5	00 0068 687 1	CONNECTION	M18X1,5-10/100GRAD 1 KRAFT	1	
6	00 0215 167 0	CONNECTION	D16X1,5-10	1	
7	00 0215 409 0	GROMMET	C 10-18X30X1,5	1	
8	00 0773 023 1	FUEL PIPE		1	3)
9	00 0215 167 0	CONNECTION	D16X1,5-10	1	
10	00 0798 863 0	CONNECTOR	NORMAQUICK S NW 1/2"-10-	1	
11	00 0477 788 0	CORRUGAT. CONDUIT	NW 13 X 50000 - 1ROLLE	1	4)
12	00 0735 998 0	GROMMET	C 6-12X24X1,5	1	
13	00 0773 116 1	FUEL PIPE		1	5)
14	00 1805 672 0	CONNECTOR	90°;PS3 NW12	1	
15	00 0408 552 2	HOSE CLAMP	A-12-22X9	2	
16	00 2500 141 0	REDUCING ADAPTER	I-B-M16X1,5 X A-F-M27X2	1	
17	00 0233 863 0	SCREW-IN FITTING	SDS-L12XM16X1, 5-TYPE B	1	
18	00 1118 218 0	SCREW-IN FITTING	SDS-L15XM27X2-TYPE 1 F	1	
19	00 0235 525 0	HEXAGON HEAD BOLT	M8X80	3	
20	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
21	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	1	
21	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
21	00 0236 170 0	HEXAGONAL NUT	M8	1	
22	00 0216 341 0	HOLDER CLAMP	D1-12X20	1	
23	00 0796 374 0	PIPE BRACKET	D 11	1	
23	00 0796 375 0	PIPE BRACKET	D 11	1	
24	00 0216 341 0	HOLDER CLAMP	D1-12X20	1	
25	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
25	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
25	00 0236 170 0	HEXAGONAL NUT	M8	2	
26	00 0798 856 0	CLAMP	A 12	3	
27	00 0239 386 0	CONTACT WASHER	A 6	3	
28	00 0242 442 0	HEXAGON HEAD BOLT	M 6X30	3	
29	00 0609 147 0	SUPPORT	3X20X70	1	

1)	Remarks	with Item 2 - 3
2)	Remarks	with Item 5 - 7
3)	Remarks	with Item 9 - 12
4)	Remarks	450 mm long
5)	Remarks	with item 14 - 15


E0373 0125A160A 1



160 FUEL FILTER

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2400 799 3	FUEL PRE-FILTER		1	1)
2	00 2402 118 0	HAND PUMP		1	
2	00 2402 497 0	GASKET	FÜR HANDPUMPE 24021180	1	
3	00 2402 503 0	HOUSING COVER		1	
4	00 2402 502 0	DRAIN SCREW		3	
5	00 0781 149 1	FILTER ELEMENT		1	2)
6	00 0235 525 0	HEXAGON HEAD BOLT	M8X80	3	
7	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
8	00 1118 218 0	SCREW-IN FITTING	SDS-L15XM27X2-TYPE 2 F		
1)	Remarks	with Item 2 - 5			
2)	Remarks	w/o by-pass valve			

E0373 0125A180A 1



180 FUEL COOLER

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0236 438 0	COACH BOLT	M 8X 16X10	4	
1	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
1	00 0236 170 0	HEXAGONAL NUT	M8	4	
2	00 0799 147 0	STOP		1	
3	00 0606 163 0	LOCK TRUNNION	10/ 7,74- 8,49	2	
3	00 0601 243 0	SUPPORTING WASHER	10,8X25X0,6	2	
4	00 0233 689 0	COACH BOLT	M 6X20X15	3	
4	00 0239 386 0	CONTACT WASHER	A 6	3	
4	00 0236 169 0	HEXAGONAL NUT	M6	3	
5	00 0799 144 0	BRACE	4,0X101,5X879,5	1	
6	00 0799 147 0	STOP		1	
7	00 0780 096 0	FUEL COOLER		1	
8	00 0211 307 0	COACH BOLT	M 8X 55	1	
8	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	1	
8	00 0236 170 0	HEXAGONAL NUT	M8	1	
9	00 0659 273 0	CABLE RING	A 16X24X3	2	
10	00 0799 145 0	BRACE	5,0X311,8X997,3	1	
11	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	1	
11	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	2	
11	00 0236 170 0	HEXAGONAL NUT	M8	1	

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com