



E0596 0102A010A 1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2598 515 2	ENGINE	OM473 430KW E5 LEXION	1	2)
1	00 2598 516 2	ENGINE	OM473 K 430KW E5 LEXION	1	3)
1	00 2598 519 2	ENGINE	OM473 K 480KW E5 LEXION	1	4)
1	00 2598 520 2	ENGINE	OM473 K 480KW E5 LEXION	1	5)
1	00 1986 353 0	ENGINE	REMAN OM473 K 480KW E5 L	1	5)
1)	Equipment	MD_P02_0950 MD_P02_0951 MD_P02_0960 MD_P02_0961	Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V) Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V), air compressor Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V) Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V), air compressor		
2)	Equipment	MD_P02_0950	Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V)		
3)	Equipment	MD_P02_0951	Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V), air compressor		
4)	Equipment	MD_P02_0960	Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V)		
5)	Equipment	MD_P02_0961	Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V), air compressor		


E0596 0102A010B 1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2598 639 1	ENGINE	D4276 E5 581KW ROTOR	1	2)
1	00 2598 640 1	ENGINE	D4276 E5 581KW ROTOR	1	3)
1	00 2598 639 1	ENGINE	D4276 E5 581KW ROTOR	1	4)
1	00 2598 640 1	ENGINE	D4276 E5 581KW ROTOR	1	5)
1)	Equipment	MD_P02_0968 MD_P02_0969 MD_P02_0970 MD_P02_0971	MAN D4276 - 581 kW/790 hp (Stage V) MAN D4276 - 581 kW/790 hp (Stage V), air compressor 0970_D4276 L R120-581 E5 0971_D4276 KL R120-581 E5		
2)	Equipment	MD_P02_0968	MAN D4276 - 581 kW/790 hp (Stage V)		
3)	Equipment	MD_P02_0969	MAN D4276 - 581 kW/790 hp (Stage V), air compressor		
4)	Equipment	MD_P02_0970	0970_D4276 L R120-581 E5		
5)	Equipment	MD_P02_0971	0971_D4276 KL R120-581 E5		


E0596 0102A010C-1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2643 115 0	ENGINE	2206D 420KW	1	2)
1	00 2643 126 0	ENGINE	2206D 420KW	1	3)
1) Equipment					
		MD_P02_0856	Perkins 2206D ECE R120 420 kW T3		
		MD_P02_0857	Perkins 2206D K ECE R120 420 kW T3 with air compressor		
2) Equipment					
		MD_P02_0856	Perkins 2206D ECE R120 420 kW T3		
3) Equipment					
		MD_P02_0857	Perkins 2206D K ECE R120 420 kW T3 with air compressor		

E0596 0105A100A 1




100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0665 457 1	HEX.HEAD BOLT	M16X1,5X170	4	
1	00 0239 391 0	CONTACT WASHER	A16	4	
2	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	4	
2	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
2	00 0236 171 0	HEXAGONAL NUT	M10	4	
3	00 2674 959 1	SUPPORT	6X256,3X311,3	1	
4	00 2679 858 1	CONNECTION		1	
5	00 2674 960 0	SUPPORT	6X256,3X311,3	1	
6	00 2630 278 0	BUSHING	D34XD16,5X16	8	
7	00 0218 100 0	HEXAGON HEAD BOLT	M16X1,5X50	8	
7	00 0239 391 0	CONTACT WASHER	A16	8	
8	00 0235 553 0	HEXAGON HEAD BOLT	M12X45	6	
8	00 0239 389 0	CONTACT WASHER	A12	6	
9	00 2678 073 0	BUSHING	D28XD13X20	8	
10	00 2627 043 7	ENGINE MOUNTING	OM473LA 1700	1	
11	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	9	
11	00 0239 389 0	CONTACT WASHER	A12	9	
11	00 0233 103 0	WASHER	13-13X30X6	9	
12	00 2658 321 1	SUPPORT	5X150X151,1	1	
13	00 0237 373 0	HEXAGON HEAD BOLT	M14X40	4	
13	00 0239 390 0	CONTACT WASHER	A14	4	
14	00 0238 990 0	WASHER	Ø16,5 X Ø33,5 - 1X5	4	
15	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
15	00 0239 389 0	CONTACT WASHER	A12	4	
16	00 2659 928 2	SUPPORT	4X297,4X312,4	1	
17	00 2659 916 2	SUPPORT	4X297,4X312,4	1	
18	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	3	
18	00 0239 389 0	CONTACT WASHER	A12	3	
19	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	4	
19	00 0239 389 0	CONTACT WASHER	A12	8	
19	00 0236 172 0	HEXAGONAL NUT	M12	4	
20	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	
20	00 0239 389 0	CONTACT WASHER	A12	2	

1) Equipment

MD_P02_0950	Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V)
MD_P02_0951	Mercedes-Benz OM473 LA - 430 kW/585 hp (Stage V), air compressor
MD_P02_0960	Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V)
MD_P02_0961	Mercedes-Benz OM473 LA - 480 kW/653 hp (Stage V), air compressor

E0596 0105A100B 1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	77 0004 929 7	HEXAGON HEAD BOLT	M16X160	4	
1	00 0239 391 0	CONTACT WASHER	A16	4	
2	00 1070 413 1	HEXAGON HEAD BOLT	M14X100	2	
2	00 0239 390 0	CONTACT WASHER	A14	2	
3	00 1601 435 0	HEXAGON HEAD BOLT	M14X160	2	
3	00 0239 390 0	CONTACT WASHER	A14	2	
6	00 2652 547 0	BUSHING		4	
7	00 0217 067 0	HEXAGON HEAD BOLT	M14X50	4	
7	00 0239 390 0	CONTACT WASHER	A14	4	
8	00 0235 553 0	HEXAGON HEAD BOLT	M12X45	4	
8	00 0239 389 0	CONTACT WASHER	A12	4	
9	00 2678 073 0	BUSHING	D28XD13X20	4	
10	00 2596 126 3	ENGINE MOUNTING	D4276 1700	1	2)
10	00 2743 368 0	ENGINE MOUNTING	D4276 1700	1	3)
11	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	9	
11	00 0239 389 0	CONTACT WASHER	A12	9	
11	00 0233 103 0	WASHER	13-13X30X6	9	
12	00 2658 321 1	SUPPORT	5X150X151,1	1	
13	00 0237 373 0	HEXAGON HEAD BOLT	M14X40	4	
13	00 0239 390 0	CONTACT WASHER	A14	4	
14	00 0238 990 0	WASHER	Ø16,5 X Ø33,5 - 1X5	4	
15	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
15	00 0239 389 0	CONTACT WASHER	A12	4	
16	00 2660 008 1	SUPPORT	4X262,4X298,4	1	
17	00 2659 991 1	SUPPORT	4X287,8X298,4	1	2)
17	00 2700 976 1	SUPPORT	4X282,2X298,4	1	3)
18	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	3	
18	00 0239 389 0	CONTACT WASHER	A12	3	
19	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	4	
19	00 0239 389 0	CONTACT WASHER	A12	8	
19	00 0236 172 0	HEXAGONAL NUT	M12	4	
20	00 2599 780 0	RUBBER PAD	150X30X6(15)	2	

1) Equipment

MD_P02_0968	MAN D4276 - 581 kW/790 hp (Stage V)
MD_P02_0969	MAN D4276 - 581 kW/790 hp (Stage V), air compressor
MD_P02_0970	0970_D4276 L R120-581 E5
MD_P02_0971	0971_D4276 KL R120-581 E5


2) machine no.

+ up to C8600067

3) machine no.

+ from C8600068

E0596 0105A100B 2



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2599 780 0	RUBBER PAD	150X30X6(15)	2	
2	00 2596 086 2	FRAME		1	
3	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
3	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
3	00 0236 170 0	HEXAGONAL NUT	M8	2	
4	00 0237 463 0	HEXAGON HEAD BOLT	M16X25	2	
4	00 0239 391 0	CONTACT WASHER	A16	2	
5	00 2402 009 0	CLAMP BRACKET	M8X154	1	
6	00 0234 320 0	WASHER	8,4X23X3	4	
6	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	2	
6	00 0238 132 0	LOCK NUT	M8	2	
7	00 2657 825 2	SUPPORT	D4276	1	
8	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	4	
8	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	

1) Equipment

MD_P02_0968

MD_P02_0969

MD_P02_0970

MD_P02_0971


MAN D4276 - 581 kW/790 hp (Stage V)

MAN D4276 - 581 kW/790 hp (Stage V), air compressor

0970_D4276 L R120-581 E5

0971_D4276 KL R120-581 E5

E0596 0105A100C-1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0363 159 0	HEX.HEAD BOLT	3/4-10UNC-2AX5 1/2	4	
1	00 0212 191 0	CONTACT WASHER	A20	4	
2	00 0211 465 0	HEX.HEAD BOLT	1/2-13UNC-2AX1 1/2	1	
2	00 0239 390 0	CONTACT WASHER	A14	1	
8	77 0003 696 2	SCREW	M18X110	2	
8	00 1133 001 1	CONTACT WASHER	A18 -18,5X35X3	4	
8	00 0242 848 0	HEXAGONAL NUT	M18	2	
9	00 2697 193 1	BUSHING	D50XD20X58	2	2)
9	00 0796 231 0	BUSHING	D42D20.5X62	2	3)
10	00 2628 001 6	ENGINE MOUNTING	2206D 1700	1	
11	00 0235 563 0	HEXAGON HEAD BOLT	M12X100	9	
11	00 0239 389 0	CONTACT WASHER	A12	9	
11	00 0233 103 0	WASHER	13-13X30X6	9	
12	00 2658 317 1	SUPPORT	8X150X181,1	1	
13	00 0237 373 0	HEXAGON HEAD BOLT	M14X40	4	
13	00 0239 390 0	CONTACT WASHER	A14	4	
14	00 0238 990 0	WASHER	Ø16,5 X Ø33,5 - 1X5	4	
15	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
15	00 0239 389 0	CONTACT WASHER	A12	4	
18	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	3	
18	00 0239 389 0	CONTACT WASHER	A12	3	
19	00 0237 572 0	HEXAGON HEAD BOLT	M12X35	4	
19	00 0239 389 0	CONTACT WASHER	A12	8	
19	00 0236 172 0	HEXAGONAL NUT	M12	4	


1) EquipmentMD_P02_0856
MD_P02_0857Perkins 2206D ECE R120 420 kW T3
Perkins 2206D K ECE R120 420 kW T3 with air compressor**2) machine no.**

+ from C8600021

3) machine no.

+ from C8600011 up to C8600021

PK1382550



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com