




Markant 51


100142

CLHHS

UN.DRIVE SHAFT WITH FREE WHEEL MECH.,VAR.3508 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0812 972 0	OVER-RUN CLUTCH		1	2)
2	00 0239 343 0	SNAP RING	SP 42	1	3)
3	00 0920 676 0	ANGLE RING		1	3)
4	00 0920 677 0	LOCKING SLEEVE		1	3)
5	00 0920 678 0	COMPRESS.SPRING		1	3)
6	00 0972 502 0	CIRCLIP		1	3)
7	00 0920 679 0	THRUST WASHER		1	3)
8	00 0241 041 0	STEEL BALL	12,7 G28	3	3)
9	00 0920 680 0	HUB		1	3)
10	00 0920 681 0	COMPRESS.SPRING		6	3)
11	00 0972 492 0	CYLIND.ROLLER		6	3)
12	00 0972 491 0	DRIVING DISC		1	3)
13	00 0812 971 0	CLUTCH HOUSING		1	3)
14	00 0812 316 1	DRIVE SHAFT HALF	ERS.D.627156.04	1	4)
15	00 0812 337 0	PROFILE TUBE		1	3)
16	00 0977 216 0	TENSION PIN FORKE		1	3)
17	00 0977 213 0	CENTRE CROSS ASS.		2	3)
18	00 0977 214 0	CIRCLIP		8	3)
19	00 0809 973 1	CENTRE CROSS ASS.		1	3)
20	00 0244 580 0	SPRING PIN	10 X 75	1	3)
21	00 0972 297 0	SUPPORTING CHAIN		1	
22	00 0812 314 0	PROTECTIVE TUBE		1	3)
23	00 0920 671 0	GLIDE RING		2	
24	00 0812 313 0	PROTECT.FUNNEL		1	3)
25	00 0977 217 1	TENSION PIN FORKE		1	3)
26	00 0812 338 0	PROFILE TUBE		1	3)
27	00 0239 445 0	SPRING PIN	W.ERS.D.2394451	1	3)
28	00 0818 093 0	PROTECT.FUNNEL		1	
29	00 0812 315 2	OUTER GUARD HALF		1	3)


1)	Remarks	UP TO SERIAL NO. 01801025
2)	Remarks	tractor side
3)	Remarks	
4)	Remarks	machine side



UNIV. DRIVE SHAFT WITH FREE WHEEL MECH., VAR. 4353 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0813 010 0	DRIVE SHAFT ASSY.		1	2)
1	00 0813 011 0	DRIVE SHAFT HALF		1	3)
2	00 0813 698 0	WASHER		1	2)
3	00 0813 697 0	COMPRESS.SPRING		1	2)
4	00 0813 696 0	SLIDING PIN		1	2)
5	00 0941 657 0	EXTENSION FORKE		1	2)
6	00 0941 651 0	CENTRE CROSS ASS.		2	2)
7	00 0242 908 0	CIRCLIP	32X1,2	8	2)
8	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	2)
9	00 0941 660 0	FORK		1	2)
10	00 0972 248 0	PROFILE TUBE		1	2)
11	00 0244 581 0	SPRING PIN	W.ERS.D 2445812	1	2)
12	00 0818 093 0	PROTECT.FUNNEL		1	
13	00 0917 283 0	BACK-UP RING		2	2)
14	00 0920 671 0	GLIDE RING		2	
15	00 0972 297 0	SUPPORTING CHAIN		2	
16	00 0813 017 0	PROTECTIVE TUBE		1	2)
18	00 0813 012 0	DRIVE SHAFT HALF		1	4)
19	00 0813 016 0	PROFILE TUBE		1	2)
20	00 0235 186 0	CIRCLIP	72X2,5	1	2)
21	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	2)
22	00 0814 228 0	STOP KEY		2	2)
23	00 0814 229 0	FLAT SPRING		2	2)
24	00 0813 015 0	HUB		1	2)
25	00 0179 838 0	GREASE NIPPLE	A M8X1	1	2)
26	00 0813 014 0	CLUTCH HOUSING		1	2)
27	00 0813 013 0	HUB YOKE		1	2)
28	00 0915 017 8	SPRING PIN	W.ERS.D 2136980	1	2)
29	00 0941 739 0	PROTECTIVE TUBE		1	2)
30	00 0813 018 1	PROTECT.FUNNEL		1	2)

1)	Remarks	FROM SERIAL NO. 01801026
2)	Remarks	
3)	Remarks	tractor side
4)	Remarks	machine side



WIDE ANGLE UNIVERSAL DRIVE SHAFT, VAR. 4876 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0814 703 1	DRIVE SHAFT ASSY.		1	
1	00 0814 708 1	DRIVE SHAFT HALF		1	2)
2	00 0813 698 0	WASHER		1	
3	00 0813 697 0	COMPRESS.SPRING		1	
4	00 0813 696 0	SLIDING PIN		1	
5	00 0941 475 0	EXTENSION FORKE		1	
6	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	4	
7	00 0242 908 0	CIRCLIP	32X1,2	8	
8	00 0820 421 0	CENTRE CROSS ASS.		4	
9	00 0972 503 0	CIRCLIP		8	
10	00 0921 268 0	DOUBLE FORK		2	3)
10	00 0820 422 0	DOUBLE FORK	W.ERS.D.9212680	2	4)
11	00 0179 838 0	GREASE NIPPLE	A M8X1	2	3)
11	00 0244 946 0	GREASE NIPPLE	B M8X1	2	4)
12	00 0820 423 0	FORK		1	
13	00 0244 581 0	SPRING PIN	W.ERS.D 2445812	2	
14	00 0814 709 0	PROFILE TUBE		1	
15	00 0821 097 0	PROTECT.FUNNEL		2	3)
15	00 0920 193 4	PROTECT.FUNNEL		2	4)
15	00 0821 098 0	GLIDE RING		2	5)
16	00 0821 103 0	PROTECT.FUNNEL		2	3)
16	00 0920 961 0	PROTECT.FUNNEL		2	4)
17	00 0920 671 0	GLIDE RING		2	
18	00 0821 104 0	SUPPORTING CHAIN		2	3)
18	00 0972 297 0	SUPPORTING CHAIN		2	4)
19	00 0812 315 2	OUTER GUARD HALF		1	3)
19	00 0814 710 0	OUTER TUBE GUARD	ERS.D.8147101	1	4)
21	00 0814 711 1	DRIVE SHAFT HALF		1	6)
22	00 0814 714 0	PROFILE TUBE		1	
23	00 0814 713 0	FORK		1	
24	00 0814 712 0	EXTENSION FORKE		1	
25	00 0941 794 0	SLIDING PIN		1	
26	00 0941 795 0	COMPRESS.SPRING		1	
27	00 0941 796 0	WASHER		1	
28	00 0814 715 1	INNER GUARD HALF		1	

1)	Remarks	WITH FRIC.-OVERRUNNING CLUTCH SEE ILLUSTRATION 4 A OPTION
2)	Remarks	tractor side
3)	Remarks	from No. 01804186
4)	Remarks	BIS NR. 01804185
5)	Remarks	AB NR. 01814186
6)	Remarks	machine side

CLHHS

MARKANT 51

2



100145

Markant 51

DOUBLE UNIV. DRIVE SHAFT, FRONT, WITH OVERRUNNING 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0813 647 1	DRIVE SHAFT ASSY.		1	2)
2	00 0813 694 0	OVER-RUN CLUTCH		1	3)
3	00 0239 343 0	SNAP RING	SP 42	1	3)
4	00 0920 676 0	ANGLE RING		1	3)
5	00 0920 677 0	LOCKING SLEEVE		1	3)
6	00 0920 678 0	COMPRESS.SPRING		1	3)
7	00 0972 502 0	CIRCLIP		1	3)
8	00 0920 679 0	THRUST WASHER		1	3)
9	00 0241 041 0	STEEL BALL	12,7 G28	3	3)
10	00 0920 680 0	HUB		1	3)
11	00 0920 681 0	COMPRESS.SPRING		6	3)
12	00 0972 492 0	CYLIND.ROLLER		6	3)
13	00 0972 491 0	DRIVING DISC		1	3)
14	00 0813 704 0	CLUTCH HOUSING		1	3)
15	00 0239 499 0	CIRCLIP	36X1,5	8	3)
16	00 0813 681 0	CENTRE CROSS ASS.		2	3)
17	00 0813 684 0	FORK		2	3)
18	00 0239 445 0	SPRING PIN	W.ERS.D.2394451	2	3)
19	00 0813 699 0	PROFILE TUBE		1	3)
20	00 0813 695 0	EXTENSION FORKE		1	3)
21	00 0813 896 0	PIPE	22X1,5X3140	1	3)
22	00 0813 697 0	COMPRESS.SPRING		1	3)
23	00 0813 698 0	WASHER		1	3)
24	00 0818 093 0	PROTECT.FUNNEL		1	
25	00 0920 671 0	GLIDE RING		2	
26	00 0813 702 0	PROTECTIVE TUBE	280 LG	1	3)
27	00 0813 703 0	PROTECTIVE TUBE	280 LG	1	3)
28	00 0972 297 0	SUPPORTING CHAIN		1	
29	00 0813 706 0	PROTECT.FUNNEL		1	3)

1) Remarks

VAR. 3263
OPTION
UP TO SERIAL NO. 01801025

2) Remarks


tractor side

3) Remarks

CLHHS

MARKANT 51

2A



100146

Markant 51

DOUBLE UNIV. DRIVE SHAFT,FRONT SECTION, VAR. 4364 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0814 987 0	DRIVE SHAFT ASSY.		1	2)
0	00 0813 004 0	DRIVE SHAFT ASSY.		1	3)
1	00 0814 988 0	DRIVE SHAFT HALF		1	4)
1	00 0813 028 0	DRIVE SHAFT HALF		1	5)
2	00 0813 698 0	WASHER		1	6)
3	00 0813 697 0	COMPRESS.SPRING		1	6)
4	00 0813 696 0	SLIDING PIN		1	6)
5	00 0941 657 0	EXTENSION FORKE		1	6)
6	00 0941 651 0	CENTRE CROSS ASS.		2	6)
7	00 0242 908 0	CIRCLIP	32X1,2	8	6)
8	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	6)
9	00 0941 656 0	FORK		1	6)
10	00 0813 029 0	PROFILE TUBE		1	6)
11	00 0244 581 0	SPRING PIN	W.ERS.D 2445812	2	6)
12	00 0818 093 0	PROTECT.FUNNEL		1	
13	00 0917 283 0	BACK-UP RING		2	6)
14	00 0920 671 0	GLIDE RING		2	
15	00 0972 297 0	SUPPORTING CHAIN		2	
16	00 0813 030 0	PROTECTIVE TUBE		1	6)
18	00 0814 989 0	DRIVE SHAFT HALF		1	4)
18	00 0813 031 0	DRIVE SHAFT HALF		1	5)
19	00 0813 033 0	PROFILE TUBE	415 LANG	1	6)
20	00 0941 660 0	FORK		1	6)
21	00 0238 234 0	LOCK NUT	M12	1	6)
22	00 0813 032 0	EXTENSION FORKE		1	6)
23	00 0235 558 0	HEXAGON HEAD BOLT	M12X70	1	6)
24	00 0813 034 0	PROTECTIVE TUBE		1	6)
25	00 0941 919 0	PROTECT.FUNNEL		1	6)

1)	Remarks	OPTION FROM SERIAL NO. 01801026
2)	Remarks	SCHLEPPERSEITE,600LG.
3)	Remarks	SCHLEPPERSEITE,450LG.
4)	Remarks	for 8149870
5)	Remarks	FUER 8130040
6)	Remarks	


DOUBLE UNIV. DRIVE SHAFT, REAR SECTION, VAR. 3263 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0813 645 2	DRIVE SHAFT	8130940	1	2)
1	00 0810 104 3	PROTECT.FUNNEL		1	
2	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
3	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	3	
4	00 0813 652 1	BEARING RING		1	
5	00 0235 164 0	CIRCLIP	35X1,5	1	2)
6	00 0234 385 0	BACK-UP WASHER	S 35X45	1	2)
7	00 0235 186 0	CIRCLIP	72X2,5	2	
8	00 0235 869 0	GRVD.BALL BEARING	6207-2RS* -35X72X17	1	
9	00 0813 682 1	PROFILE SHAFT		1	2)
10	00 0810 105 0	UPPER PART		1	
11	00 0810 114 0	SPACER RING	D 40X8	1	
12	00 0008 515 0	BUSHING	20 X 23 X21	2	
13	00 0236 942 0	GREASE NIPPLE	A S6X1	1	2)
14	00 0813 654 0	BRACKET		1	2)
15	00 0810 117 0	BUSHING	D30X20	2	
16	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	2	
17	00 0237 462 0	HEXAGON HEAD BOLT	M12X40	2	
18	00 0237 026 0	SPLIT PIN	5X32	1	2)
19	00 0235 128 2	WASHER	21	1	
20	00 0813 658 0	PIN		1	2)
21	00 0920 955 1	GUARD RING		1	
22	00 0920 671 0	GLIDE RING		2	
23	00 0813 687 1	PROTECTIVE TUBE		1	2)
24	00 0813 679 2	DRIVE SHAFT HALF		1	2)
25	00 0813 683 1	PROFILE TUBE		1	2)
26	00 0813 684 0	FORK		1	2)
27	00 0813 681 0	CENTRE CROSS ASS.		1	2)
28	00 0239 499 0	CIRCLIP	36X1,5	4	2)
29	00 0813 680 2	HUB YOKE		1	2)
30	00 0239 445 0	SPRING PIN	W.ERS.D.2394451	1	2)
31	00 0972 297 0	SUPPORTING CHAIN		1	
32	00 0813 688 1	PROTECTIVE TUBE	600 LG	1	2)
33	00 0818 093 0	PROTECT.FUNNEL		1	2)
34	00 0244 942 0	GREASE NIPPLE	A M5X0,8	1	

1) Remarks

OPTION
UP TO SERIAL NO. 01801025

2) Remarks



DOUBLE UNIV. DRIVE SHAFT,REAR SECT. WITH OVERRUNN. 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
0	00 0813 003 0	DRIVE SHAFT ASSY.		1	2)
1	00 0810 104 3	PROTECT.FUNNEL		1	
2	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	
3	00 0242 445 0	HEXAGON HEAD BOLT	M8X10	3	
4	00 0813 652 1	BEARING RING		1	
5	00 0235 186 0	CIRCLIP	72X2,5	2	
6	00 0235 869 0	GRVD.BALL BEARING	6207-2RS* -35X72X17	1	
7	00 0810 117 0	BUSHING	D30X20	2	
8	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	2	
9	00 0237 462 0	HEXAGON HEAD BOLT	M12X40	2	
10	00 0810 105 0	UPPER PART		1	
11	00 0810 114 0	SPACER RING	D 40X8	1	
12	00 0008 515 0	BUSHING	20 X 23 X21	2	
13	00 0814 503 0	BUSH COMPLETE		1	3)
14	00 0235 128 2	WASHER	21	1	
15	00 0236 096 0	SPLIT PIN	5 X 28	1	3)
16	00 0814 500 0	SUPPORT		1	3)
17	00 0236 456 0	HEXAGONAL NUT	M12	2	3)
18	00 0233 907 0	HEXAGON HEAD SCREW	M12X35	2	3)
19	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	4	3)
19	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	4	3)
19	00 0236 913 2	FLAT WASHER	10-10,5X20X2	4	3)
20	00 0813 022 0	DRIVE SHAFT HALF		1	3)
21	00 0813 023 0	PROFILE TUBE		1	3)
22	00 0244 942 0	GREASE NIPPLE	A M5X0,8	1	
23	00 0920 955 1	GUARD RING		1	
24	00 0920 671 0	GLIDE RING		2	
25	00 0972 297 0	SUPPORTING CHAIN		2	
26	00 0813 024 0	PROTECTIVE TUBE		1	3)
28	00 0813 025 0	DRIVE SHAFT HALF		1	3)
29	00 0813 026 0	PROFILE TUBE		1	3)
30	00 0235 186 0	CIRCLIP	72X2,5	1	3)
31	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	3)
32	00 0814 228 0	STOP KEY		2	3)
33	00 0814 229 0	FLAT SPRING		2	3)
34	00 0813 015 0	HUB		1	3)
35	00 0179 838 0	GREASE NIPPLE	A M8X1	1	3)
36	00 0813 014 0	CLUTCH HOUSING		1	3)
37	00 0941 651 0	CENTRE CROSS ASS.		1	3)
38	00 0242 908 0	CIRCLIP	32X1,2	4	3)
39	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	3)
40	00 0813 013 0	HUB YOKE		1	3)
41	00 0915 017 8	SPRING PIN	W.ERS.D 2136980	1	3)
42	00 0813 027 0	PROTECTIVE TUBE		1	3)
43	00 0813 018 1	PROTECT.FUNNEL		1	3)

1) RemarksVAR. 4364
OPTION
FROM SERIAL NO. 01801026**2) Remarks**


MASCHINENSEITE

3) Remarks

4

CLHHS

MARKANT 51




100149

Markant 51

MACHINE DRIVE ASSEMBLY

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	1	
2	00 0215 006 0	CONTACT WASHER	12,4X24X1,8	1	
			ERS.D.23938		
3	00 0808 246 0	WASHER	12,5X35X4	1	
4	00 0237 832 0	GRVD.BALL BEARING	6006-2RS*	2	
5	00 0808 245 0	SPACER BUSH	D37X3X 25	1	
6	00 0237 835 0	CIRCLIP	55X2	1	
7	00 0808 228 4	SLIP CLUTCH		1	1)
7	00 0812 346 2	SLIP CLUTCH		1	2)
8	00 0808 220 1	COVER DISK		1	1)
8	00 0812 348 1	COVER DISK		1	2)
9	00 0808 202 3	DRIVING DISC	D165X6	2	
10	00 0808 203 2	DRIVING DISC	D210X5	1	
11	00 0808 244 2	COUPLING FLANGE		1	
12	00 0237 824 0	HEXAGONAL NUT	M10X1	12	
13	00 0808 209 0	COMPRESS.SPRING	4,5 X 15,5X 55	6	1)
13	00 0812 347 1	COMPRESS.SPRING	5,3 X 15,8X 55	6	2)
14	00 0239 483 0	HEXAGON HEAD SCREW	M10X1X110X32	6	
15	00 0812 014 1	GUARD CLUTCH		1	
16	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	3	
17	00 0233 244 0	HEXAGON HEAD BOLT	M12X40-MKL	3	
18	00 0235 681 0	SPRING PIN	W.ERS.D.2356812	1	
19	00 0235 653 0	SPRING PIN	W.ERS.D.2356531	1	
20	00 0236 942 0	GREASE NIPPLE	A S6X1	1	
21	00 0808 188 0	ADJUSTING RING		1	
22	00 0808 178 0	BUSHING		2	
23	00 0808 758 1	FLYWHEEL		1	
24	00 0807 577 1	SHEAR BUSHING		1	
1)	Remarks	at standard universal drive shaft			
2)	Remarks	BEI DOPPELGELENKWELLE			



4 A

CLHHS

Markant 51

100150

FRICTION AND OVERRUNNING CLUTCH, VAR. 4876 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0814 761 2	FRICTION CLUTCH		1	
2	00 0941 099 0	ADJUSTING RING		1	
3	00 0814 762 1	SPRING KIT		1	
4	00 0941 104 1	FRICTION PLATE		1	
5	00 0941 106 0	DRIVE PLATE		1	
6	00 0941 107 0	DRIVE PLATE		1	
7	00 0235 186 0	CIRCLIP	72X2,5	1	
8	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
9	00 0814 767 0	HUB		1	2)
9	00 0814 763 0	HUB	ERS.D.8147612	1	3)
10	00 0244 943 0	GREASE NIPPLE	A M6X1	1	
11	00 0814 768 0	STOP KEY		1	2)
11	00 0814 764 0	STOP KEY		1	3)
12	00 0814 718 0	FLAT SPRING	W.ERS.D.9410800	1	
13	00 0921 248 0	COUPLER		1	2)
13	00 0814 765 0	COUPLER	ERS.D.9214280	1	3)
14	00 0941 110 0	RING		1	
15	00 0814 766 1	CLUTCH HOUSING		1	
16	00 0814 705 1	GUARD RING		1	
16	00 0814 769 0	SEALING RING		1	4)

1) Remarks

WITH WIDE ANGLE U.DRIVE SHAFT
SEE ILLUSTRATION 1 B
OPTION

2) Remarks


from No. 01803831

3) Remarks

BIS NR. 01803830

4) Remarks


AB NR. 01803831



GEAR BOX

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0808 183 0	ADJUSTING RING	50E8X70X24	1	
2	00 0237 608 0	SPRING PIN	W.ERS.D 2376082	1	
3	00 0008 585 0	BEARING BUSH	50X54X25	2	
4	00 0236 942 0	GREASE NIPPLE	A S6X1	1	
5	00 0807 960 1	BEARING SUPPORT		1	
6	00 0235 554 0	HEXAGON HEAD BOLT	M12X50	2	
7	00 0215 006 0	CONTACT WASHER	12,4X24X1,8 ERS.D.23938	2	
8	00 0236 172 0	HEXAGONAL NUT	M12	4	
9	00 0000 899 2	BUSHING		1	
10	00 0808 194 0	ROLLER CHAIN	19,05 T 185RO	1	
11	00 0002 864 0	CHAIN INNER LINK	19,05X13,5	1	
12	00 0002 859 0	CHAIN LOCK BEND.	19,05X13,5	1	
13	00 0002 858 0	CHAIN LOCK STR.	19,05X13,5	1	
14	00 0235 542 0	HEXAGON HEAD BOLT	M10X90	3	
14	00 0236 171 0	HEXAGONAL NUT	M10	3	
14	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	3	
15	00 0239 061 0	SELF LOCK. SCREW	W.ERS.D 2390611	8	
16	00 0808 609 1	HYPOID GEARS	I=7,16	1	
17	00 0808 603 0	SCREW PLUG	M24X1,5	1	
18	00 0808 190 1	CRANK ARM		1	
19	00 0242 394 0	HEXAGON HEAD BOLT	M16X100	2	
19	00 0236 173 0	HEXAGONAL NUT	M16	2	
19	00 0239 391 0	CONTACT WASHER	A16	2	
20	00 0238 225 0	SPRING PIN	10 X 24	1	
21	00 0808 182 3	SPROCKET	Z-50 T-19,05	1	
22	00 0238 888 0	SHAFT SEAL	B1 80X100X10	1	
23	00 0237 820 0	HEXAGON HEAD BOLT	M12X90	1	
23	00 0236 172 0	HEXAGONAL NUT	M12	1	
23	00 0239 389 0	CONTACT WASHER	A12	1	
24	00 0238 078 0	SHAFT SEAL	B1 65X 80X 8	1	
25	00 0244 054 0	O-RING	36X9 N	1	
26	00 0807 577 1	SHEAR BUSHING		1	
27	00 0808 584 1	COUPLER		1	
28	00 0235 523 0	HEXAGON HEAD BOLT	M08X70	1	
28	00 0236 170 0	HEXAGONAL NUT	M8	1	
28	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
29	00 0242 795 0	HEXAGON HEAD BOLT	M16X140	2	
29	00 0236 173 0	HEXAGONAL NUT	M16	2	
29	00 0239 391 0	CONTACT WASHER	A16	2	
30	00 0239 263 0	MAGNETIC FILTER BOLT	M14X1,5	1	

6



100152

Markant 51

CLHHS

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com