




**UNIVERSAL DRIVE SHAFT 1)**

| Pos. | Part No.             | Description       | Dimension       | Quantity | Conditions |
|------|----------------------|-------------------|-----------------|----------|------------|
| 1    | <b>00 0826 255 1</b> | DRIVE SHAFT ASSY. |                 | 1        | 2)         |
| 1    | <b>00 0826 497 0</b> | DRIVE SHAFT ASSY. |                 | 1        | 3)         |
| 1    | <b>00 0826 258 1</b> | DRIVE SHAFT ASSY. |                 | 1        | 4)         |
| 2    | <b>00 0826 074 0</b> | DRIVE SHAFT HALF  |                 | 1        | 2)         |
| 2    | <b>00 0828 049 0</b> | DRIVE SHAFT HALF  |                 | 1        | 3)         |
| 2    | <b>00 0826 078 0</b> | DRIVE SHAFT HALF  |                 | 1        | 4)         |
| 3    | <b>00 0242 793 0</b> | CYCL. PLATE SCREW | C4,2X 9,5       | 8        |            |
| 4    | <b>00 0817 312 0</b> | PROTECT.FUNNEL    |                 | 1        |            |
| 5    | <b>00 0817 313 0</b> | GLIDE RING        |                 | 1        |            |
| 6    | <b>00 0239 004 0</b> | LOCK NUT          | M14X1,5         | 1        |            |
| 7    | <b>00 0233 443 0</b> | HEX.HEAD BOLT     | M14X1,5X 70     | 1        |            |
| 8    | <b>00 0817 779 1</b> | EXTENSION FORKE   |                 | 1        | 2)         |
| 8    | <b>00 0817 585 0</b> | EXTENSION FORKE   |                 | 1        | 3)         |
| 8    | <b>00 0817 780 1</b> | EXTENSION FORKE   |                 | 1        | 4)         |
| 9    | <b>00 0817 316 0</b> | CENTRE CROSS ASS. |                 | 1        |            |
| 10   | <b>00 0211 636 0</b> | GREASE NIPPLE     | B M8X1-67,5°    | 3        |            |
| 11   | <b>00 0244 613 0</b> | CIRCLIP           | 36X1,5          | 8        |            |
| 12   | <b>00 0817 317 0</b> | WASHER            |                 | 8        |            |
| 13   | <b>00 0817 318 0</b> | DOUBLE FORK       |                 | 1        |            |
| 14   | <b>00 0179 838 0</b> | GREASE NIPPLE     | A M8X1          | 1        |            |
| 15   | <b>00 0817 782 0</b> | CENTRE CROSS ASS. |                 | 1        |            |
| 16   | <b>00 0817 783 0</b> | GREASE NIPPLE     |                 | 1        |            |
| 17   | <b>00 0817 784 0</b> | FORK              |                 | 1        |            |
| 18   | <b>00 0213 688 1</b> | SPRING PIN        | 10 X 90         | 2        |            |
| 19   | <b>00 0812 913 0</b> | PROFILE SHAFT     |                 | 1        |            |
| 20   | <b>00 0821 104 0</b> | SUPPORTING CHAIN  |                 | 1        |            |
| 21   | <b>00 0826 076 0</b> | PROTECTIVE TUBE   |                 | 1        |            |
| 21   | <b>00 0831 747 0</b> | STICKER           |                 | 1        |            |
| 22   | <b>00 0821 103 0</b> | PROTECT.FUNNEL    |                 | 1        |            |
| 23   | <b>00 0920 671 0</b> | GLIDE RING        |                 | 2        |            |
| 24   | <b>00 0817 787 0</b> | COVERING          |                 | 1        |            |
| 25   | <b>00 0826 075 0</b> | DRIVE SHAFT HALF  |                 | 1        |            |
| 26   | <b>00 0826 077 0</b> | PROTECTIVE TUBE   |                 | 1        |            |
| 27   | <b>00 0817 323 0</b> | GLIDE RING        |                 | 1        |            |
| 28   | <b>00 0972 297 0</b> | SUPPORTING CHAIN  |                 | 1        |            |
| 29   | <b>00 0817 325 0</b> | BACK-UP RING      | W.ERS.D.9172850 | 1        |            |
| 30   | <b>00 0814 525 1</b> | PROTECT.FUNNEL    |                 | 1        |            |
| 31   | <b>00 0817 786 0</b> | GREASE NIPPLE     |                 | 2        |            |
| 32   | <b>00 0826 079 0</b> | PROFILE TUBE      |                 | 1        |            |
| 33   | <b>00 0941 804 0</b> | FORK              |                 | 1        |            |
| 34   | <b>00 0813 681 0</b> | CENTRE CROSS ASS. |                 | 1        |            |
| 35   | <b>00 0817 781 0</b> | EXTENSION FORKE   | W.ERS.D.9416430 | 1        |            |
| 36   | <b>00 0238 047 0</b> | LOCK NUT          | M16             | 1        |            |
| 37   | <b>00 0235 593 0</b> | HEXAGON HEAD BOLT | M16X90          | 1        |            |

**1) Remarks**

M 04/100 = 6 TEIL.ANSCHLUSS  
M 04/110 = 8 TEIL.ANSCHLUSS  
M 04/120 = 21 TEIL.ANSCHLUSS

**2) Remarks**


6 piece connection

**3) Remarks**

8 TEIL. ANSCHLUSS

**4) Remarks**

21 TEIL. ANSCHLUSS





**UNIVERSAL DRIVE SHAFT**

| Pos. | Part No.             | Description       | Dimension         | Quantity | Conditions |
|------|----------------------|-------------------|-------------------|----------|------------|
| 1    | <b>00 0826 717 0</b> | DRIVE SHAFT ASSY. |                   | 1        |            |
| 2    | <b>00 0826 081 0</b> | SEMI-SHAFT        |                   | 1        |            |
| 3    | <b>00 0826 085 0</b> | PROFILE SHAFT     | ZWH-1005-1 3/4-S5 | 1        |            |
| 4    | <b>00 0817 786 0</b> | GREASE NIPPLE     |                   | 2        |            |
| 5    | <b>00 0826 083 0</b> | PROTECTIVE TUBE   |                   | 1        |            |
| 6    | <b>00 0920 955 1</b> | GUARD RING        |                   | 1        |            |
| 7    | <b>00 0242 793 0</b> | CYCL. PLATE SCREW | C4,2X 9,5         | 2        |            |
| 8    | <b>00 0920 671 0</b> | GLIDE RING        |                   | 1        |            |
| 9    | <b>00 0972 297 0</b> | SUPPORTING CHAIN  |                   | 1        |            |
| 10   | <b>00 0826 082 0</b> | DRIVE SHAFT HALF  |                   | 1        |            |
| 11   | <b>00 0826 084 0</b> | PROTECTIVE TUBE   |                   | 1        |            |
| 12   | <b>00 0817 787 0</b> | COVERING          |                   | 1        |            |
| 13   | <b>00 0972 297 0</b> | SUPPORTING CHAIN  |                   | 1        |            |
| 14   | <b>00 0817 326 0</b> | PROTECT.FUNNEL    |                   | 1        |            |
| 15   | <b>00 0613 963 0</b> | PROFILE SHAFT     | 1060 LANG         | 1        |            |
| 16   | <b>00 0941 804 0</b> | FORK              |                   | 1        |            |
| 17   | <b>00 0213 688 1</b> | SPRING PIN        | 10 X 90           | 1        |            |
| 18   | <b>00 0813 681 0</b> | CENTRE CROSS ASS. |                   | 1        |            |
| 19   | <b>00 0244 613 0</b> | CIRCLIP           | 36X1,5            | 4        |            |
| 20   | <b>00 0211 636 0</b> | GREASE NIPPLE     | B M8X1-67,5°      | 1        |            |
| 21   | <b>00 0817 781 0</b> | EXTENSION FORKE   | W.ERS.D.9416430   | 1        |            |
| 22   | <b>00 0238 074 0</b> | TA.ROLLER BEARING | 32210             | 1        |            |
| 23   | <b>00 0235 593 0</b> | HEXAGON HEAD BOLT | M16X90            | 1        |            |

**CLAS**

**3**

1



20

111722

Quadrant 1200 R C


**DISC CLUTCH**

| Pos. | Part No.             | Description       | Dimension       | Quantity | Conditions |
|------|----------------------|-------------------|-----------------|----------|------------|
| 1    | <b>00 0816 197 3</b> | FRICION CLUTCH    |                 | 1        | 1)         |
| 2    | <b>00 0941 099 0</b> | ADJUSTING RING    |                 | 1        | 2)         |
| 3    | <b>00 0941 103 0</b> | SPRING KIT        |                 | 1        | 2)         |
| 4    | <b>00 0941 104 1</b> | FRICION PLATE     |                 | 4        | 2)         |
| 5    | <b>00 0941 106 0</b> | DRIVE PLATE       |                 | 1        | 2)         |
| 6    | <b>00 0941 107 0</b> | DRIVE PLATE       |                 | 1        | 2)         |
| 7    | <b>00 0921 795 0</b> | SEALING RING      |                 | 1        |            |
| 8    | <b>00 0237 597 0</b> | CIRCLIP           | 60X2            | 2        | 2)         |
| 9    | <b>00 0211 846 0</b> | GRVD.BALL BEARING | 61812           | 2        | 2)         |
| 10   | <b>00 0921 796 0</b> | BACK-UP WASHER    |                 | 2        | 2)         |
| 11   | <b>00 0817 305 0</b> | HUB               |                 | 1        | 2)         |
| 12   | <b>00 0814 228 0</b> | STOP KEY          |                 | 2        | 2)         |
| 13   | <b>00 0814 229 0</b> | FLAT SPRING       |                 | 2        | 2)         |
| 14   | <b>00 0921 794 1</b> | COUPLER           |                 | 1        | 2)         |
| 15   | <b>00 0238 277 2</b> | SHAFT SEAL        | AS 55X 80X 8    | 1        | 2)         |
| 16   | <b>00 0941 110 0</b> | RING              |                 | 1        | 2)         |
| 17   | <b>00 0814 766 1</b> | CLUTCH HOUSING    |                 | 1        | 2)         |
| 20   | <b>00 0828 094 1</b> | FRICION CLUTCH    |                 | 1        | 3)         |
| 21   | <b>00 0828 171 0</b> | ADJUSTING RING    |                 | 1        | 2)         |
| 22   | <b>00 0828 172 0</b> | SPRING KIT        |                 | 1        | 2)         |
| 23   | <b>00 0828 173 0</b> | FRICION PLATE     |                 | 4        | 2)         |
| 24   | <b>00 0828 174 0</b> | DRIVE PLATE       |                 | 1        | 2)         |
| 25   | <b>00 0828 175 0</b> | DRIVE PLATE       |                 | 1        | 2)         |
| 26   | <b>00 0921 795 0</b> | SEALING RING      |                 | 1        |            |
| 27   | <b>00 0244 201 0</b> | CIRCLIP           | 72X2,5          | 2        | 2)         |
| 28   | <b>00 0828 176 0</b> | WASHER            |                 | 1        | 2)         |
| 29   | <b>00 0828 177 0</b> | HUB               |                 | 1        | 2)         |
| 30   | <b>00 0814 764 0</b> | STOP KEY          |                 | 2        | 2)         |
| 31   | <b>00 0941 080 0</b> | FLAT SPRING       |                 | 2        | 2)         |
| 32   | <b>00 0828 178 0</b> | COUPLER           |                 | 1        | 2)         |
| 33   | <b>00 0234 388 0</b> | BACK-UP WASHER    | S 56X 72        | 1        | 2)         |
| 34   | <b>00 0215 308 1</b> | RADIAL SEAL RING  | ASWFLD 55X80X 8 | 1        | 2)         |
| 35   | <b>00 0828 179 0</b> | RING              | 84,4X92,4X8     | 1        | 2)         |
| 36   | <b>00 0828 180 0</b> | CLUTCH HOUSING    |                 | 1        | 2)         |

|                   |                 |
|-------------------|-----------------|
| <b>1) Remarks</b> | to No. 04000420 |
|-------------------|-----------------|

|                   |
|-------------------|
| <b>2) Remarks</b> |
|-------------------|

|                   |                   |
|-------------------|-------------------|
| <b>3) Remarks</b> | from No. 04000421 |
|-------------------|-------------------|



**MACHINE DRIVE ASSEMBLY**

| Pos. | Part No.             | Description              | Dimension         | Quantity | Conditions |
|------|----------------------|--------------------------|-------------------|----------|------------|
| 1    | <b>00 0826 255 1</b> | DRIVE SHAFT ASSY.        |                   | 1        | 1)         |
| 1    | <b>00 0826 497 0</b> | DRIVE SHAFT ASSY.        |                   | 1        | 2)         |
| 1    | <b>00 0826 258 1</b> | DRIVE SHAFT ASSY.        |                   | 1        | 3)         |
| 2    | <b>00 0235 554 0</b> | HEXAGON HEAD BOLT        | M12X50            | 2        |            |
| 2    | <b>00 0238 234 0</b> | LOCK NUT                 | M12               | 2        |            |
| 2    | <b>00 0239 389 0</b> | CONTACT WASHER           | A12               | 2        |            |
| 3    | <b>00 0826 244 1</b> | BEARING HOUSING          |                   | 1        |            |
| 4    | <b>00 0238 509 1</b> | ECCENTRIC LOCKING COLLAR | 45                | 1        |            |
| 5    | <b>00 0233 439 0</b> | LOCK COLLAR BEAR.        | YEN 209-S         | 1        |            |
| 6    | <b>00 0826 717 0</b> | DRIVE SHAFT ASSY.        |                   | 1        | 4)         |
| 7    | <b>00 0826 217 0</b> | FLYWHEEL                 |                   | 1        |            |
| 7    | <b>00 0514 158 1</b> | STICKER                  | SCHWUNGRAD PFEIL  | 1        |            |
| 8    | <b>00 0816 002 0</b> | FLANGED BUSH             | 120X125X150X46    | 2        |            |
| 9    | <b>00 0816 207 1</b> | WASHER                   | D 150X30          | 1        |            |
| 10   | <b>00 0235 137 1</b> | SPRING WASHER            | 20                | 1        |            |
| 11   | <b>00 0215 503 0</b> | HEXAGON HEAD SCREW       | M20X70-LH         | 1        |            |
| 12   | <b>00 0828 094 1</b> | FRICTION CLUTCH          |                   | 1        | 5)         |
| 12   | <b>00 0816 197 3</b> | FRICTION CLUTCH          |                   | 1        | 6)         |
| 13   | <b>00 0816 202 1</b> | AUGER GEAR               | FA.THYSEN         | 1        | 7)         |
| 13   | <b>00 0816 003 0</b> | AUGER GEAR               |                   | 1        | 8)         |
| 13   | <b>00 0826 040 0</b> | AUGER GEAR               |                   | 1        | 9)         |
| 14   | <b>00 0238 491 0</b> | HEXAGON HEAD SCREW       | M16X1,5X 65       | 8        |            |
| 14   | <b>00 0211 045 1</b> | LOCK NUT                 | M16X1,5           | 8        |            |
| 14   | <b>00 0239 391 0</b> | CONTACT WASHER           | A16               | 16       |            |
| 15   | <b>00 0238 961 0</b> | HEXAGON HEAD BOLT        | M 8X55            | 1        |            |
| 16   | <b>00 0239 387 0</b> | CONTACT WASHER           | A8-8,2X18X1,4     | 2        |            |
| 17   | <b>00 0826 220 0</b> | HUB ASS.                 |                   | 1        |            |
| 18   | <b>00 0826 219 0</b> | SHEAR BUSHING            | D30X12,3          | 2        |            |
| 19   | <b>00 0514 585 0</b> | STICKER                  | SCHERSCHRAUBE     | 1        |            |
| 20   | <b>00 0239 426 0</b> | LOCK NUT                 | M08               | 1        |            |
| 21   | <b>00 0236 942 0</b> | GREASE NIPPLE            | A S6X1            | 1        |            |
| 22   | <b>00 0560 135 0</b> | PLUG                     | D51,5-F           | 1        |            |
| 23   | <b>00 0215 423 0</b> | HEXAGON HEAD BOLT        | M12X45-MKL        | 3        |            |
| 24   | <b>00 0239 389 0</b> | CONTACT WASHER           | A12               | 5        |            |
| 25   | <b>00 0235 556 0</b> | HEXAGON HEAD BOLT        | M12X60            | 2        |            |
| 25   | <b>00 0238 234 0</b> | LOCK NUT                 | M12               | 2        |            |
| 25   | <b>00 0239 389 0</b> | CONTACT WASHER           | A12               | 2        |            |
| 26   | <b>00 0234 330 0</b> | WASHER                   | 13X37X3           | 4        |            |
| 27   | <b>00 0826 080 0</b> | GUARD CUP                |                   | 1        |            |
| 28   | <b>00 0234 398 0</b> | SHIM                     | 45X55X0,1         | 1        |            |
| 28   | <b>00 0234 411 0</b> | SHIM                     | 45X55X0,3         | 1        |            |
| 28   | <b>00 0234 423 0</b> | SHIM                     | 45X55X0,5         | 1        |            |
| 29   | <b>00 0828 093 0</b> | FLANGE                   |                   | 1        | 10)        |
| 30   | <b>00 0213 985 0</b> | SOCKET HEAD SCREW        | M12X 55X 45       | 3        | 10)        |
| 30   | <b>00 0201 801 1</b> | GLUE                     | DELO-ML 5349      | 1        | 11)        |
|      |                      |                          | ERS.D.0201        |          |            |
| 31   | <b>00 0242 824 1</b> | WASHER                   | 12 -12,2X18,3X2,5 | 3        | 12)        |

|           |                |                                         |
|-----------|----------------|-----------------------------------------|
| <b>1)</b> | <b>Remarks</b> | 6-piece connection                      |
| <b>2)</b> | <b>Remarks</b> | 8-TEIL. ANSCHLUSS                       |
| <b>3)</b> | <b>Remarks</b> | 21-TEIL. ANSCHLUSS<br>SIEHE BILDTAFEL 1 |
| <b>4)</b> | <b>Remarks</b> | see illustration plate 2                |

MACHINE DRIVE ASSEMBLY

|     |         |                                               |
|-----|---------|-----------------------------------------------|
| 5)  | Remarks | see illustration plate 3<br>from No. 04000421 |
| 6)  | Remarks | BIS NR. 04000420                              |
| 7)  | Remarks | Thyssen drive                                 |
| 8)  | Remarks | FLENDER GETRIEBE                              |
| 9)  | Remarks | ROECHLING GETRIEBE                            |
| 10) | Remarks | from No. 04000421                             |
| 11) | Remarks | AB NR. 04000559                               |
| 12) | Remarks | No. 04000421-04000558                         |


**CLAAS**

QUADRANT 1200 RC

**5**

Quadrant 1200 RC

111724




**FLYWHEEL BRAKE**

| Pos.      | Part No.             | Description       | Dimension          | Quantity | Conditions |
|-----------|----------------------|-------------------|--------------------|----------|------------|
| 1         | <b>00 0234 231 0</b> | WASHER            | 17 X 30,5X1        | 2        | 1)         |
| 2         | <b>00 0235 090 0</b> | SPLIT PIN         | 4 X 28             | 2        | 1)         |
| 3         | <b>00 0670 873 0</b> | BRAKE BAND        |                    | 2        |            |
| 4         | <b>00 0235 768 0</b> | RIVET             | A4X15              | 24       |            |
| 5         | <b>00 0651 569 1</b> | PIN               | D 16X140           | 1        | 1)         |
| 6         | <b>00 0817 151 2</b> | BRAKE BAND        |                    | 1        |            |
| 7         | <b>00 0239 387 0</b> | CONTACT WASHER    | A8-8,2X18X1,4      | 4        |            |
| 8         | <b>00 0236 200 0</b> | HEXAGON HEAD BOLT | M8X20              | 4        |            |
| 9         | <b>00 0817 123 0</b> | CONSOLE           |                    | 1        |            |
| 10        | <b>00 0623 653 1</b> | HAND LEVER ASS.   |                    | 1        |            |
| 11        | <b>00 0623 863 0</b> | BUTTON            | M 5                | 1        |            |
| 12        | <b>00 0753 079 0</b> | COMPRESS.SPRING   | 1,2 X 11 X120      | 1        |            |
| 13        | <b>00 0753 074 2</b> | THRUST ROD        |                    | 1        |            |
| 14        | <b>00 0753 072 3</b> | STOP PAWL         |                    | 1        |            |
| 15        | <b>00 0685 200 3</b> | TOOTHED SEGMENT   |                    | 1        |            |
| 16        | <b>00 0235 641 0</b> | SPRING PIN        | 5 X 12             | 1        |            |
| 17        | <b>00 0235 460 0</b> | 1/2 ROUND RIVET   | 6 X 13             | 1        |            |
| 18        | <b>00 0008 503 0</b> | BUSHING           | 13,1X 15,1X 8      | 1        |            |
| 19        | <b>00 0236 152 0</b> | SPLIT PIN         | 3,2X22             | 1        |            |
| 20        | <b>00 0234 210 0</b> | WASHER            | 13 X 30,5X0,5      | 1        |            |
| 21        | <b>00 0008 509 0</b> | BEARING BUSH      | 15X18X15           | 1        |            |
| 22        | <b>00 0724 509 1</b> | PIN               | D20 X62            | 1        |            |
| 23        | <b>00 0238 292 0</b> | WASHER            | 10,5X 22 X1        | 3        |            |
| 24        | <b>00 0235 089 0</b> | SPLIT PIN         | 4 X 22             | 3        |            |
| 25        | <b>00 0632 133 0</b> | PIN               | B-10A12X28X4,5     | 3        |            |
| 26        | <b>00 0821 791 0</b> | STRAP             | 3X25X256           | 2        |            |
| 27        | <b>00 0236 171 0</b> | HEXAGONAL NUT     | M10                | 1        |            |
| 28        | <b>00 0632 127 0</b> | FORK HEAD         | G 10X40            | 1        |            |
| 29        | <b>00 0008 514 0</b> | BUSHING           | 20 X 23 X14        | 2        |            |
| 30        | <b>00 0237 799 2</b> | SPRING PIN        | 6X 30              | 2        |            |
| 31        | <b>00 0817 138 1</b> | PIN               | D 20X128           | 1        |            |
| 32        | <b>00 0602 163 2</b> | LEVER             | B 20 MM            | 2        |            |
| 33        | <b>00 0244 067 0</b> | SPRING PIN        | 3,5X 30            | 2        |            |
| 34        | <b>00 0211 091 2</b> | O-RING            | 12 X 2 NBR 80      | 1        |            |
| 35        | <b>00 0237 453 0</b> | HEXAGON HEAD BOLT | M10X30             | 2        |            |
| 35        | <b>00 0236 171 0</b> | HEXAGONAL NUT     | M10                | 2        |            |
| 35        | <b>00 0239 388 0</b> | CONTACT WASHER    | A10-10,2X22,25X1,6 | 2        |            |
| 36        | <b>00 0817 136 1</b> | BEARING           | 40X10X248          | 1        |            |
| 37        | <b>00 0242 795 0</b> | HEXAGON HEAD BOLT | M16X140            | 1        | 2)         |
| 38        | <b>00 0238 047 0</b> | LOCK NUT          | M16                | 1        | 2)         |
| <b>1)</b> | <b>Remarks</b>       | to No. 04000420   |                    |          |            |
| <b>2)</b> | <b>Remarks</b>       | from No. 04000421 |                    |          |            |

**CLAAS**

**6**



Quadrant 1200 R C


111725

**CRANK PIN BEARING 1)**

| Pos. | Part No.             | Description              | Dimension          | Quantity | Conditions |
|------|----------------------|--------------------------|--------------------|----------|------------|
| 1    | <b>00 0243 064 0</b> | CIRCLIP                  | 125X4              | 2        |            |
| 2    | <b>00 0233 229 0</b> | SHAFT SEAL               | AS 70X90X10        | 2        |            |
| 3    | <b>00 0816 208 0</b> | RING CPL.                |                    | 2        | 2)         |
| 4    | <b>00 0235 172 0</b> | CIRCLIP                  | 70X2,5             | 2        |            |
| 5    | <b>00 0816 204 0</b> | BEARING ASS.             |                    | 2        |            |
| 6    | <b>00 0243 618 0</b> | SPHERICAL ROLLER BEARING | 22214 EAW33        | 2        |            |
| 7    | <b>00 0236 942 0</b> | GREASE NIPPLE            | A S6X1             | 2        |            |
| 8    | <b>00 0233 932 0</b> | SHAFT SEAL               | AS 80X100X10       | 2        |            |
| 9    | <b>00 0816 202 1</b> | AUGER GEAR               | FA.THYSEN          | 1        | 3)         |
| 9    | <b>00 0816 003 0</b> | AUGER GEAR               |                    | 1        | 4)         |
| 9    | <b>00 0826 040 0</b> | AUGER GEAR               |                    | 1        | 5)         |
| 10   | <b>00 0238 491 0</b> | HEXAGON HEAD SCREW       | M16X1,5X 65        | 16       |            |
| 10   | <b>00 0211 045 1</b> | LOCK NUT                 | M16X1,5            | 16       |            |
| 10   | <b>00 0239 391 0</b> | CONTACT WASHER           | A16                | 32       |            |
| 12   | <b>00 0817 426 1</b> | BUSHING                  | D 90X60            | 1        |            |
| 13   | <b>00 0673 420 1</b> | COVER DISK               | D 63X6             | 1        |            |
| 14   | <b>00 0242 824 1</b> | WASHER                   | 12 -12,2X18,3X2,5  | 1        |            |
| 15   | <b>00 0237 761 1</b> | SOCKET HEAD SCREW        | M12X 30            | 1        |            |
| 16   | <b>00 0212 396 0</b> | SHAFT SEAL RING          | B2 150X180X15      | 2        | 6)         |
| 16   | <b>00 0212 398 0</b> | SHAFT SEAL               | CS 140X170X15      | 2        | 7)         |
| 17   | <b>00 0212 717 0</b> | SHAFT SEAL RING          | B2 100X130X12      | 1        | 6)         |
| 17   | <b>00 0212 397 0</b> | SHAFT SEAL RING          | B2SL100X125X13     | 1        | 7)         |
| 18   | <b>00 0817 565 0</b> | VENTILATOR FILTER        |                    | 1        | 6)         |
| 18   | <b>00 0817 567 0</b> | VENTILATOR FILTER        |                    | 1        | 7)         |
| 19   | <b>00 0817 564 0</b> | SET OF CRANK ARMS        | THYSEN/816202.1    | 1        | 6)         |
| 19   | <b>00 0174 934 0</b> | SET OF CRANK ARMS        | KD-AUSTAUSCH       | 1        | 8)         |
| 19   | <b>00 0817 566 0</b> | SET OF CRANK ARMS        | FLENDER/816003.0   | 1        | 7)         |
| 19   | <b>00 0174 935 0</b> | CRANK                    | KD-AUSTAUSCH       | 1        | 8)         |
| 19   | <b>00 0817 564 0</b> | SET OF CRANK ARMS        | THYSEN/816202.1    | 1        | 5)         |
| 19   | <b>00 0174 934 0</b> | SET OF CRANK ARMS        | KD-AUSTAUSCH       | 1        | 8)         |
| 20   | <b>00 0514 584 0</b> | STICKER                  | SCHRAU.ANZIEHEN    | 2        |            |
| 21   | <b>00 0235 586 0</b> | HEXAGON HEAD BOLT        | M16X50             | 8        | 6)         |
| 21   | <b>00 0242 478 0</b> | HEXAGON HEAD BOLT        | M20X50             | 8        | 7)         |
| 22   | <b>00 0237 875 0</b> | HEXAGON HEAD BOLT        | M12X45             | 16       | 6)         |
| 22   | <b>00 0237 572 0</b> | HEXAGON HEAD BOLT        | M12X35             | 16       | 7)         |
| 23   | <b>00 0235 586 0</b> | HEXAGON HEAD BOLT        | M16X50             | 8        | 6)         |
| 23   | <b>00 0237 461 0</b> | HEXAGON HEAD BOLT        | M12X30             | 6        | 7)         |
| 24   | <b>00 0233 551 0</b> | LOCK NUT                 | M20                | 4        |            |
| 25   | <b>00 0238 479 0</b> | HEXAGON HEAD BOLT        | M20X200            | 4        |            |
| 26   | <b>00 0235 127 2</b> | WASHER                   | 16 - 17X30X3       | 8        |            |
| 27   | <b>00 0817 637 0</b> | ADJUSTING TOOL           |                    | 1        |            |
| 28   | <b>00 0211 669 0</b> | SCREW PLUG               | M22X1,5            | 2        | 6)         |
| 28   | <b>00 0212 727 0</b> | SCREW PLUG               | G1A                | 2        | 7)         |
| 28   | <b>00 0238 268 0</b> | SEALING RING             | W.ERS.D.2382681    | 2        | 7)         |
| 29   | <b>00 0238 533 1</b> | SEALING RING             | C18 X22            | 1        | 9)         |
| 30   | <b>00 0212 685 0</b> | BREATHER VALVE           | M18X1,5 M.ROHR     | 1        | 9)         |
| 31   | <b>00 0241 666 0</b> | GLUE PACKAGE             | KLEBER+AKTIVATOR   | 1        | 10)        |
| 31   | <b>00 0241 667 0</b> | GLUE PACKAGE             | KLEBER+AKTIVATOR   | 1        | 11)        |
| 35   | <b>00 0011 598 1</b> | SPACER SENSOR            |                    | 2        | 12)        |
| 36   | <b>00 0817 902 0</b> | THREADED ROD             | M10X355            | 1        | 12)        |
| 37   | <b>00 0817 831 1</b> | SUPPORT R.H.             | 5X186X455,4        | 1        | 12)        |
| 38   | <b>00 0817 830 1</b> | SUPPORT L.H.             | 5X186X455,4        | 1        | 12)        |
| 39   | <b>00 0239 388 0</b> | CONTACT WASHER           | A10-10,2X22,25X1,6 | 4        | 12)        |
| 40   | <b>00 0236 171 0</b> | HEXAGONAL NUT            | M10                | 4        | 12)        |

CRANK PIN BEARING 1)

| Pos. | Part No.      | Description                                              | Dimension          | Quantity | Conditions |
|------|---------------|----------------------------------------------------------|--------------------|----------|------------|
| 45   | 00 0826 702 0 | SUPPORT                                                  | 5X130.1X625.3      | 1        | 12)        |
| 46   | 00 0237 382 0 | HEXAGON HEAD BOLT                                        | M10X20             | 2        | 12)        |
| 46   | 00 0239 388 0 | CONTACT WASHER                                           | A10-10,2X22,25X1,6 | 2        | 13)        |
| 46   | 00 0237 592 0 | WASHER                                                   | D10,5X30X2,5       | 2        | 13)        |
| 47   | 00 0011 598 1 | SPACER SENSOR                                            |                    | 2        | 12)        |
| 48   | 00 0826 703 0 | ANGLE                                                    | 2.5X74.8X180       | 2        | 12)        |
| 1)   | Remarks       | POS. 35-40, FLENDER / THYSSEN<br>POS. 45 - 48, ROECHLING |                    |          |            |
| 2)   | Remarks       | with Item 2                                              |                    |          |            |
| 3)   | Remarks       | Thyssen drive                                            |                    |          |            |
| 4)   | Remarks       | FLENDER GETRIEBE                                         |                    |          |            |
| 5)   | Remarks       | ROECHLING GETRIEBE                                       |                    |          |            |
| 6)   | Remarks       | at Thyssen drive                                         |                    |          |            |
| 7)   | Remarks       | BEI FLENDER GETRIEBE                                     |                    |          |            |
| 8)   | Remarks       | Austausch / Reman                                        |                    |          |            |
| 9)   | Remarks       | Röchling drive                                           |                    |          |            |
| 10)  | Remarks       | FUER POS. 21, 22, 23,                                    |                    |          |            |
| 11)  | Remarks       | FUER POS. 16, 17,                                        |                    |          |            |
| 12)  | Remarks       | at Reflex - terminal                                     |                    |          |            |
| 13)  | Remarks       | BEI REFLEX - TERMINAL                                    |                    |          |            |



Thank you so much for reading.  
Please click the “Buy Now!”  
button below to download the  
complete manual.



After you pay.

You can download the most  
perfect and complete manual in  
the world immediately.

Our support email:

[ebooklibonline@outlook.com](mailto:ebooklibonline@outlook.com)