


CLAAS

BGZ 01010

1




70000z00
QUADRANT 2200/2200RC

125863

UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0832 051 0	DRIVE SHAFT CPL.		1	2)
1	00 0832 052 0	DRIVE SHAFT CPL.		1	3)
2	00 0833 500 0	DRIVE SHAFT HLF I		1	2)
2	00 0833 501 0	DRIVE SHAFT HLF I		1	3)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	3	
4	00 0833 509 0	PROTECT.FUNNEL		1	
5	00 0817 313 0	GLIDE RING		1	
6	00 0831 744 0	FORK		1	4)
6	00 0831 743 0	FORK ASSY.		1	5)
7	00 0831 745 0	LOCK		1	
8	00 0833 504 0	CENTRE CROSS ASS.		1	
9	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
10	00 0244 943 0	GREASE NIPPLE	A M6X1	2	
11	00 0833 505 0	WASHER		1	
12	00 0817 318 0	DOUBLE FORK		1	
13	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
14	00 0833 506 0	CENTRE CROSS ASS.		1	
15	00 0817 783 0	GREASE NIPPLE		1	
16	00 0817 784 0	FORK		1	
17	00 0213 688 1	SPRING PIN	10 X 90	2	
18	00 0812 913 0	PROFILE SHAFT		1	
19	00 0826 076 0	PROTECTIVE TUBE		1	
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0817 787 0	COVERING		1	
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0833 503 0	GUARD HALF		1	
25	00 0817 323 0	GLIDE RING		1	
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 285 0	BACK-UP RING		1	
28	00 0833 508 0	PROTECT.FUNNEL		1	
29	00 0826 079 1	PROFILE TUBE		1	
30	00 0817 786 0	GREASE NIPPLE		2	
31	00 0941 804 0	FORK		1	
32	00 0833 507 0	CENTRE CROSS ASS.		1	
33	00 0941 643 0	EXTENSION FORKE		1	
34	00 0235 593 0	HEXAGON HEAD BOLT	M16X90	1	
35	00 0238 047 0	LOCK NUT	M16	1	
36	00 0833 502 0	DRIVE SHAFT HALF		1	

1)	Remarks	m 04 / 100 / 120 Up To Serial No. 73502525
2)	Remarks	6-piece connection
3)	Remarks	21 piece connection
4)	Remarks	6 piece
5)	Remarks	21 piece



UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0841 103 0	DRIVE SHAFT		1	2)
2	00 0833 501 0	DRIVE SHAFT HLF I		1	2)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	3	
4	00 0833 509 0	PROTECT.FUNNEL		2	
5	00 0817 313 0	GLIDE RING		2	
6	00 0831 743 0	FORK ASSY.		1	
7	00 0831 745 0	LOCK		1	
8	00 0833 504 0	CENTRE CROSS ASS.		2	
9	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
10	00 0244 943 0	GREASE NIPPLE	A M6X1	4	
11	00 0833 505 0	WASHER		4	
12	00 0817 318 0	DOUBLE FORK		2	
13	00 0179 838 0	GREASE NIPPLE	A M8X1	2	
14	00 0833 506 0	CENTRE CROSS ASS.		2	
15	00 0817 783 0	GREASE NIPPLE		2	
17	00 0213 688 1	SPRING PIN	10 X 90	2	
18	00 0812 913 0	PROFILE SHAFT		1	
19	00 0826 076 0	PROTECTIVE TUBE		1	
20	00 0821 103 0	PROTECT.FUNNEL		2	
21	00 0920 671 0	GLIDE RING		2	
22	00 0817 787 0	COVERING		1	
23	00 0821 104 0	SUPPORTING CHAIN		1	
25	00 0817 323 0	GLIDE RING		1	
26	00 0972 297 0	SUPPORTING CHAIN		2	
27	00 0841 500 0	INNER GUARD TUBE		1	
28	00 0826 079 0	PROFILE TUBE		1	
29	00 0817 786 0	GREASE NIPPLE		2	
30	00 0841 501 0	FORK		1	
31	00 0841 502 0	EXTENSION FORKE		1	

1) Equipment


machine no. PR_M04_0140 Double wide-angle PTO drive shaft, 21 splines, 1 3/8", 16" hitch
+ up to 73502525

2) Remarks

21 piece connection

CLAAS

1B



70200z01


UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0841 357 1	WWE GELENKWELLE 20 TLG		1	2)
2	00 0841 360 0	DRIVE SHAFT HALF	WWH2580-774 20TLG	1	
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	6	
4	00 0833 509 0	PROTECT.FUNNEL		1	
5	00 0817 313 0	GLIDE RING		1	
6	00 0841 361 0	FORK		1	
7	00 0831 745 0	LOCK		1	
8	00 0833 504 0	CENTRE CROSS ASS.		1	
9	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
10	00 0244 943 0	GREASE NIPPLE	A M6X1	2	
11	00 0833 505 0	WASHER		1	
12	00 0817 318 0	DOUBLE FORK		1	
13	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
14	00 0833 506 0	CENTRE CROSS ASS.		1	
15	00 0817 783 0	GREASE NIPPLE		1	
16	00 0817 784 0	FORK		1	
17	00 0213 688 1	SPRING PIN	10 X 90	2	
18	00 0812 913 0	PROFILE SHAFT		1	
19	00 0826 076 0	PROTECTIVE TUBE		1	
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0817 787 0	COVERING		1	
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0833 503 0	GUARD HALF		1	
25	00 0817 323 0	GLIDE RING		1	
26	00 0917 285 0	BACK-UP RING		1	
27	00 0833 508 0	PROTECT.FUNNEL		1	
28	00 0826 079 1	PROFILE TUBE		1	
29	00 0817 786 0	GREASE NIPPLE		2	
30	00 0941 804 0	FORK		1	
31	00 0833 507 0	CENTRE CROSS ASS.		1	
32	00 0941 643 0	EXTENSION FORKE		1	
33	00 0235 593 0	HEXAGON HEAD BOLT	M16X90	1	
34	00 0238 047 0	LOCK NUT	M16	1	
35	00 0833 502 0	DRIVE SHAFT HALF		1	
36	00 1335 037 0	GREASE NIPPLE		1	

1)	Remarks	m 04 / 150
2)	Remarks	20 piece connection

CLAAS

1C




71279z02

UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0832 051 1	DRIVE SHAFT CPL.		1	2)
1	00 0832 052 1	DRIVE SHAFT		1	3)
3	00 0850 548 0	SCREW		12	
4	00 0139 186 0	PROTECT.FUNNEL		1	
5	00 0817 313 0	GLIDE RING		1	
6	00 0856 617 0	FORK		1	4)
6	00 0856 618 0	FORK		1	5)
7	00 0933 017 0	LOCK		1	
8	00 0833 504 0	CENTRE CROSS ASS.		1	
9	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
10	00 0244 943 0	GREASE NIPPLE	A M6X1	2	
11	00 0817 317 0	WASHER		1	
12	00 0817 318 0	DOUBLE FORK		1	
13	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
14	00 0833 506 0	CENTRE CROSS ASS.		1	
15	00 0817 783 0	GREASE NIPPLE		1	
16	00 0856 614 0	FORK		1	
17	00 0244 581 2	SPRING PIN	10X 80	2	
18	00 0138 360 0	PROFILE TUBE		1	
19	00 0851 419 0	GUARD HALF		1	
20	00 0139 031 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0817 787 0	COVERING		1	
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0139 429 0	INNER GUARD HALF		1	
25	00 0817 323 0	GLIDE RING		1	
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 285 0	BACK-UP RING		1	
28	00 0833 508 0	PROTECT.FUNNEL		1	
29	00 0856 621 0	PROFILE TUBE	S5-570	1	
30	00 0817 786 0	GREASE NIPPLE		2	
31	00 0139 185 0	FORK		1	
32	00 0833 507 0	CENTRE CROSS ASS.		1	
33	00 0941 643 0	EXTENSION FORKE		1	
34	00 0235 593 0	HEXAGON HEAD BOLT	M16X90	1	
35	00 0238 047 0	LOCK NUT	M16	1	
36	00 1335 037 0	GREASE NIPPLE		1	

1)	Remarks	m 04 / 100 / 120 From Serial No. 73502526
2)	Remarks	6-piece connection
3)	Remarks	21 piece connection
4)	Remarks	6 piece
5)	Remarks	21 piece



UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0841 103 1	DRIVE SHAFT		1	
2	00 0850 548 0	SCREW		18	
3	00 0139 186 0	PROTECT.FUNNEL		2	
4	00 0817 313 0	GLIDE RING		2	
5	00 0856 618 0	FORK		1	
6	00 0933 017 0	LOCK		1	
7	00 0833 504 0	CENTRE CROSS ASS.		2	
8	00 0817 317 0	WASHER		8	
9	00 0244 943 0	GREASE NIPPLE	A M6X1	4	
10	00 0817 318 0	DOUBLE FORK		2	
11	00 0179 838 0	GREASE NIPPLE	A M8X1	2	
12	00 0833 506 0	CENTRE CROSS ASS.		2	
13	00 0817 783 0	GREASE NIPPLE		2	
14	00 0856 614 0	FORK		1	
15	00 0244 581 2	SPRING PIN	10X 80	2	
16	00 0138 360 0	PROFILE TUBE		1	
17	00 0851 419 0	GUARD HALF		1	
18	00 0920 671 0	GLIDE RING		2	
19	00 0139 031 0	PROTECT.FUNNEL		2	
20	00 0817 787 0	COVERING		1	
21	00 0821 104 0	SUPPORTING CHAIN		2	
22	00 0817 323 0	GLIDE RING		1	
23	00 0851 421 0	GUARD HALF		1	
24	00 0856 621 0	PROFILE TUBE	S5-570	1	
25	00 0817 786 0	GREASE NIPPLE		2	
26	00 0856 615 0	FORK		1	
27	00 0856 616 0	EXTENSION FORKE		1	
28	00 0935 444 0	CLAMPING CONE		1	

1) Equipment**machine no.**

PR_M04_0140


Double wide-angle PTO drive shaft, 21 splines, 1 3/8", 16" hitch
+ from 73502526

CLAAS

BGZ 01010

2

2




70002z00
QUADRANT 2200/2200RC

125866

UNIVERSAL DRIVE SHAFT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0826 497 0	DRIVE SHAFT ASSY.		1	2)
2	00 0828 049 0	DRIVE SHAFT HALF		1	2)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	3	
4	00 0817 312 0	PROTECT.FUNNEL		1	
5	00 0817 313 0	GLIDE RING		1	
6	00 0239 004 0	LOCK NUT	M14X1,5	1	
7	00 0233 443 0	HEX.HEAD BOLT	M14X1,5X 70	1	
8	00 0817 585 0	EXTENSION FORKE		1	
9	00 0817 316 0	CENTRE CROSS ASS.		1	
10	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
11	00 0244 613 0	CIRCLIP	36X1,5	12	
12	00 0817 317 0	WASHER		4	
13	00 0817 318 0	DOUBLE FORK		1	
14	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
15	00 0817 782 0	CENTRE CROSS ASS.		1	
16	00 0817 783 0	GREASE NIPPLE		1	
17	00 0817 784 0	FORK		1	
18	00 0213 688 1	SPRING PIN	10 X 90	2	
19	00 0812 913 0	PROFILE SHAFT		1	
20	00 0821 104 0	SUPPORTING CHAIN		1	
21	00 0826 076 0	PROTECTIVE TUBE		1	3)
21	00 0831 747 0	STICKER		1	
22	00 0821 103 0	PROTECT.FUNNEL		1	
23	00 0920 671 0	GLIDE RING		2	
24	00 0817 787 0	COVERING		1	
25	00 0826 075 0	DRIVE SHAFT HALF		1	
26	00 0826 077 0	PROTECTIVE TUBE		1	4)
27	00 0817 323 0	GLIDE RING		1	
28	00 0972 297 0	SUPPORTING CHAIN		1	
29	00 0917 285 0	BACK-UP RING		1	
30	00 0818 855 1	PROTECT.FUNNEL		1	
31	00 0826 079 0	PROFILE TUBE		1	
32	00 0817 786 0	GREASE NIPPLE		1	
33	00 0941 804 0	FORK		1	
34	00 0813 681 0	CENTRE CROSS ASS.		1	
35	00 0941 643 0	EXTENSION FORKE		1	
36	00 0238 047 0	LOCK NUT	M16	1	
37	00 0235 593 0	HEXAGON HEAD BOLT	M16X90	1	
1)	Remarks	m 04 / 110			
2)	Remarks	8-piece connection			
3)	Remarks	with Item 22 to 24,3			
4)	Remarks	with 27 to 30,3,23			




MACHINE DRIVE ASSEMBLY

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0832 051 1	DRIVE SHAFT CPL.		1	1)
1	00 0826 497 0	DRIVE SHAFT ASSY.		1	2)
1	00 0832 052 0	DRIVE SHAFT CPL.		1	3)
1	00 0841 103 0	DRIVE SHAFT		1	4)
2	00 0832 026 2	TRANSMISSION	I=1;I=2,44	1	5)
2	00 0832 048 1	TRANSMISSION	I=1;I=2,44	1	6)
3	00 0832 049 1	DRIVE SHAFT		1	7)
4	00 0832 084 3	FLYWHEEL		1	8)
5	00 0213 991 0	GRVD.BALL BEARING	6212-2RS*	1	
6	00 0235 585 0	HEXAGON HEAD BOLT	M16X45	4	
7	00 0239 391 0	CONTACT WASHER	A16	4	
8	00 0237 815 0	HEXAGON HEAD BOLT	M12X65	3	
9	00 0239 389 0	CONTACT WASHER	A12	3	
10	00 0233 570 1	GRVD.BALL BEARING	6210-2RS* 50X90X20	1	
11	00 0234 432 0	SHIM	50X62X1	1	
12	00 0215 923 0	HEXAGON HEAD BOLT	M 8X45	1	9)
12	00 0233 434 0	HEXAGON HEAD BOLT	M 8X50	1	10)
12	00 0238 132 0	LOCK NUT	M8	1	
12	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
13	00 0833 576 0	PLATE	2X27.8X74.1	1	
14	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
15	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	1	
16	00 0235 631 0	SPRING PIN	4 X 16	1	
17	00 0239 389 0	CONTACT WASHER	A12	3	
18	00 0215 423 0	HEXAGON HEAD BOLT	M12X45-MKL	3	
19	00 0833 585 0	FRICTION CLUTCH		1	11)
20	00 0212 310 0	HEXAGON HEAD BOLT	M20X1,5X 65	1	
21	00 0212 191 0	CONTACT WASHER	A20	1	
22	00 0832 017 1	WASHER	60X21X10	1	
23	00 0833 575 2	COUPLER		1	12)
24	00 0833 574 0	FLANGE PLATE		1	13)
25	00 0826 219 1	SHEAR BUSHING		4	9)
25	00 0807 577 1	SHEAR BUSHING		4	10)
26	00 0832 057 0	GUARD CUP		1	14)

1)	Remarks	6-piece connection
2)	Remarks	8-piece connection
3)	Remarks	21 piece connection see illustration plate 1
4)	Remarks	21 piece connection see illustration plate 1 A
5)	Remarks	see illustration plate 4 1 pump
6)	Remarks	2 pumps
7)	Remarks	see illustration plate 5
8)	Remarks	with Item 5 and 10
9)	Remarks	from No. 73500442
10)	Remarks	to No. 73500441
11)	Remarks	see illustration plate 7
12)	Remarks	with Item 25, 2X from No. 73501417

MACHINE DRIVE ASSEMBLY

13) Remarks	with Item 25, 2X to No. 73500441
14) Remarks	m 01 / 20



TRANSMISSION


Pos.	Part No.	Description	Dimension	Quantity	Conditions
	00 0832 026 2	TRANSMISSION	I=1;I=2.44	1	1)
	00 0832 048 1	TRANSMISSION	I=1;I=2.44	1	2)
1	00 0213 898 0	SHIM	90X100X0,50	2	3)
1	00 0213 899 0	SHIM	90X100X0,3	2	4)
1	00 0213 900 0	SHIM	90X100X0,10	4	5)
2	00 0243 673 0	TA.ROLLER BEARING	32211 J2/Q	2	
3	00 0833 454 0	SPUR GEAR	FUER 8320260	1	6)
4	00 0235 658 0	SPRING PIN	6 X 16	1	
5	00 0833 453 0	SHAFT	FUER 8320260	2	7)
6	00 0212 633 0	ROTARY SHAFT SEAL	AS 45X90X10	2	
7	00 0833 456 0	SLOTTED NUT	M50X1.5	2	
8	00 0238 074 0	TA.ROLLER BEARING	32210	2	
9	00 0833 517 0	GEAR PUMP	4 CM3/U	1	8)
9	00 0841 727 0	GEAR PUMP	4+8CM3/U; WS-NR. 598777	1	9)
9	00 0841 355 0	GEAR PUMP	4+11CM3/U	1	10)
10	00 0216 137 0	SOCKET HEAD SCREW	M8 X20-MKL	4	
11	00 0833 455 0	SPUR GEAR	FUER 8320260	1	11)
12	00 0090 121 0	SCREW PLUG	M16X1,5	1	
13	00 0244 351 0	SCREW PLUG	M16X1,5	2	
14	00 0238 183 0	SEALING RING	A16 X20	2	
15	00 0833 451 1	HOUSING		1	
16	00 0214 194 0	VALVE	M16X1,5 KEG. - 0,03-0,1 05		
17	00 0833 452 0	BEARING HOUSING	FUER 8320260	1	
18	00 0242 241 0	SOCKET HEAD SCREW	M10X 35	7	
19	00 0808 782 0	SOCKET	WFS 22 L-40-OMS	1	12)
20	00 0808 783 0	ANGLE FLANGE	WFS-L15-LK35	1	12)
21	00 0238 353 0	O-RING	24X2,5 -N	2	
22	00 0235 131 1	SPRING WASHER	6 -6,1X11,8X1,3	8	
23	00 0238 352 0	SOCKET HEAD SCREW	M 6X 22	7	
24	00 0242 218 0	SOCKET HEAD SCREW	M 6X 35	1	
25	00 0238 194 0	O-RING	18X2,5 NBR 70	2	13)

1)	Remarks	mit 1 Pumpe
2)	Remarks	mit 2 Pumpen
3)	Remarks	90x100x0.5
4)	Remarks	90x100x0.3
5)	Remarks	90x100x0.1
6)	Remarks	44 Z
7)	Remarks	22 Z
8)	Remarks	1 pump
9)	Remarks	with 2 pumps from No. 73502117
10)	Remarks	2 pumps to No. 73502116
11)	Remarks	18 Z
12)	Remarks	(2 x at 2 pumps)
13)	Remarks	with 1 pump

CLAAS

BGZ 01010

5




70005z00
QUADRANT 2200/2200RC

125869

UNIVERSAL DRIVE SHAFT

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0832 049 1	DRIVE SHAFT		1	
2	00 0833 515 0	DRIVE SHAFT HALF		1	
3	00 0833 516 0	DRIVE SHAFT HALF		1	
4	00 0941 355 0	INNER GUARD HALF		1	
6	00 0941 801 0	EXTENSION FORKE		1	
8	00 0940 859 0	EXTENSION FORKE		1	
9	00 0935 444 0	CLAMPING CONE		1	
10	00 0940 977 0	CENTRE CROSS ASS.		1	
11	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
12	00 0941 644 0	FORK		1	
13	00 0213 688 1	SPRING PIN	10 X 90	1	
14	00 0939 634 0	PROFILE TUBE		1	
15	00 0814 530 0	PROFILE TUBE		1	
16	00 0941 804 0	FORK		1	
17	00 0940 289 0	PROTECT.FUNNEL		1	
18	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	1	
19	00 0917 285 0	BACK-UP RING		1	
20	00 0920 671 0	GLIDE RING		1	
22	00 0972 297 0	SUPPORTING CHAIN		1	



DISC CLUTCH

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0833 585 0	FRICTION CLUTCH		1	1)
2	00 0828 171 0	ADJUSTING RING		1	
3	00 0828 172 0	SPRING KIT		1	
4	00 0828 173 0	FRICTION PLATE		4	
5	00 0828 174 0	DRIVE PLATE		1	
6	00 0828 175 0	DRIVE PLATE		1	
7	00 0921 795 0	SEALING RING		1	
8	00 0235 186 0	CIRCLIP	72X2,5	1	
9	00 0828 176 0	WASHER		1	
10	00 0828 177 0	HUB		1	
11	00 0941 080 0	FLAT SPRING		2	
12	00 0814 764 0	STOP KEY		2	
13	00 0828 178 0	COUPLER		1	
14	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
15	00 0235 186 0	CIRCLIP	72X2,5	1	
16	00 0215 308 1	RADIAL SEAL RING	ASWFLD 55X80X 8	1	
17	00 0941 110 0	RING		1	
18	00 0833 496 1	CLUTCH HOUSING		1	
1)	Remarks	with Item 2 to 18			

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com