





MAIN DRIVE - SWITCHING

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0233 583 0	HEXAGON HEAD BOLT	M16X35-MKL	2	
2	00 0239 391 0	CONTACT WASHER	A16	12	
3	00 0970 711 0	BUSHING	17 X30H9X 15	2	
4	00 0238 952 0	HEXAGON HEAD BOLT	M16X45-MKL	2	
5	00 0235 525 0	HEXAGON HEAD BOLT	M8X80	1	
6	00 0963 402 0	GUARD CUP		1	
7	00 0972 110 0	RUBBER PAD	D60X40	1	
8	00 0972 780 0	MAIN GEARBOX	1000 U/MIN	1	1)
9	00 0211 085 0	O-RING	50 X3 -N	2	
10	00 0236 944 0	GREASE NIPPLE	C S6X1	1	
11	00 0970 089 0	SLEEVE	70X 142.6	1	
12	00 0238 132 0	LOCK NUT	M8	1	
13	00 0239 156 0	SCREW-IN FITTING	LL 5-M8X1 KEG	1	
14	00 0970 088 1	SHAFT	50H9X 804	1	
15	00 0238 047 0	LOCK NUT	M16	7	
16	00 0215 108 0	COACH BOLT	M16X 50	4	
17	00 0233 884 0	ANGLE UNION	SDE-LL5-M8X1-TYPE C1		
18	00 0963 413 1	BEARING HOUSING	215X 30	1	
19	00 0235 821 0	HEXAGON HEAD BOLT	M16X40	4	
20	00 0212 582 0	TAPER LOCK SLEEVE	H 311-SA OMUS	1	
21	00 0212 581 0	GRVD.BALL BEARING	P6311K-2S 2RSR	1	
22	00 0642 367 1	LOCKING PLATE	55	1	
23	00 0642 366 0	SLOTTED NUT	M55X2	1	
24	00 0970 086 1	BEARING HOUSING	D218X 40	1	
25	00 0212 275 0	TAPER LOCK SLEEVE	H 309	1	
26	00 0212 274 0	GRVD.BALL BEARING	P6309K-2S 2RSR	1	
27	00 0500 893 0	CIRCLIP	45	1	
28	00 0500 891 1	SLOTTED NUT	M45X1,5	1	
29	00 0233 984 0	HEXAGON HEAD BOLT	M20X25	1	

1)	Remarks	single parts plate 9
-----------	----------------	----------------------




DRIVE R.H.

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0233 441 0	HEXAGON HEAD BOLT	M16X30-MKL	1	
2	00 0239 391 0	CONTACT WASHER	A16	3	
3	00 0963 598 0	BUSHING	25X 4X 14	1	
4	00 0235 164 0	CIRCLIP	35X1,5	2	
5	00 0234 385 0	BACK-UP WASHER	S 35X45	2	
6	00 0235 184 0	CIRCLIP	62X2	2	
7	00 0238 198 0	BACK-UP WASHER	S 50X62X3	3	
8	00 0238 201 0	GRVD.BALL BEARING	6007 LLU/5K	2	
9	00 0961 288 0	SPACER RING	53,9X60,3X 10	2	
10	00 0963 592 0	GEAR	Z 16/29	1	
11	00 0237 862 0	CIRCLIP	50X2	1	
12	00 0963 596 0	BEARING PLATE		1	
13	00 0961 124 0	BEARING BUSH	50X 55X 10	1	
14	00 0963 588 0	SHAFT		1	
15	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	4	
16	00 0239 389 0	CONTACT WASHER	A12	4	
17	00 0211 394 0	WASHER	13X35X5	4	
18	00 0235 821 0	HEXAGON HEAD BOLT	M16X40	2	

3

CLAAS



QUANTUM 3500 K / P / S


91299H

DRIVE L.H.

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 575 2	SPRING PIN	8 X 45	4	
2	00 0212 609 0	LOCKING LINK	E-16B-3	1	
3	00 0214 059 0	ROLLER CHAIN	16B-3X102 E	1	
3	00 0214 225 0	ROLLER CHAIN	16B-3X102 E	1	
4	00 0235 652 2	SPRING PIN	5 X 45	3	
5	00 0235 163 0	CIRCLIP	30X1,5	2	
6	00 0234 153 0	SHIM	30,5X42X1	2	
7	00 0970 783 0	SWING		1	
8	00 0237 862 0	CIRCLIP	50X2	2	
9	00 0234 432 0	SHIM	50X62X1	2	
10	00 0963 535 0	SPROCKET	3X16Z. 142,9X78,6	1	
11	00 0963 548 2	TENSION PULLEY	30,15X 80X110	1	
12	00 0970 477 0	SHAFT	30,15H9X 162	1	
13	00 0236 942 0	GREASE NIPPLE	A S6X1	1	
14	00 0970 785 0	PIN		1	
15	00 0788 924 0	COMPRESS.SPRING	7 X 39 X415	1	
16	00 0629 611 1	SPRING GUIDE		1	
17	00 0235 090 0	SPLIT PIN	4 X 28	1	
18	00 0632 133 0	PIN	B-10A12X28X4,5	1	
19	00 0629 571 0	THREADED FORK		1	
20	00 0236 172 0	HEXAGONAL NUT	M12	1	
21	00 0970 158 3	ANGLE	50X10X 382	1	
22	00 0238 234 0	LOCK NUT	M12	1	
23	00 0239 389 0	CONTACT WASHER	A12	1	
24	00 0238 998 0	COACH BOLT	M12X40	1	
25	00 0008 543 0	BUSHING	25,1X 30 X15	1	
26	00 0238 386 0	BACK-UP WASHER	S 25X35X2	1	

4

CLAAS



QUANTUM 3500 S

92771C/02

MAIN DRIVE - CONTROL L.H. 3500 S


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 026 0	SPLIT PIN	5X32	2	
2	00 0940 015 8	WASHER	10,5X 40 X4	2	
3	00 0949 574 0	PIN	D16H9X 70	1	
4	00 0629 569 0	FORK HEAD	G 10X40-M12	1	
5	00 0632 133 0	PIN	B-10A12X28X4,5	1	
6	00 0236 456 0	HEXAGONAL NUT	M12	1	
7	00 0233 407 0	SOCKET HEAD SCREW	M10X 16-MKL	2	
8	00 0970 971 1	SHIFT FORK		1	
9	00 0963 403 1	SLEEVE		1	
10	00 0211 400 0	GLIDE BEARING	35X39X30	1	
11	00 0963 408 0	BUSHING	39H7X56J6X 30	1	
12	00 0212 703 0	CIRCLIP	56X2	1	
13	00 0233 884 0	ANGLE UNION	SDE-LL5-M8X1-TYPE C1		
14	00 0235 089 0	SPLIT PIN	4 X 22	1	
15	00 0238 292 0	WASHER	10,5X 22 X1	1	
16	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
17	00 0233 653 0	STRAIGHT MALE CONNECTOR	SDS-L10XM12X1, 5-TYPE B	1	
18	00 0493 394 0	HYDRAULIC CYLINDER		1	1)
18	00 0084 772 3	HYDR. CYLINDER		1	2)
19	00 0970 976 0	GLIDING BLOCK	45X15X 22,5	2	
20	00 0236 942 0	GREASE NIPPLE	A S6X1	1	
21	00 0234 385 0	BACK-UP WASHER	S 35X45	1	
22	00 0970 928 0	CONTROL SLEEVE LH	100X 58	1	
23	00 0629 981 0	COMPRESS.SPRING	5,6 X 58,6X226	1	
24	00 0244 372 0	THREADED PIN	M10X12	2	
25	00 0970 929 0	ADJUSTING RING	E50E8X65X15M10	1	
26	00 0233 583 0	HEXAGON HEAD BOLT	M16X35-MKL	2	
27	00 0239 391 0	CONTACT WASHER	A16	12	
28	00 0970 711 0	BUSHING	17 X30H9X 15	2	
29	00 0238 952 0	HEXAGON HEAD BOLT	M16X45-MKL	2	
30	00 0970 927 0	SHAFT	50H9X 812	1	
31	00 0239 156 0	SCREW-IN FITTING	LL 5-M8X1 KEG	1	
32	00 0238 047 0	LOCK NUT	M16	7	
33	00 0215 108 0	COACH BOLT	M16X 50	4	
34	00 0963 402 0	GUARD CUP		1	
35	00 0970 086 1	BEARING HOUSING	D218X 40	1	
36	00 0233 884 0	ANGLE UNION	SDE-LL5-M8X1-TYPE C1		
37	00 0212 275 0	TAPER LOCK SLEEVE	H 309	1	
38	00 0212 274 0	GRVD.BALL BEARING	P6309K-2S 2RSR	1	
39	00 0500 893 0	CIRCLIP	45	1	
40	00 0500 891 1	SLOTTED NUT	M45X1,5	1	
41	00 0233 984 0	HEXAGON HEAD BOLT	M20X25	1	
42	00 0642 366 0	SLOTTED NUT	M55X2	1	
43	00 0642 367 1	LOCKING PLATE	55	1	
44	00 0212 581 0	GRVD.BALL BEARING	P6311K-2S 2RSR	1	
45	00 0212 582 0	TAPER LOCK SLEEVE	H 311-SA OMUS	1	
46	00 0235 821 0	HEXAGON HEAD BOLT	M16X40	4	
47	00 0963 413 1	BEARING HOUSING	215X 30	1	
48	00 0972 780 0	MAIN GEARBOX	1000 U/MIN	1	3)
49	00 0972 110 0	RUBBER PAD	D60X40	1	

1) Remarks

from 613 0 2319

MAIN DRIVE - CONTROL L.H. 3500 S

2) Remarks	to 613 0 2318 single parts plate 86
3) Remarks	single parts plate 9




QUANTUM 3500 S

92980F

CLAAS

SWITCHGEAR FOR BEATER DRUMS 3500 S

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0642 366 0	SLOTTED NUT	M55X2	1	
2	00 0642 367 1	LOCKING PLATE	55	1	
3	00 0212 581 0	GRVD.BALL BEARING	P6311K-2S 2RSR	1	
4	00 0235 821 0	HEXAGON HEAD BOLT	M16X40	5	
5	00 0235 127 2	WASHER	16 - 17X30X3	2	
6	00 0212 582 0	TAPER LOCK SLEEVE	H 311-SA OMUS	1	
7	00 0963 413 1	BEARING HOUSING	215X 30	1	
8	00 0239 391 0	CONTACT WASHER	A16	5	
9	00 0238 047 0	LOCK NUT	M16	5	
10	00 0239 156 0	SCREW-IN FITTING	LL 5-M8X1 KEG	1	
11	00 0233 407 0	SOCKET HEAD SCREW	M10X 16-MKL	2	
12	00 0235 218 1	HEXAGON HEAD BOLT	M10X40	1	
13	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	2	
14	00 0923 864 0	TENSION SPRING	4 X 20 X112	1	
15	00 0237 026 0	SPLIT PIN	5X32	2	
16	00 0940 015 8	WASHER	10,5X 40 X4	2	
17	00 0949 574 0	PIN	D16H9X 70	1	
18	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
19	00 0629 569 0	FORK HEAD	G 10X40-M12	1	
20	00 0632 133 0	PIN	B-10A12X28X4,5	1	
21	00 0493 390 0	HYDRAULIC CYLINDER	25X 10-105	1	1)
21	00 0084 775 1	HYDR. CYLINDER		1	2)
22	00 0236 456 0	HEXAGONAL NUT	M12	1	
23	00 0235 089 0	SPLIT PIN	4 X 22	1	
24	00 0238 292 0	WASHER	10,5X 22 X1	1	
25	00 0236 942 0	GREASE NIPPLE	A S6X1	2	
26	00 0233 884 0	ANGLE UNION	SDE-LL5-M8X1-TYPE C1		
27	00 0971 597 0	SHIFT FORK		1	
28	00 0970 976 0	GLIDING BLOCK	45X15X 22,5	2	
29	00 0971 431 2	ANGLE	8X118X232	1	
30	00 0090 040 0	HEXAGON HEAD BOLT	M14X25	6	
31	00 0239 390 0	CONTACT WASHER	A14	6	
32	00 0972 023 1	SUPPORT	8X177X337	1	
33	00 0971 377 0	SHAFT	55X 960	1	
34	00 0970 943 0	CONTROL SLEEVE	100X 58	1	
35	00 0234 385 0	BACK-UP WASHER	S 35X45	1	
36	00 0963 644 1	SLEEVE		1	
37	00 0212 703 0	CIRCLIP	56X2	1	
38	00 0963 408 0	BUSHING	39H7X56J6X 30	1	
39	00 0211 400 0	GLIDE BEARING	35X39X30	1	
1)	Remarks	from 613 0 2319			
2)	Remarks	to 613 0 2318			



CLAAS

DRIVE FOR BEATER DRUMS 3500 S


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0235 545 0	HEXAGON HEAD BOLT	M10X120	2	
2	00 0971 433 0	SPACER		2	
3	00 0233 658 0	CONICAL SPRING WASHER	10 -10,5X23X2,5	2	
4	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	2	
5	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	2	
6	00 0239 389 0	CONTACT WASHER	A12	8	
7	00 0971 430 0	ANGLE	4 X 66X 154	1	
8	00 0971 439 0	ANGLE DRIVE	GT-41LB-1.93:1	1	1)
9	00 0972 014 0	DEFLECTOR PLATE	4X226X533	1	
10	00 0211 057 1	HEXAGON HEAD BOLT	M12X35-MKL	4	
11	00 0233 103 0	WASHER	13-13X30X6	2	
12	00 0971 427 1	SUPPORTING PLATE	8 X 196X 241	1	
13	00 0971 479 0	DRIVE SHAFT		1	2)
14	00 0968 757 0	BEARING HOUSING		1	
15	00 0930 649 0	TENSION BEARING	YEN 207-S	1	
16	00 0616 067 1	LOCK COLLAR	35	1	
17	00 0235 687 0	SPRING PIN	8X90 ERSATZ 2356871	2	
18	00 0971 444 0	DRIVE SHAFT	D35H8X2472	1	
19	00 0972 392 0	DRIVE SHAFT		1	3)
20	00 0971 438 0	ANGLE DRIVE	GT-51H-3.18:1	1	4)

1) Remarks	single parts plate 11
-------------------	-----------------------

2) Remarks	single parts plate 98
-------------------	-----------------------

3) Remarks	single parts plate 99
-------------------	-----------------------

4) Remarks	single parts plate 10
-------------------	-----------------------



DRIVE FOR BEATER DRUMS R.H. 3500 S


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0963 437 0	SPACER RING	50X 65X 12	2	
2	00 0963 433 0	BEARING FLANGE	D85X165X32	2	
3	00 0239 156 0	SCREW-IN FITTING	LL 5-M8X1 KEG	2	
4	00 0238 389 0	LOCK COLLAR BEAR.	YEL 209-S	2	
5	00 0972 183 0	SPACER BUSH	D57X6,3X50	1	
6	00 0233 031 0	WASHER	13X62X6	2	
7	00 0239 394 1	CONTACT WASHER	B10	1	
8	00 0233 000 0	HEXAGON HEAD BOLT	M10X25-MKL	2	
9	00 0239 389 0	CONTACT WASHER	A12	8	
10	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	6	
11	00 0973 382 0	FLOOR PLATE		1	1)
11	00 0971 455 1	FLOOR PLATE		1	2)
12	00 0971 373 0	SPROCKET		1	
13	00 0216 192 0	COUNTERSUNK BOLT	M10X 70	1	
14	00 0914 976 0	BUSHING		1	
15	00 0824 139 1	TENSIONING BLOCK		1	3)
15	00 0927 321 0	TIGHTENING PIECE		1	4)
16	00 0236 831 0	WASHER	10,5X25X2	2	3)
16	00 0900 573 0	SPACER TUBE	458-900.0-62	1	4)
17	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
18	00 0212 201 0	ROLLER CHAIN	16B-1X110 E	1	1)
18	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	
18	00 0213 996 0	ROLLER CHAIN	16B-1X103 L-E	1	2)
19	00 0238 132 0	LOCK NUT	M8	2	
20	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
21	00 0701 740 3	INSP.EC.HOLE DOOR		1	
22	00 0237 462 0	HEXAGON HEAD BOLT	M12X40	2	
23	00 0244 079 0	PLUG	D10,7-F	1	
24	00 0658 012 0	COMPRESS.SPRING	4 X 28 X 46	1	
25	00 0234 366 0	WASHER	17X34X4	1	
26	00 0237 380 0	HEXAGON HEAD BOLT	M16X140	1	
27	00 0233 396 0	HEXAGON HEAD BOLT	M10X30-MKL	1	
28	00 0236 173 0	HEXAGONAL NUT	M16	1	
29	00 0972 044 1	BEARING SUPPORT		1	
30	00 0971 421 0	SPROCKET	37 Z.	1	
31	00 0971 422 0	WASHER		1	
32	00 0242 881 0	CIRCLIP	45X1,75	1	
33	00 0239 049 0	HEXAGON HEAD BOLT	M12X30-MKL	1	
34	00 0973 384 0	COVER PLATE		1	1)
34	00 0971 457 1	COVER PLATE		1	2)
35	00 0215 902 0	COACH BOLT	M 6X35	2	
36	00 0238 292 0	WASHER	10,5X 22 X1	2	

1) Remarks	from 613 0 2165
-------------------	-----------------

2) Remarks	to 613 0 2164
-------------------	---------------

3) Remarks	from 613 0 2021
-------------------	-----------------

4) Remarks	to 613 0 2020
-------------------	---------------




DRIVE FOR BEATER DRUMS L.H. 3500 S

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0971 367 1	BEATER	SCHWEIBVORR. 71 5362 46		
2	00 0963 449 0	BEARING FLANGE	D72X160X31	2	
3	00 0233 618 0	LOCK COLLAR BEAR.	YEL 207-S	2	
4	00 0244 948 0	GREASE NIPPLE	C M8X1	2	
5	00 0970 699 0	WASHER	169,6X 6	1	
6	00 0973 257 0	SWING		1	1)
6	00 0971 372 1	SWING	U	1	2)
7	00 0970 724 0	RETAINING RING	220,0X 5	1	
8	00 0239 389 0	CONTACT WASHER	A12	8	
9	00 0237 372 0	HEXAGON HEAD BOLT	M12X 55	4	
10	00 0971 375 0	SPROCKET	24Z.	2	
11	00 0233 031 0	WASHER	13X62X6	2	
11	00 0970 965 0	WASHER	13X 60X 8	2	
12	00 0239 394 1	CONTACT WASHER	B10	2	
13	00 0233 000 0	HEXAGON HEAD BOLT	M10X25-MKL	2	
14	00 0973 255 0	COVER PLATE	1,5X539X1338	1	1)
14	00 0971 440 3	COVER PLATE	1,5 X 539X1338	1	2)
15	00 0244 422 0	HEXAGON HEAD SCREW	M12X220	1	
16	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	1	
17	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	
18	00 0963 744 1	CHAIN TENSIONER		1	
19	00 0927 321 0	TIGHTENING PIECE		1	
20	00 0212 605 0	ROLLER CHAIN	16B-1X 80 E	1	
21	00 0236 172 0	HEXAGONAL NUT	M12	2	
22	00 0924 483 0	COMPRESS.SPRING	5,6 X 19 X 42	1	
23	00 0235 532 0	HEX.HEAD BOLT	M10X40	1	
24	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	4	
25	00 0235 124 3	FLAT WASHER	12- 13X24X2,5	1	
26	00 0213 878 0	SPRING PIN	6 X 32	1	
27	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	4	
28	00 0701 740 3	INSPEC.HOLE DOOR		1	
29	00 0215 902 0	COACH BOLT	M 6X35	2	
30	00 0970 737 0	TENSION SPRING	5X 28X154	1	
31	00 0249 166 0	BEVEL RING	D 14,2	1	
32	00 0249 161 0	SPHERICAL WASHER	C 13	1	

1) Remarks from 613 0 2108

2) Remarks to 613 0 2107




QUANTUM 3500 K / P / S

92744H/01

GEARBOX MAINDRIVE 1000 R.P.M.

Pos.	Part No.	Description	Dimension	Quantity	Conditions
	00 0972 780 0	MAIN GEARBOX	1000 U/MIN	1	
1	00 0212 631 0	ROTARY SHAFT SEAL	AS 50X90X10	2	
2	00 0235 190 0	CIRCLIP	90X3	2	
3	00 0586 426 1	ADJUSTING DISC	78X89,9X3,1	1	
4	00 0211 607 0	SHIM	80X 90X0,1	2	
5	00 0211 608 0	SHIM	80X90X0,3	2	
6	00 0211 609 0	SHIM	80X 90X0,5	2	
7	00 0212 629 0	SHIM	80X90X1,0	1	
8	00 0238 074 0	TA.ROLLER BEARING	32210	1	
9	00 0935 884 0	HOUSING		1	
10	00 0935 883 0	BREATHER VALVE	1192-04-01-00 ERS.D.214	1	
11	00 0235 989 0	TA.ROLLER BEARING	30210 - 50X90X21,75	2	
12	00 0179 845 0	SLOTTED NUT	M50X1,5	1	
13	00 0212 633 0	ROTARY SHAFT SEAL	AS 45X90X10	1	
14	00 0238 183 0	SEALING RING	A16 X20	1	
15	00 0244 351 0	SCREW PLUG	M16X1,5	1	
16	00 0935 885 0	BEVEL GEAR SET	I=5,125	1	
17	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	12	
18	00 0935 887 0	COVER	553742	1	
19	00 0237 046 0	SCREW PLUG	M10X1	1	
20	00 0244 842 0	SEALING RING	A10 X14	1	
21	00 0215 148 0	TA.ROLLER BEARING	33211/Q	1	
22	00 0213 900 0	SHIM	90X100X0,10	1	
23	00 0213 899 0	SHIM	90X100X0,3	1	
24	00 0213 898 0	SHIM	90X100X0,50	3	
25	00 0935 886 0	SHAFT		1	



GEARBOX FOR BEATER DRUMS

Pos.	Part No.	Description	Dimension	Quantity	Conditions
	00 0971 438 0	ANGLE DRIVE	GT-51H-3.18:1	1	
1	00 0214 132 0	SHAFT SEAL	AS 70X110X10	2	
2	00 0235 194 0	CIRCLIP	110X4	2	
3	00 0211 965 0	SHIM	100X110X0,5	2	
3	00 0211 964 0	SHIM	100X110X0,3	2	
3	00 0211 963 0	SHIM	100X110X0,1	4	
4	00 0211 966 0	SHIM	100X110X1	2	
5	00 0243 655 0	TA.ROLLER BEARING	32014-X	2	
6	00 0935 633 0	HOLLOW SHAFT		1	
7	00 0214 131 0	PARALLEL KEY	B 16X 7X36 GEH.	1	
8	00 0935 636 0	GEARBOX HOUSING		1	
9	00 0935 635 0	COVER	503204	1	
10	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	8	
11	00 0238 183 0	SEALING RING	A16 X20	1	
12	00 0244 351 0	SCREW PLUG	M16X1,5	1	
13	00 0212 326 0	ROTARY SHAFT SEAL	AS 35X72X10	1	
14	00 0237 843 0	CIRCLIP	32X1,5	1	
15	00 0234 431 0	SHIM	35X45X1	1	
16	00 0234 420 0	SHIM	35X45X0,5	1	
16	00 0234 408 0	SHIM	35X45X0,3	1	
16	00 0234 395 0	SHIM	35X 45X0,1	2	
17	00 0235 987 0	TA.ROLLER BEARING	30207 -35X72X17	1	
18	00 0214 050 0	SHIM	72X80X0,5	1	
18	00 0214 049 0	SHIM	72X 80X0,3	1	
18	00 0214 048 0	SHIM	72X 80X0,1	2	
19	00 0243 671 0	TA.ROLLER BEARING	32208- 40X80X24,75	1	
20	00 0935 634 0	BEVEL GEAR SET	I=3.18:1	1	

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com