




UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0821 250 0	DRIVE SHAFT		1	2)
1	00 0821 243 0	DRIVE SHAFT		1	3)
1	00 0821 245 0	DRIVE SHAFT		1	4)
2	00 0821 251 0	DRIVE SHAFT HALF		1	2)
2	00 0821 244 0	DRIVE SHAFT HALF		1	3)
2	00 0821 184 0	DRIVE SHAFT HALF		1	4)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0941 062 0	SLIDING PIN SET		1	
9	00 0941 475 0	EXTENSION FORKE		1	2)
9	00 0820 426 0	EXTENSION FORKE		1	3)
9	00 0820 427 0	EXTENSION FORKE		1	4)
10	00 0972 503 0	CIRCLIP		4	
11	00 0921 267 0	WASHER		4	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
13	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
14	00 0921 268 0	DOUBLE FORK		1	
15	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
16	00 0244 581 2	SPRING PIN	10X 80	2	
17	00 0820 423 0	FORK		1	5)
18	00 0941 506 0	PROFILE TUBE	1160 LANG	1	5)
19	00 0821 103 0	PROTECT.FUNNEL		1	
20	00 0920 671 0	GLIDE RING		2	
21	00 0817 321 1	PROTECTIVE TUBE		1	5)
22	00 0821 104 0	SUPPORTING CHAIN		1	
25	00 0824 483 0	DRIVE SHAFT HALF		1	6)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0824 475 0	INNER GUARD HALF		1	5)
28	00 0917 283 0	BACK-UP RING		1	
29	00 0824 479 0	PROTECT.FUNNEL		1	5)
30	00 0941 507 0	PROFILE TUBE		1	5)
31	00 0941 660 0	FORK		1	5)
32	00 0941 651 0	CENTRE CROSS ASS.		1	
32	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
33	00 0242 908 0	CIRCLIP	32X1,2	4	
34	00 0940 441 0	KEYOVERRUN CLUTCH		1	5)
35	00 0241 041 0	STEEL BALL	12,7 G28	3	5)
36	00 0824 477 0	CLUTCH HOUSING		1	5)
36	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
37	00 0814 229 0	FLAT SPRING		2	
38	00 0814 228 0	STOP KEY		2	
39	00 0814 227 0	HUB		1	5)
40	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
41	00 0235 186 0	CIRCLIP	72X2,5	1	
42	00 0920 683 0	BACK-UP RING		1	5)
43	00 0920 678 0	COMPRESS.SPRING		1	5)
44	00 0920 677 0	LOCKING SLEEVE		1	5)
45	00 0941 098 0	ANGLE RING		1	5)
46	00 0211 406 0	SNAP RING	SP 50	1	5)

1) Remarks


Up To Serial No. 00803589

UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUT 1)

2)	Remarks	6-piece connection
3)	Remarks	21 piece connection
4)	Remarks	8-piece connection
5)	Remarks	
6)	Remarks	machine side

CLAAS

1A



62674Z00
ROLLANT 160

UNIVERSAL DRIVE SHAFT WITH SHEAR BOLT CL 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 960 1	DRIVE SHAFT ASSY.		1	2)
1	00 0822 963 1	DRIVE SHAFT ASSY.		1	3)
1	00 0822 965 2	DRIVE SHAFT ASSY.		1	4)
2	00 0822 961 0	DRIVE SHAFT HALF		1	2)
2	00 0822 964 0	DRIVE SHAFT HALF		1	3)
2	00 0822 966 0	DRIVE SHAFT HALF		1	4)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0941 062 0	SLIDING PIN SET		2	
9	00 0941 475 0	EXTENSION FORKE		1	2)
9	00 0820 426 0	EXTENSION FORKE		1	3)
9	00 0820 427 0	EXTENSION FORKE		1	4)
10	00 0972 503 0	CIRCLIP		4	
11	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
14	00 0921 267 0	WASHER		4	
15	00 0921 268 0	DOUBLE FORK		1	
16	00 0244 946 0	GREASE NIPPLE	B M8X1	1	
17	00 0941 486 0	FORK		1	5)
18	00 0244 581 2	SPRING PIN	10X 80	1	
19	00 0941 507 0	PROFILE TUBE		1	6)
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0824 446 0	PROTECTIVE TUBE		1	7)
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0822 962 1	DRIVE SHAFT HALF		1	8)
25	00 0823 180 0	GUARD HALF		1	7)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 283 0	BACK-UP RING		1	
28	00 0813 018 1	PROTECT.FUNNEL		1	5)
29	00 0824 457 0	KEYOVERRUN CLUTCH		1	5)
30	00 0824 458 0	PROFILE TUBE		1	5)
31	00 0235 186 0	CIRCLIP	72X2,5	1	
32	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
33	00 0814 228 0	STOP KEY		2	
34	00 0814 229 0	FLAT SPRING		2	
35	00 0813 015 0	HUB		1	5)
36	00 0213 698 1	SPRING PIN	10 X 55 N-ST	1	
37	00 0823 186 0	CLUTCH HOUSING		1	5)
38	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
39	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
40	00 0941 651 0	CENTRE CROSS ASS.		1	
41	00 0242 908 0	CIRCLIP	32X1,2	4	
42	00 0823 181 0	SHEAR BOLT CLUTCH		1	5)
43	00 0235 521 0	HEXAGON HEAD BOLT	M8-60	1	5)
44	00 0238 132 0	LOCK NUT	M8	1	5)
45	00 0238 635 0	STEEL BALL	7,938 G28	24	5)
46	00 0941 090 0	GREASE NIPPLE		1	5)

1) Remarks


From No. 00803590-00811145

2) Remarks

6-piece connection

UNIVERSAL DRIVE SHAFT WITH SHEAR BOLT CL 1)

3)	Remarks	21 piece connection
4)	Remarks	8-piece connection
5)	Remarks	
6)	Remarks	1045 long
7)	Remarks	1000 long
8)	Remarks	machine side



UNIVERSAL DRIVE SHAFT WITH CUT-OUT CLUTC 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 967 1	DRIVE SHAFT ASSY.		1	2)
2	00 0822 961 0	DRIVE SHAFT HALF		1	3)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0941 062 0	SLIDING PIN SET		1	
9	00 0941 475 0	EXTENSION FORKE		1	4)
9	00 0820 426 0	EXTENSION FORKE		1	5)
9	00 0820 427 0	EXTENSION FORKE		1	6)
10	00 0972 503 0	CIRCLIP		4	
11	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
14	00 0921 267 0	WASHER		4	
15	00 0921 268 0	DOUBLE FORK		1	
16	00 0244 946 0	GREASE NIPPLE	B M8X1	1	
17	00 0941 486 0	FORK		1	2)
18	00 0244 581 2	SPRING PIN	10X 80	1	
19	00 0941 507 0	PROFILE TUBE		1	7)
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0824 446 0	PROTECTIVE TUBE		1	8)
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0822 968 1	DRIVE SHAFT HALF		1	9)
25	00 0823 180 0	GUARD HALF		1	8)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 283 0	BACK-UP RING		1	
28	00 0813 018 1	PROTECT.FUNNEL		1	2)
29	00 0824 457 0	KEYOVERRUN CLUTCH		1	2)
30	00 0824 458 0	PROFILE TUBE		1	2)
31	00 0235 186 0	CIRCLIP	72X2,5	1	
32	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
33	00 0814 228 0	STOP KEY		2	
34	00 0814 229 0	FLAT SPRING		2	
35	00 0813 015 0	HUB		1	2)
36	00 0213 698 1	SPRING PIN	10 X 55 N-ST	1	
37	00 0823 186 0	CLUTCH HOUSING		1	2)
38	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
39	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
40	00 0941 651 0	CENTRE CROSS ASS.		1	
41	00 0242 908 0	CIRCLIP	32X1,2	4	
42	00 0823 998 0	CAM DISK		1	10)
42	00 0940 438 0	CAM DISK		1	11)


1)	Remarks	From No. 00803590-00811145
2)	Remarks	
3)	Remarks	tractor side
4)	Remarks	6-piece connection
5)	Remarks	21 piece connection
6)	Remarks	8-piece connection
7)	Remarks	1045 long
8)	Remarks	1000 long

UNIVERSAL DRIVE SHAFT WITH CUT-OUT CLUTC 1)

9) Remarks	machine side
10) Remarks	see illustration plate 1 D from No. 00807483
11) Remarks	see illustration plate 1 C to No. 00807482

CLAHAS

1C




109357

Rollant 66

CAM - TYPE CUT - OUT CLUTCH 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0940 438 0	CAM DISK		1	2)
2	00 0211 508 0	CIRCLIP	54X2	1	3)
3	00 0941 430 0	LOCKING RING		1	3)
4	00 0215 521 0	HEXAGON HEAD BOLT	M10X25-MKL	1	3)
5	00 0241 041 0	STEEL BALL	12,7 G28	3	3)
6	00 0941 431 0	TORSION SPRING		1	3)
7	00 0941 432 0	CLAMP KEY		1	3)
8	00 0941 010 0	WASHER		1	3)
9	00 0575 672 0	SEALING RING		1	
10	00 0235 196 0	CIRCLIP	150X4	1	
11	00 0613 966 0	BACK-UP WASHER	S120X150X3,5	1	
12	00 0941 012 0	HUB		1	4)
13	00 0941 491 0	CAM		2	
14	00 0941 490 0	BUSHING	35X39X40	2	
15	00 0575 674 0	SPRING KIT		1	
16	00 0940 439 0	CLUTCH HOUSING		1	

1)	Remarks	From No. 00803590 - 00807482
2)	Remarks	m = 1400 Nm
3)	Remarks	
4)	Remarks	with Item 14




61680z00
ROLLANT 160

131321

CAM - TYPE CUT - OUT CLUTCH 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0823 998 1	CAM DISK		1	2)
2	00 0575 672 0	SEALING RING		1	
3	00 0235 196 0	CIRCLIP	150X4	1	
4	00 0613 966 0	BACK-UP WASHER	S120X150X3,5	1	
5	00 0838 048 0	CLAMP BRACKET		1	3)
6	00 0823 999 0	HUB COMPLETE		1	4)
7	00 0941 491 0	CAM		2	
8	00 0941 490 0	BUSHING	35X39X40	2	
9	00 0851 426 0	SPRING KIT		1	
10	00 0851 427 0	CLUTCH HOUSING		1	
1)	Remarks	From No. 00807483-00811145			
2)	Remarks	m = 1400 Nm			
3)	Remarks				
4)	Remarks	with Item 8			



UNIVERSAL DRIVE SHAFT WITH SHEAR BOLT CL 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0851 647 0	DRIVE SHAFT ASSY.		1	2)
1	00 0851 648 0	DRIVE SHAFT ASSY.		1	3)
2	00 0834 835 0	DRIVE SHAFT HALF		1	2)
2	00 0834 839 0	DRIVE SHAFT HALF	WWE-8T	1	3)
3	00 0836 402 0	FORK		1	2)
3	00 0842 786 0	FORK		1	3)
4	00 0836 404 0	CENTRE CROSS ASS.		2	
5	00 0836 406 0	FORK		1	
6	00 0836 405 0	INNER FORK		1	
7	00 0244 580 0	SPRING PIN	10 X 75	1	
8	00 0836 407 0	PROFILE TUBE		1	
9	00 0836 400 0	GUARD HALF		1	4)
10	00 0844 557 0	RING		1	
11	00 0844 558 0	RING		1	
15	00 0843 799 0	DRIVE SHAFT HALF	M.SBK-1850NM-6T	1	
16	00 0244 579 0	SPRING PIN	10X65	1	
17	00 0836 408 0	PROFILE TUBE		1	
18	00 0836 409 0	INNER FORK		1	
19	00 0836 410 0	CENTRE CROSS ASS.		1	
20	00 0844 559 0	SHEAR BOLT CLUTCH		1	5)
21	00 0836 401 1	GUARD HALF		1	6)
22	00 0836 346 0	RING		1	

1)	Remarks	From No. 00811146 - 00811408
2)	Remarks	6 piece
3)	Remarks	8 piece
4)	Remarks	with Item 10. 11
5)	Remarks	see illustration 1l
6)	Remarks	with Item 22

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com